

- 170 R. Lampi, J. Breibeck, N.I. Gumerova, M.S. Galanski, A. Rompel  
Wells-Dawson phosphotungstates as mushroom tyrosinase inhibitors - A speciation study  
Scientific Reports (2021) 11:19354
- 169 S. Harringer, M. Hejl, É.A. Enyedy, M.A. Jakupc, M.S. Galanski, B.K. Keppler, P.J. Dyson, H.P. Varbanov  
Multifunctional Pt(IV) prodrug candidates featuring the carboplatin core and deferoxamine  
Dalton Trans (2021), 50, 8167-8178
- 168 Legin A.A., Schintlmeister A., Sommerfeld N.S., Eckhard M., Theiner S., Reipert S., Strohhofer D., Jakupc  
M.A., Galanski M., Wagner M., Keppler B.K.  
Nano-scale imaging of dual stable isotope labeled oxaliplatin in human colon cancer cells reveals the nucleolus  
as a putative node for therapeutic effect  
Nanoscale Advances, 2021, 3(1), pp. 249–262
- 167 Tanuhadi E., Gumerova N.I., Prado-Roller A., Galanski M., Cipcic-Paljetak H., Verbanac D., Rompel A.  
Aluminum-Substituted Keggin Germanotungstate [HAl(H<sub>2</sub>O)<sub>6</sub>W<sub>11</sub>O<sub>39</sub>]<sup>4-</sup>: Synthesis, Characterization, and  
Antibacterial Activity  
Inorg. Chem., 2021, 60(1), pp. 28–31
- 166 S. Hizal, M. Hejl, M.A. Jakupc, M. Galanski, B.K. Keppler  
Synthesis, characterization, lipophilicity and cytotoxic properties of novel bis(carboxylato)oxalatobis(1-  
propylamine)platinum(IV) complexes  
Inorg. Chim. Acta 491 (2019) 76-83.
- 165 J. Breibeck, N.I. Gumerova, B. Boesen, M. Galanski, A. Rompel  
Keggin-type polyoxotungstates as mushroom tyrosinase inhibitors - A speciation study  
Scientific Reports (2019) 9:5183
- 164 D. Höfer, K. Cseh, M. Hejl, A. Roller, M.A. Jakupc, M. Galanski, B.K. Keppler  
Synthesis, Characterization, Cytotoxic Activity, and <sup>19</sup>F-NMR Spectroscopic Investigations of (OC-6-33)-  
Diacetato(ethane-1,2-diamine)bis(3,3,3-trifluoropropanoato)platinum(IV) and Its Platinum(II) Counterpart  
Inorg. Chim. Acta 491 (2019) 190-199.
- 163 S. Hizal, M. Hejl, M.A. Jakupc, M. Galanski, B.K. Keppler  
Synthesis, characterization, cytotoxicity and time-dependent NMR studies of (SP-4-3)-  
oxalato[(1R,2R,4R/1S,2S,4S)-(4-trifluoromethyl-cyclohexane-1,2-diamine)]platinum(II)  
Eur. J. Inorg. Chem. (2019) 856-864.
- 162 M.H. M. Klose, S. Theiner, H.P. Varbanov, D. Höfer, V. Pichler, M. Galanski, S.M. Meier-Menches, B.K.  
Keppler  
Development and Validation of Liquid Chromatography-Based Methods to Assess the Lipophilicity of  
Platinum(IV) Anticancer Agents  
Inorganics 6 (2018) 130, 2-14.
- 161 Alonso-de Castro, S.; Terenzi, A.; Hager, S.; Englinger, B.; Faraone, A.; Galanski, M.; Keppler, B.K.; Berger,  
W.; Salassa, L.  
Biological activity of PtIV prodrugs triggered by riboflavin-mediated bioorthogonal photocatalysis  
Submitted  
Scientific RePortS 8 (2018) 17198.
- 160 Theiner, S.; Grabarics, M.; Galvez Montano, L.; Varbanov, H.P.; Sommerfeld, N.; Galanski, M.; Keppler, B.K.;  
Koellensperger, G.  
The impact of whole human blood on the kinetic inertness of platinum(IV) prodrugs - an HPLC-ICP-MS study  
Dalton Trans 47 (2018) 5252-5258
- 159 Kalayda, G.V.; Kullmann, M.; Galanski, M.; Gollos, S.  
A fluorescent oxaliplatin analogue for live-cell imaging of oxaliplatin in cancer cells  
J. Biol. Inorg. Chem. 22 (2017) 1295-1304.
- 158 Sommerfeld, N.S.; Strohhofer, D.; Cseh, K.; Theiner, S.; Jakupc, M.A.; Koellensperger, G.; Galanski, M.;  
Keppler, B.K.  
Platinum(IV) complexes featuring axial Michael acceptor ligands – synthesis, characterisation and cytotoxicity  
Eur. J. Inorg. Chem. (2017) 4049–4054.
- 157 Nosova, Y.N.; Zenin, I.V.; Fetisov, T.I.; Kirsanov, K.I.; Yakubovskaya, M.G.; Lobas, A.A.; Gorshkov, M.V.;  
Kovaleva, O.N.; Milaeva, E.R.; Galanski, M.; Keppler, B.K.; Nazarov, A.A.  
Influence of the number of axial bexarotene ligands on the cytotoxicity of Pt(IV) analogs of oxaliplatin  
Bioinorg. Chem. Appl. (2017) 4736321/1-4736321/6
- 156 Varbanov, H.P.; Ortiz, D.; Höfer, D.; Menin, L.; Galanski, M.; Keppler, B.K.; Dyson, P. J.  
Oxaliplatin reacts with DMSO only in the presence of water  
Dalton Trans. 46 (2017) 8929-8932.
- 155 Höfer, D.; Varbanov, H.P.; Hejl, M.; Jakupc, M.A.; Roller, A.; Galanski, M.; Keppler, B.K.  
Impact of the equatorial coordination sphere on the rate of reduction, lipophilicity and cytotoxic activity of  
platinum(IV) complexes  
J. Inorg. Biochem. 174 (2017) 119–129.
- 154 Sommerfeld, N.S.; Gülgow, J.; Roller, A.; Cseh, K.; Jakupc, M.A.; Grohmann, A.; Galanski, M.; Keppler, B.K.  
Antiproliferative copper(II) and platinum(II) complexes with bidentate N,N donor ligands.  
Eur. J. Inorg. Chem. (2017) 3115-3124.

- 153 Nosova, Y.N.; Foteeva, L.S.; Zenin, I.V.; Fetisov, T.I.; Kirsanov, K.I.; Yakubovskaya, M.G.; Antonenko, T.A.; Tafeenko, V.A.; Aslanov, L.A.; Lobas, A.A.; Gorshkov, M.V.; Galanski, M.; Keppler, B.K.; Timerbaev, A.R.; Milaeva, E.R.; Nazarov, A.A.  
Enhancing the Cytotoxic Activity of Anticancer PtIV Complexes by Introduction of Lonidamine as an Axial Ligand  
*Eur. J. Inorg. Chem.* (2017), 1785–1791
- 152 Höfer, D.; Galanski, M.; Keppler, B.K.  
Synthesis, characterization and time dependent NMR studies of (SP-4-2)-[(trans-1R,2R/1S,2S-15N2)-cyclohexane-1,2-diamine)][(13C2)oxalato]platinum(II)  
*Eur. J. Inorg. Chem.* (2017), 2347–2354.
- 151 Sommerfeld, N.S.; Hejl, M.; Klose, M.H.M.; Schreiber-Brynzak, E.; Bileck, A.; Meier, S.M.; Gerner, C.; Jakupec, M.A.; Galanski, M.; Keppler, B.K.  
Low generation PAMAM dendrimers as drug carriers for Pt(IV) complexes  
*Eur. J. Inorg. Chem.* (2017), 1713–1720.
- 150 Dragancea, D.; Talmaci, N.; Shova, S.; Novitchi, G.; Darvasiova, D.; Rapta, P.; Breza, M.; Galanski, M.; Kozisek, J.; Martins, N.; Martins, L.; Pombeiro, A.; Arion, V.  
Electronic structure of two closely related series of vanadium(V) complexes with substituted 1,5-bis(2-hydroxybenzaldehyde)carbohydrazones and their use as catalyst precursors in oxidation of cyclohexan  
*Inorg. Chem.* 55 (2016) 9187–9203.
- 149 Koellensperger, G.; Galanski, M.; Keppler, B.K.; Hann, S.  
Turbulent flow chromatography in combination with HPLC-ICP-MS for high-throughput analysis of free, intact metal based drugs in biomedical samples  
*J. Anal. At. Spectrom.* 31 (2016) 1811–1817.
- 148 Stefanits, H.; Bienkowski, M.; Galanski, M.; Mitulovic, G.; Ströbel, T.; Gelpi, E.; Ribalta, T.; Broholm, H.; Hartmann, C.; Kros, M.; Preusser, M.; Hainfellner, J.A.  
KINFix – A formalin-free non-commercial fixative optimized for histological, immunohistochemical and molecular analyses of neuropathological tissue specimens  
*Clin. Neuropathol.* 35 (2016), 3-12.
- 147 Göschl, S.; Varbanov, H.P.; Theiner, S.; Jakupec, M.A.; Galanski, M.; Keppler, B.K.  
The role of the equatorial ligands for the redox behavior, mode of cellular accumulation and cytotoxicity of platinum(IV) prodrugs  
*J. Inorg. Biochem.* 160 (2016) 264–274.
- 146 Schreiber-Brynzak, E.; Pichler, V.; Heffeter, P.; Hanson, B.; Theiner, S.; Lichtscheidl-Schultz, I.; Kornauth, C.; Bamonti, L.; Galanski, M.; Jakupec, M.; Keppler, B.K.  
Behavior of platinum(IV) complexes in models of tumor hypoxia: cytotoxicity, compound distribution and accumulation  
*Metallomics* 8 (2016) 422-433.
- 145 Theiner, S.; Schreiber-Brynzak, E.; Jakupec, M.A.; Galanski, M.; Koellensperger, G.; Keppler, B.K.  
LA-ICP-MS Q1 Q2 imaging in multicellular tumor spheroids – a novel tool in the preclinical development of metal-based anticancer drugs  
*Metallomics* 8 (2016) 398-402.
- 144 Legin, A.A.; Theiner, S.; Schintlmeister, A.; Reipert, S.; Heffeter, P.; Jakupec, M.A.; Varbanov, H.; Kowol, C.R.; Galanski, M.; Berger, W.; Wagner M.; Keppler, B.K.  
Multi-scale imaging of anticancer platinum(IV) compounds in murine tumor and kidney  
*Chemical Science* 7 (2016) 3052-3061.
- 143 Garbutcheon-Singh, K. B.; Galanski, M.; Keppler, B.K.; Aldrich-Wright, J.R.  
Synthesis, characterisation and cytotoxicity of [(1,10-phenanthroline)(1R,2R,4R/1S,2S,4S)-4-methyl-1,2-cyclohexanediamine]platinum(II)]<sup>2+</sup> (PHEN-4-MeDACH).  
*Inorg. Chim. Acta* 441 (2016) 152–156.
- 142 Tetko, I.V.; Varbanov, H.P.; Galanski, M.; Talmaci, M.; Platts, J.; Ravera, M.; Gabano, E.  
Prediction of logP for Pt(II) and Pt(IV) complexes: comparison of statistical and quantum-chemistry based approaches  
*J. Inorg. Biochem.* 156 (2016), 1-13.
- 141 Höfer, D.; Varbanov, P.H.; Legin, A.; Jakupec, M.; Roller, A.; Galanski, M.; Keppler, B.K.  
Tetracarboxylatoplatinum(IV) complexes featuring monodentate leaving groups - a rational approach towards exploiting the platinum(IV) prodrug strategy  
*J. Inorg. Biochem.*, 153 (2015) 259–271.
- 140 Pichler, V.; Göschl, S.; Schreiber-Brynzak, E.; Jakupec, M.A.; Galanski, M.; Keppler, B.K.  
Influence of reducing agents on the cytotoxic activity of platinum(IV) complexes: induction of G2/M arrest, apoptosis and oxidative stress in A2780 and cisplatin resistant A2780cis cell line  
*Metallomics* 7 (2015) 1078-1090.

- 139 Theiner, S.; Kornauth, C.; Varbanov, H.P.; Galanski, M.; Van Schoonhoven, S.; Heffeter, P.; Berger, W.; Egger, A.E.; Keppler, B.K.  
Tumor microenvironment in focus: LA-ICP-MS bioimaging of a preclinical tumor model upon treatment with platinum(IV)-based anticancer agents.  
*Metalomics* 7 (2015) 1256-1264.
- 138 Hoffmeister, B.R.; Hejl, M.; Jakupc, M.A.; Galanski, M.; Keppler, B.K.  
Bis- and Tris(carboxylato)platinum(IV) Complexes with Mixed Am(m)ine Ligands in Trans Position Exhibiting Exceptionally High Cytotoxicity.  
*Eur. J. Inorg. Chem.* (2015) 1700-1708.
- 137 Hoffmeister, B.R., Hejl, M., Adib-Razavi, M.S., Jakupc, M.A., Galanski, M., Keppler, B.K.  
Bis- and Tetrakis(carboxylato)platinum(IV) Complexes with Mixed Axial Ligands – Synthesis, Characterization, and Cytotoxicity.  
*Chem. Biodiv.* 12 (2015) 559-574.
- 136 Theiner, S.; Varbanov, H.P.; Galanski, M.; Egger, A.E.; Berger, W.; Heffeter, P.; Keppler, B.K.  
In vitro and in vivo comparative pharmacological investigation of novel platinum(IV)-based anticancer agents for oral application.  
*J. Biol. Inorg. Chem.* 20 (2015) 89-99.
- 135 Varbanov, H.P.; Göschl, S.; Heffeter, P.; Theiner, S.; Roller, A.; Jensen, F.; Jakupc, M.A.; Berger, W.; Galanski, M.; Keppler, B.K.  
A novel class of bis- and tris-chelate diam(m)inebis(dicarboxylato)platinum(IV) complexes as potential anticancer prodrugs.  
*J. Med. Chem.* 57 (2014), 6751–6764.
- 134 Matczuk, M.; Foteeva, L.S.; Jarosz, M.; Galanski, M.; Keppler, B.K.; Hirokawa, T.; Timerbaev, A.R.  
Can neutral analytes be concentrated by transient isotachophoresis in micellar electrokinetic chromatography and how much?  
*J. Chromatogr. A* 1345 (2014) 212–218.
- 133 Ossipov, K.; Scaffidi-Domianello, Y.Y.; Seregina, I.F.; Galanski, M.; Keppler, B.K.; Timerbaev, A.R.; Bolshov M.A.  
Inductively coupled plasma mass spectrometry for metallodrug development: Albumin binding and serum distribution of cytotoxic cis- and trans-isomeric platinum(II) complexes.  
*J. Inorg. Biochem.* 137 (2014) 40–45.
- 132 Legin, A.; Schintlmeister, A.; Jakupc, M.A.; Galanski, M.; Lichtscheidl, I.; Wagner, M.; Keppler, B.K.  
NanoSIMS combined with fluorescence microscopy as a tool for subcellular imaging of isotopically labeled platinum-based anticancer drugs.  
*Chemical Science* 5 (2014) 3135–3143.
- 131 Banfić, J.; Legin, A.A.; Jakupc, M.A.; Galanski, M.; Keppler, B.K.  
Platinum(IV) complexes featuring one or two axial ferrocene bearing ligands – synthesis, characterization, and cytotoxicity.  
*Eur. J. Inorg. Chem.* (2014) 484-492.
- 130 Pichler, V.; Göschl, S.; Meier, S.M.; Roller, A.; Jakupc, M.A.; Galanski, M.; Keppler, B.K.  
Bulky N,(N)-(di)alkylethane-1,2-diamine platinum(II) compounds as precursors for generating unsymmetrically substituted platinum(IV) complexes.  
*Inorg. Chem.* 52 (2013) 8151-8162.
- 129 Banfic, J.; Adib-Razavi, M.S.; Galanski, M.; Keppler, B.K.  
Platinum(IV) complexes featuring axial (1,4-13C2)succinato ligands – synthesis, characterization, and preliminary investigations in cancer cell lysates.  
*Z. Anorg. Allg. Chem.* 639 (2013) 1613-1620.
- 128 Pichler, V.; Mayr, J.; Heffeter, P.; Dömötör, O.; Enyedy, É.A.; Hermann, G.; Groza, D.; Köllensperger, G.; Galanski, M.; Berger, W.; Keppler, B.K.; Kowol, C.R.  
Maleimide-functionalised platinum(IV) complexes as synthetic platform for targeted drug delivery.  
*Chem Commun.* 49 (2013) 2249-2251.
- 127 Varbanov, H.P.; Jakupc, M.A.; Roller, A.; Jensen, F.; Galanski, M.; Keppler, B.K.  
Theoretical investigations and Density Functional Theory based Quantitative Structure Activity Relationship model for novel cytotoxic Pt(IV) complexes.  
*J. Med. Chem.* 56 (2013) 330-344.
- 126 Valiahdi, S.M.; Egger, A.E.; Miklos, W.; Jungwirth, U.; Meelich, K.; Nock, P.; Berger, W.; Hartinger, C.G.; Galanski, M.; Jakupc, M.A.; Keppler, B.K.  
Influence of extracellular pH on the cytotoxicity, cellular accumulation and DNA interaction of novel pH-sensitive 2-aminoalcoholato platinum(II) complexes.  
*J. Biol. Inorg. Chem.* 18 (2013) 249-260.
- 125 Pichler, V.; Heffeter, P.; Valiahdi, S.M.; Kowol, C.R.; Egger, A.; Berger, W.; Jakupc, M.A.; Galanski, M.; Keppler, B.K.  
Unsymmetric mono- and dinuclear platinum(IV) complexes featuring an ethylene glycol moiety: synthesis, characterization and biological activity  
*J. Med. Chem.* 55 (2012) 11052-11061.

- 124 Galanski, M.; Kisakürek, M. V.  
Editorial: Bioinorganic Chemistry (ICBIC XV)  
Chem. Biodiv. 9 (2012) 1619.
- 123 Varbanov, H.P.; Valiahdi, S.M.; Kowol, C.R.; Jakupc, M.A.; Galanski, M.; Keppler, B.K.  
Novel tetracarboxylatoplatinum(IV) complexes as carboplatin prodrugs  
Dalton Trans. 41 (2012) 14404-14415.
- 122 Grabmann, G.; Meier, S.M.; Scaffidi-Domianello, Y.Y.; Galanski, M.; Hartinger, C.G.  
Capillary Zone Electrophoresis and Capillary Zone Electrophoresis Electrospray Ionization Mass Spectrometry Studies on the Behavior of Anticancer cis- and trans-[Dihalidobis(2-propanone oxime)platinum(II)] Complexes in Aqueous Solutions  
J. Chromatogr. A 1267 (2012) 156.161.
- 121 Scaffidi-Domianello, Y.Y.; Legin, A.A.; Jakupc, M.A.; Roller, A.; Kukushkin, V.Yu.; Galanski, M.; Keppler, B.K.  
Novel Oximato-Bridged Platinum(II) Di- and Trimer(s): Synthetic, Structural, and *in vitro* Anticancer Activity Studies.  
Inorg. Chem. 51 (2012) 7153-7163
- 120 Ginzinger, W.; Egger, A.; Mühlgassner, G.; Arion, V.B.; Jakupc, M.A.; Galanski, M.; Berger, W.; Keppler, B.K.  
Water Soluble Cationic Derivatives of Indirubin, the Active Anticancer Component from Indigo naturalis  
Chem. Biodiv. 9 (2012) 2175-2185.
- 119 Hoffmeister, B.R.; Adib-Razavi, M.S.; Jakupc, M.A.; Galanski, M.; Keppler B.K.  
Diamminetetracarboxylatoplatinum(IV) Complexes – Synthesis, Characterization, and Cytotoxicity.  
Chem. Biodiv. 9 (2012) 1840-1848.
- 118 Ginzinger, W.; Mühlgassner, G.; Arion, V.B.; Jakupc, M.A.; Roller, A.; Galanski, M.; Reithofer, M.; Berger, W.; Keppler, B.K.  
A SAR Study of Novel Antiproliferative Ruthenium and Osmium Complexes with Quinoxalinone Ligands in Human Cancer Cell Lines  
J. Med. Chem. 55 (2012) 3398-3413.
- 117 Buß, I.; Kalayda, G.V.; Lindauer, A.; Reithofer, M.R.; Galanski, M.; Keppler, B.K.; Jaehde U.  
Reactivity affects cellular accumulation and cytotoxicity of platinum complexes  
J. Biol. Inorg. Chem. 17 (2012) 699-708.
- 116 Anticancer activity of methyl-substituted oxaliplatin analogs  
Jungwirth, U.; Xanthos, D.N.; Gojo, J.; Bytzek, A.K.; Körner, W.; Heffeter, P.; Abramkin, S.A.; Jakupc, M.A.; Hartinger, C.G.; Windberger, U.; Galanski, M.; Keppler, B.K.; Berger, W.  
Mol. Pharmacol. 81 (2012) 719-728.
- 115 Bartel, C.; Bytzek, A.K.; Scaffidi-Domianello, Y.Y.; Grabmann, G.; Jakupc, M.A.; Hartinger, C.G.; Kukushkin, V.Yu.; Galanski, M.; Keppler, B.K.  
Cellular accumulation and DNA interaction studies of active *trans*-platinum anticancer compounds.  
J. Biol. Inorg. Chem. 17 (2012) 465-474.
- 114 Abramkin, S.; Valiahdi, S.M.; Jakupc, M.A.; Galanski, M.; Metzler-Nolte, N.; Keppler B.K.  
Solid-Phase Synthesis of Oxaliplatin-TAT Peptide Bioconjugates  
Dalton Trans. 41 (2012) 3001-3005.
- 113 Galanski, M.;Keppler B.K.  
Tumor-Targeting Strategies with Anticancer Platinum Complexes  
In Drug Delivery in Oncology. From Basic Research to Cancer Therapy. Volume 3, Ed.: Felix Kratz, Peter Senter, Henning Steinhagen, WILEY-VCH Verlag GmbH & Co. KGaA, 2012, pp. 1605-1629.
- 112 Scaffidi-Domianello, Y.Y.; Legin, A.A.; Jakupc, M.A.; Arion, V.B.; Kukushkin, V.Yu.; Galanski, M.; Keppler, B.K.  
Synthesis, characterization and cytotoxic activity of novel potentially pH-sensitive non-classical platinum(II) complexes featuring 1,3-dihydroxyacetone oxime ligands  
Inorg. Chem. 50 (2011) 10673-10681.
- 111 Varbanov, H.; Valiahdi, S.M.; Jakupc, M.A.; Roller, A.; Galanski, M.; Keppler, B.K.  
Synthesis and characterization of novel bis(carboxylato)dichloridobis(ethylamine)platinum(IV) complexes with higher cytotoxicity than cisplatin  
Eur. J. Med. Chem., 46 (2011) 5456-5464.
- 110 Hann, S.; Fischer, L.; Falta, T.; Koellensperger, G.; Stojanovic, A.; Kogelnig, D.; Galanski, M.; Krachler, R.; Keppler, B.K.  
Ionic liquids for extraction of metals and metal containing compounds from communal and industrial waste water.  
Water Res. 45 (2011) 4601-4614.
- 109 Bartel, C.; Egger, A.E.; Jakupc, M.A.; Heffeter, P.; Galanski, M.; Berger, W.; Keppler, B.K.  
Influence of ascorbic acid on the activity of the investigational anticancer drug KP1019.  
J. Biol. Inorg. Chem. 16 (2011) 1205-1215.

- 108 Pichler, V.; Valiahdi, S.M.; Jakupc, M.A.; Arion, V.B.; Galanski, M.; Keppler, B.K.  
Mono-carboxylated diaminedichloridoplatinum(IV) complexes – selective synthesis, characterization, and cytotoxicity  
*Dalton Trans.* 40 (2011) 8187-8192.
- 107 Buß, I.; Garmann, D.; Galanski, M.; Weber, G.; Kalayda, G.V.; Keppler, B.K.; Jaehde, U.  
Enhancing lipophilicity as a strategy to overcome oxaliplatin resistance?  
*J. Inorg. Biochem.* 105 (2011) 709-717.
- 106 Filak, L.K.; Mühlgassner, G.; Bacher, F.; Roller, A.; Galanski, M.; Jakupc, M.A.; Keppler, B.K.; Arion, V.B.  
Ruthenium- and Osmium-Arene Complexes of 2-Substituted Indolo[3,2-c]quinolines: Synthesis, Structure, Spectroscopic Properties, and Antiproliferative Activity.  
*Organometallics* 30 (2011) 273-283.
- 105 Reithofer, M.R.; Bytzek, A.K.; Valiahdi, S.M.; Kowol, C.R.; Groessl, M.; Hartinger, C.G.; Jakupc, M.A.; Galanski, M.; Keppler, B.K.  
Tuning of Lipophilicity and Cytotoxic Potency by Structural Variation of Anticancer Platinum(IV) Complexes  
*J. Inorg. Biochem.* 105 (2011) 46-51.
- 104 Pashkunova-Martic, I.; Kremser, C.; Galanski, M.; Arion, V.B.; Debbage, P.; Jaschke, W.; Keppler, B.K.  
Lectin–Gd loaded chitosan hydrogel nanoparticles: a new biospecific contrast agent for magnetic resonance imaging (MRI)  
*Mol. Imaging Biol.* 13 (2011) 16-24.
- 103 Pashkunova-Martic, I.; Kremser, C.; Galanski, M.; Talasz, H.; Hugl, B.; Schluga, P.; Sölder, E.; Buchberger, W.; Debbage, P.; Keppler, B.K.  
Lectin conjugates as biospecific contrast agents for magnetic resonance imaging. Coupling of *Lycopersicon esculentum agglutinin* to linear water-soluble DTPA-loaded oligomers  
*Mol. Imaging Biol.* 13 (2011) 432-442.
- 102 Abramkin, S.A.; Jungwirth, U.; Valiahdi, S.M.; Dworak, C.; Habala, L.; Meelich, K.; Berger, W.; Jakupc, M.A.; Hartinger, C.G.; Nazarov, A.A.; Galanski, M.; Keppler, B.K.  
{(1*R*,2*R*,4*R*)-4-Methyl-1,2-cyclohexanediamine}oxalatoplatinum(II) – a novel enantiomerically pure oxaliplatin derivative showing improved anticancer activity in vivo  
*J. Med. Chem.* 53 (2010) 7356-7364.
- 101 Kogelnig, D.; Stojanovic, A. v.d. Kammer F., Terzieff, P.; Galanski, M.; Jirsa, F.; Krachler, R.; Keppler B.K.  
Tetrachloroferrate ionic liquid: magnetic- and aggregation behavior  
*Inorg. Chem. Commun.* 13 (2010) 1485-1488.
- 100 Scaffidi-Domianello, Y.; Meelich, K.; Jakupc, M.A.; Arion, V.B.; Kukushkin, V.Yu.; Galanski, M.; Keppler, B.K.  
Novel cis- and trans-configured bis(oxime)platinum(II) complexes – synthesis, characterization, and cytotoxic activity  
*Inorg. Chem.* 49 (2010) 5669-5678.
- 99 Djinovic, V.M.; Galanski, M.; Arion, V.B.; Keppler B.K.  
Synthesis and structures of novel 1-methylcytosinato-bridged (ethylenediamine)platinum(II) and platinum(III) dinuclear complexes.  
*Dalton Trans.* 39 (2010) 3633-3643.
- 98 Stojanovic, A.; Morgenbesser, C.; Galanski, M.; Kogelnig, D.; Roller, A.; Krachler, R.; Keppler B.K.  
Synthesis and crystal structure of N-Phenyl-N'-(pyridin-2-ylmethyl)-S-methyl-thiouronium iodide.  
*J. Mol. Struct.* 965 (2010) 50-55.
- 97 Bytzek, A.K.; Reithofer, M.R.; Galanski, M.; Groessl, M.; Keppler, B.K.; Hartinger C.G.  
The first example of MEEKC–ICP-MS coupling and its application for the analysis of anticancer platinum complexes  
*Electrophoresis* 31 (2010) 1144-1150.
- 96 Stojanovic, A.; Kogelnig, D.; Fischer, L.; Hann, S.; Galanski, M.; Groessl, M.; Krachler, R.; Keppler, B.K.  
Quaternary ammonium and phosphonium ionic liquids with functionalized aromatic anions: synthesis, characterization and their task specificity for platinum uptake from aqueous solution.  
*Aust. J. Chem.* 63 (2010) 511-524.
- 95 Arion, V.; Kowol, C.; Trondl, R.; Heffeter, P.; Jakupc, M.; Roller, A.; Galanski, M.; Berger, W.; Keppler, B.K.  
Impact of metal coordination on cytotoxicity of 3-aminopyridine-2-carboxaldehyde thiosemicarbazone (Triapine) and novel insights into terminal dimethylation  
*J. Med. Chem.* 52 (2009) 5032-5043.
- 94 Keppler, B.K.; Galanski, M.; Rompel A.  
Editorial: Topics in Bioinorganic Chemistry  
*Chem. Biodiv.* 5 (2008) 1435-1436.
- 93 Stojanovic, A.; Lämmerhofer, M.; Kogelnig, D.; Schiesel, S.; Sturm, M.; Galanski, M.; Krachler, R.; Keppler, B.K.; Lindner, W.  
Analysis of quaternary ammonium and phosphonium ionic liquids by reversed-phase high-performance liquid chromatography with charged aerosol detection and unified calibration  
*J. Chromatogr. A* 1209 (2008) 179-187.

- 92 Kowol, C.R.; Reisner, E.; Chiorescu, I.; Arion, V.B.; Galanski, M.; Deubel, D.V.; Keppler, B.K.  
An Electrochemical Study of Antineoplastic Gallium, Iron and Ruthenium Complexes with Redox Non-Innocent  
 $\alpha$ -N-Heterocyclic Chalcogensemicarbazones  
Inorg. Chem. 47 (2008) 11032-11047.
- 91 Reithofer, M.R.; Schwarzinger, A.; Valiahdi, S.M.; Galanski, M.; Jakupc, M.A.; Keppler B.K.  
Novel bis(carboxylato)dichlorido(ethane-1,2-diamine)platinum(IV) complexes with exceptionally high  
cytotoxicity  
J. Inorg. Biochem. 102 (2008) 2072-2077.
- 90 Berger, I.; Hanif, M.; Nazarov, A.A.; Hartinger, C.G.; John, R.; Kuznetsov, M. L.; Groessl, M.; Schmitt, F.;  
Zava, O.; Biba, F.; Arion, V.B.; Galanski, M.; Jakupc, M.A.; Juillerat-Jeanneret, L.; Dyson, P.J.; Keppler, B.K.  
Anticancer Activity of Organometallic Ruthenium complexes with carbohydrate-based ligands  
Chem. Eur. J. 14 (2008) 9046-9057.
- 89 Ginzinger, W.; Arion, V.B.; Giester, G.; Galanski, M.; Keppler, B.K.  
Synthesis and Structural Peculiarities of Gallium Complexes with Novel Paullone Derivatives  
Cent. Eur. J. Chem. 6 (2008) 340-346.
- 88 Heffeter, P.; Jungwirth, U.; Jakupc, M.; Hartinger, C.; Galanski, M.; Elbling, L.; Micksche, M.; Keppler, B.;  
Berger W.  
Resistance Against Novel Anticancer Metal Compounds: Differences and Similarities  
Drug Res. Updates 11 (2008) 1-16.
- 87 Kogelnig, D.; Stojanovic, A.; Galanski, M.; Groessl, M.; Jirsa, F.; Krachler, R.; Keppler B.K.  
Greener synthesis of new ammonium ionic liquids and their potential as extracting agents  
Tetrahedron Lett. 49 (2008) 2782-2785.
- 86 Reithofer, M.R.; Valiahdi, S.M.; Galanski, M.; Jakupc, M.A.; Arion, V.B.; Keppler, B.K.  
Novel Endothall Containing Platinum(IV) Complexes – Synthesis, Characterization, and Cytotoxic Activity  
Chem. Biodiv. 5 (2008) 2160-2170.
- 85 Valiahdi, S.M.; Reithofer, M.R.; Egger, A.; Jakupc, M.A.; Galanski, M.; Keppler, B.K.  
Structure-activity relationships and DNA platination of new di- and tetracarboxylatoplatinum(IV) complexes  
Met. Ions Biol. Med. 10 (2008), 75-81.
- 84 Reithofer, M.R.; Galanski, M.; Arion V.B.; Keppler, B.K.  
Unprecedented twofold intramolecular hydroamination in diam(m)inedicarboxylatodichlorido-platinum(IV)  
complexes – ethane-1,2-diamine *versus* ammine ligands  
Chem. Commun. (2008) 1091-1093.
- 83 Habala, L.; Dworak, C.; Nazarov, A.A.; Hartinger, C.G.; Abramkin, S.A.; Arion, V.B.; Lindner, W.; Galanski,  
M.; Keppler, B.K.  
Methyl-substituted *trans*-1,2-Cyclohexanediamines as New Ligands for Oxaliplatin-type Complexes  
Tetrahedron 64 (2008) 137-146.
- 82 Luzyanin, K.V.; Kukushkin, V.Yu.; Kopylovich, M.N.; Nazarov, A.; Galanski, M.; Haukka, M.; Pombeiro,  
A.J.L.  
Novel and Mild Route to Phthalocyanines and 3-Iminoisoindolin-1-ones via N,N-diethylhydroxylamine-  
Promoted Conversion of Phthalonitriles and a Dramatic Solvent-Dependence of the Reaction  
Adv. Synth. Catal. 350 (2008) 135-142.
- 81 Luzyanin, K.V.; Kukushkin, V.Yu.; Galanski, M.; Garnovsky, D.; Pombeiro A.J.L.  
Regioselective addition of bifunctional oximehydroxamic acid by the hydroxamic group to Pt(IV)-coordinated  
nitriles  
Inorg. Chim. Acta 361 (2008) 1738-1743.
- 80 Jakupc, M.A.; Galanski, M.; Arion, V.B.; Hartinger, C.G.; Keppler B.K.  
Antitumour metal compounds: more than theme and variations  
Dalton, Trans. (2008) 183-194.
- 79 Koellensperger, G.; Meelich, K.; Stefanka, Zs.; Galanski, M.; Keppler, B.K.; Stingeder G.; Hann S.  
Species specific IDMS for accurate quantification of carboplatin in urine by LC-ESI-TOFMS and LC-ICP-QMS  
J. Anal. At Spectrom. 23 (2008) 29-36.
- 78 Reithofer, M.R.; Valiahdi, S.M.; Jakupc, M.A.; Arion, V.B.; Egger, A.; Galanski, M.; Keppler B.K.  
Novel di- and tetracarboxylatoplatinum(IV) complexes – synthesis, characterization, cytotoxic activity, and DNA  
platination  
J. Med. Chem. 50 (2007) 6692-6699.
- 77 Schmid, W.F.; John, R.O.; Mühlgassner, G.; Heffeter, P.; Jakupc, M.A.; Galanski, M.; Berger, W.; Arion, V.B.;  
Keppler, B.K.  
Metal-Based Paullones as Putative CDK Inhibitors for Targeted Antitumor Chemotherapy  
J. Med. Chem. 50 (2007) 6343-6355.
- 76 Kowol, C.R.; Eichinger, R.; Jakupc, M.A.; Galanski, M.; Arion, V.B.; Keppler; B.K.  
Effect of Metal Ion Complexation and Chalcogen Donor Identity on the Antiproliferative Activity of 2-  
Acetylpyridine N,N-Dimethyl(chalcogen)semicarbazones  
J. Inorg. Biochem. 101 (2007) 1946-1957.

- 75 Scaffidi-Domianello, Y.Yu.; Nazarov, A.A.; Haukka, M.; Galanski, M.; Keppler, B.K.; Schneider, J.; Du, P.; Eisenberg, R.; Kukushkin, V.Yu.  
The First Example of the Solid State Thermal Cyclometalation of Ligated Benzophenone Imine Giving Luminescent Platinum(II) Species  
*Inorg. Chem.* 46 (2007) 4469-4482.
- 74 Schmid, W.F.; John, R.O.; Arion, V.B.; Jakupc, M.A.; Roller, A.; Galanski, M.; Chiorescu, I.; Keppler, B.K.  
The First Ruthenium-Based Paullones: Syntheses, X-ray Diffraction Structures, Spectroscopic and Antiproliferative Properties in Vitro  
*Inorg. Chem.* 46 (2007) 3645-3656.
- 73 Dufrasne, F.; Galanski, M.  
The relation between stereochemistry and biological activity of platinum(II) complexes chelated with chiral diamine ligands: an intricate problem.  
*Curr. Pharm. Design* 13 (2007) 2781-2794.
- 72 Galanski, M.  
Editorial: Anticancer Platinum Complexes - State of the Art and Future Prospects  
*Anti-Cancer Agents Med. Chem.* 7 (2007) 1-2.
- 71 Galanski, M.; Keppler, B.K.  
Searching for the Magic Bullet: Anticancer Platinum Drugs which can be Accumulated or Activated in the Tumor Tissue  
*Anti-Cancer Agents Med. Chem.* 7 (2007) 55-73.
- 70 Zorbas-Seifried, S.; Hartinger, C.G.; Meelich, K.; Galanski, M.; Oesterhelt, D.; Keppler, B.K.; Zorbas, H.  
DNA interactions of pH sensitive, antitumor bis(aminoalcohol)dichloroplatinum(II) complexes  
*Biochemistry* 45 (2006) 14817-14825.
- 69 Berger, I.; Nazarov, A. A.; Hartinger, C. G.; Valiahdi, S.-M.; Jakupc, M. A.; Galanski, M.; Keppler, B. K.  
Synthesis and in vitro antitumor activity of 2, 3-diaminoglucose-based platinum(II) coordination compounds.  
*Met. Ions Biol. Med.* 9 (2006), 9-12.
- 68 Meelich, K.; Galanski, M.; Arion, V. B.; Jakupc, M. A.; Schluga, P.; Hartinger, C. G.; Graf v. Keyserlingk, N.; Keppler, B. K.  
Activation of anticancer platinum complexes by tumoral acidity.  
*Met. Ions Biol. Med.* 9 (2006), 52-58.
- 67 Scaffidi-Domianello, Yu. Yu.; Haukka, M.; Kelly, P. F.; Galanski, M.; Keppler, B. K.; Kukushkin, V. Yu.  
Crystal structure of *trans*-dichloro(dimethyl sulfoxide)(diphenylsulfimide)-platinum(II) toluene hemisolvate,  
 $\text{PtCl}_2(\text{C}_2\text{H}_6\text{SO})(\text{C}_12\text{H}_{10}\text{SNH}) \cdot \frac{1}{2}\text{C}_7\text{H}_8$ .  
*Z. Krist.-New Cryst. Struct.*, 221 (2006) 226-228.
- 66 Rothenburger, C.; Galanski, M.; Arion, V.B.; Görls, H.; Weigand, W.; Keppler B.K.  
Synthesis and Characterization of (*trans*-(*IR,2R*)-diaminocyclohexane)platinum(II) coordinated to sulfur and selenium amino acids  
*Eur. J. Inorg. Chem.*, (2006) 3746-3752.
- 65 Reithofer, M.; Galanski, M.; Roller, A.; Keppler, B. K.  
An Entry to Novel Platinum Complexes. Carboxylation of Dihydroxoplatinum(IV) Complexes with Succinic Anhydride and Subsequent Derivatization  
*Eur. J. Inorg. Chem.*, (2006) 2612-2617.
- 64 Meelich, K.; Galanski, M.; Arion, V.B.; Keppler B.K.  
Bis(2-aminoalcohol- $\kappa N$ )dicarboxylatoplatinum(II) complexes – elegant synthesis via ring-opening of bis(2-aminoalcoholato- $\kappa^2 N, O$ )-platinum(II) species with dicarboxylic acids  
*Eur. J. Inorg. Chem.*, (2006) 2476-2483.
- 63 Dufrasne, F.; Gelbcke, M.; Galanski, M.  
Signal separation and determination of the enantiomeric purity of primary amines with (-)-myrtenal – a  $^{13}\text{C}$  NMR study  
*Spectrochimica Acta Part A*, 65 (2006) 869-873.
- 62 Dobrov, A.A.; Arion, V.B.; Kandler, N.; Ginzinger, W.; Galanski, M.; Jakupc, M.A.; Rufińska, A.; Kowol, C.; Keppler B.K.  
The First Metal-Based Paullone Derivative with High Antiproliferative Activity in Vitro.  
*Inorg. Chem.*, 45 (2006) 1945-1950.
- 61 Galanski, M.  
Recent developments in the field of anticancer platinum complexes  
Recent Patents on Anti-Cancer Drug Discovery, 1 (2006) 285-295.
- 60 Luzyanin, K.V.; Kukushkin, V.Yu.; Kuznetsov, M.L.; Ryabov, A.D.; Galanski, M.; Haukka, M.; Pombeiro, A.J.L.  
Kinetic and Thermodynamic Aspects of the Regioselective Addition of Bifunctional Hydroxylamine/Oxime -type HO-Nucleophiles to Pt-Complexed Nitriles  
*Inorg. Chem.*, 45 (2006) 2296-2306.
- 59 Galanski, M.; Keppler, B.K.  
Tumorhemmende Metallverbindungen  
*Pharmazie in unserer Zeit*, 35 (2006) 118-123.

- 58 Schluga, P.; Hartinger, C.G.; Egger, A.; Reisner, E.; Galanski, M.; Jakupc, M.A.; Keppler, B.K.  
Redox behavior of tumor-inhibiting ruthenium(III) complexes and effects of physiological reductants on their binding to GMP  
*Dalton Transactions*, 14 (2006) 1796-1802
- 57 Galanski, M.; Habala, L.; Nazarov, A.A.; Jakupc, M.A.; Yasemi, A.; Slaby, S.; Graf von Keyserlingk, N.; Keppler, B. K.  
Rational development of oxaliplatin analogues – synthesis and preliminary structure-activity relationships  
*Int. J. Clin. Pharmacol. Ther.*, 43(12) (2005) 575-576.
- 56 Schluga, P.; Hartinger, C. G.; Galanski, M.; Meelich, K.; Timerbaev, A. R.; Keppler, B. K.  
Tumour-inhibiting platinum(II) complexes with aminoalcohol ligands: biologically important transformations studied by micellar electrokinetic chromatography, nuclear magnetic resonance spectroscopy and mass spectrometry  
*The Analyst*, 130 (2005) 1383-1389.
- 55 Habala, L.; Galanski, M.; Yasemi, A.; Nazarov, A. A.; Graf von Keyserlingk, N.; Keppler, B. K.  
Synthesis and structure-activity relationships of mono- and dialkyl-substituted oxaliplatin derivatives  
*Eur. J. Med. Chem.* 40 (2005) 1149-1155.
- 54 Hartinger, C. G.; Nazarov, A. A.; Galanski, M.; Reithofer, M.; Keppler, B.K.  
Glucose ferrocenyl-oxazolines: Coordination behavior toward  $[Pd(\eta^3\text{-allyl})Cl]_2$  studied by ESI-MS.  
*J. Organomet. Chem.*, 690 (2005) 3301-3308.
- 53 Rappel, C.; Galanski, M.; Yasemi, A.; Habala, V.; Keppler, B. K.  
Analysis of anticancer platinum(II)-complexes by microemulsion electrokinetic chromatography: Separation of diastereomers and estimation of octanol-water partition coefficients.  
*Electrophoresis* 26 (2005) 878-884.
- 52 Galanski, M.; Yasemi, A.; Jakupc, M. A.; Graf v. Keyserlingk, N.; Keppler B. K.  
Synthesis, Cytotoxicity and Structure-Activity Relationships of New Oxaliplatin Derivatives  
*Monatsh. Chem.*, 136 (2005) 693-700.
- 51 Jakupc, M. A.; Reisner, E.; Eichinger, A.; Pongratz, M.; Arion, V. B.; Galanski, M.; Hartinger, C.; Keppler, B. K.  
Redox-Active Antineoplastic Ruthenium Complexes with Indazole: Correlation of in Vitro Potency and Reduction Potential  
*J. Med. Chem.*, 48 (2005) 2831-2837.
- 50 Galanski, M.; Jakupc, M. A.; Keppler, B. K.  
Oxaliplatin and derivatives as anticancer drugs – novel design strategies In: Metal Compounds in Cancer Chemotherapy, Pérez, J. M.; Fuertes, M. A.; Alonso, C. Eds.; Research Signpost: Kerala (2005) 155-185.
- 49 Galanski, M.; Jakupc, M. A.; Keppler, B. K.  
Update of the Preclinical Situation of Anticancer Platinum Complexes: Novel Design Strategies and Innovative Analytical Approaches.  
*Curr. Med. Chem.*, 12(18) (2005) 2075-2094.
- 48 Galanski, M.; Slaby, S.; Jakupc M. A.; Keppler, B. K.  
Synthesis and *in vitro* antitumor potency of (cyclohexane-1,2-diamine)platinum(II) complexes with aminotris(methylenephosphonic acid) as bone-seeking ligand  
*Bioinorg. Chem. Appl.*, 3 (2005) 179-190.
- 47 Paschkunova-Martic, I.; Kremser, C.; Mistlberger, K.; Shcherbakova, N.; Dietrich, H.; Talasz, H.; Zou, Y.; Hugl, B.; Galanski, M.; Sölder, E.; Pfaller, K.; Hölinger, I.; Buchberger, W.; Keppler, B.K.; Debbage, P.  
Design, synthesis, physical and chemical characterization, and biological interactions of lectin-targeted latex nanoparticles bearing Gd-DTPA chelates: an exploration of magnetic resonance molecular imaging (MRMI)  
*Histochemistry and Cell Biology*, 123 (2005) 283-301.
- 46 Hartinger, C. G.; Nazarov, A. A.; Arion, V. B.; Giester, G.; Kuznetsov, M. L.; Galanski, M.; Keppler, B. K.  
1,1'-Bis(oxazoline-2-yl)-ferrocenes: An Investigation on their Complexation Behavior toward  $[Pd(\eta^3\text{-allyl})Cl]_2$   
*Eur. J. Inorg. Chem.*, (2005) 1589-1600.
- 45 Warnke, U.; Rappel, C.; Meier, H.; Kloft, C.; Galanski, M.; Hartinger, C. G.; Keppler, B. K.; Jaehde U.  
Analysis of Platinum Adducts with DNA Nucleotides and Nucleosides by Capillary Electrophoresis Coupled to ESI-MS: Indications of Guanosine 5'-Monophosphate O6–N7 Chelation.  
*ChemBioChem*, 5 (2004) 1543-1549.
- 44 Timerbaev, A. R.; Alekseenko, S. S.; Polec-Pawlak, K.; Ruzik, R.; Semenova, O.; Hartinger, C. G.; Oszwaldowski, S.; Galanski, M.; Jarosz, M.; Keppler B. K.  
Platinum Metallodrug-Protein Binding Studies by CE-ICP-MS: Characterization of Interactions between Pt(II) Complexes and Human Serum Albumin  
*Electrophoresis*, 25 (2004) 1988-1995.
- 43 Galanski, M.; Yasemi, A.; Slaby, S.; Jakupc, M. A.; Arion, V. B.; Rausch, M.; Nazarov, A. A.; Keppler B. K.  
Synthesis, crystal structure and cytotoxicity of new oxaliplatin analogues indicating that improvement of anticancer activity is still possible  
*Eur. J. Med. Chem.*, 39 (2004) 707-714.

- 42 Galanski, M.; Baumgartner, Ch.; Meelich, K.; Arion, V. B.; Fremuth, M.; Jakupc, M. A., Schluga, P.; Hartinger, C. G.; Graf v. Keyserlingk, N.; Keppler, B. K.  
Synthesis, crystal structure and pH dependent cytotoxicity of (*SP*-4-2)-bis(2-aminoethano-lato- $\kappa^2N,O$ )platinum(II) – a representative of novel pH sensitive anticancer platinum complexes  
*Inorg. Chim. Acta*, 357 (2004) 3237-3244.
- 41 Jakupc, M. A.; Galanski, M.; Keppler, B. K.  
The Effect of Cytoprotective Agents in platinum anticancer therapy in "Metal Complexes in Tumor Diagnosis and as Anticancer Agents", Vol. 42 of Met. Ions Biol. Syst., A. Sigel and H. Sigel, eds., M. Dekker, New York, (2004) 179-208.
- 40 Galanski, M.; Slaby, S.; Jakupc M. A.; Keppler, B. K.  
Synthesis, Characterization and in Vitro Antitumor Activity of Osteotropic Diam(m)ineplatinum(II) Complexes Bearing a N,N'-Bis(phosphonomethyl)glycine Ligand  
*J. Med. Chem.*, 46 (2003) 4946-4951.
- 39 Galanski, M.; Arion, V. B.; Jakupc, M. A.; Keppler, B. K.  
Recent Developments in the Field of Tumor-Inhibiting Metal Complexes  
*Curr. Pharm. Design*, 9 (2003) 2078-2089.
- 38 Hartinger, C. G.; Nazarov, A. A.; Arion, V.; Galanski, M.; Keppler, B. K.  
Synthesis, Crystal Structures, and Electrospray Ionisation Mass Spectrometry Investigations of Ether- and Thioether-substituted Ferrocenes  
*J. Chem. Soc. Dalton Trans.*, (2003) 3098-3102.
- 37 Hartinger, C. G.; Schluga, P.; Galanski, M.; Baumgartner, C.; Timerbaev, A. R.; Keppler, B. K.  
Tumor-inhibiting platinum(II) complexes with aminoalcohol ligands: comparison of the mode of action by capillary electrophoresis and electrospray ionization mass spectrometry  
*Electrophoresis*, 24 (2003) 2038-2044.
- 36 Galanski, M.; Baumgartner, C.; Arion, V.; Keppler, B. K.  
*Bis*(2-aminobutanol)dichloroplatinum(II) Complexes and their Singly and Doubly Ring-Closed Butanolato Species. Novel Prodrugs for Platinum Based Antitumour Chemotherapy?  
*Eur. J. Inorg. Chem.*, (2003) 2619-2625.
- 35 Makarycheva-Mikhailova, A. V.; Kukushkin, V. Y.; Nazarov, A. A.; Garnovskii, D. A.; Pombeiro, A. J. L.; Haukka, M.; Keppler, B. K.; Galanski, M.  
Amidines Derived from Pt(IV)-mediated Nitrile–Aminoalcohol Coupling and Their Zn(II)-Catalyzed Conversion into Oxazolines  
*Inorg. Chem.*, 42 (2003) 2805-2813.
- 34 Jakupc, M. A.; Galanski, M.; Keppler B. K.  
Tumour-Inhibiting Platinum Complexes – State of the Art and Future Perspectives  
*Rev. Physiol. Biochem. Pharmacol.* 146(1) (2003) 1-53.
- 33 Makarycheva-Mikhailova A. V., Haukka M., Bokach N. A., Garnovskii D. A., Galanski M., Keppler B. K., Pombeiro A. J. L., Kukushkin V. Yu.  
Platinum(IV)-mediated coupling of dione monoximes and nitriles: a novel reactivity pattern of the classic oxime-based chelating ligands.  
*New J.Chem.* 26 (2002) 1085-1091.
- 32 Hartinger, Ch.; Nazarov, A. A.; Arion, V.; Giester, G.; Jakupc, M.; Galanski, M.; Keppler  
Novel glucose-ferrocenyl derivatetives: synthesis and properties.  
*New J. Chem.* 26 (2002) 671-673.
- 31 Galanski, M.; Galanski, M.; ErkerTh.  
Studies on the Chemistry of Thienoannelated *O,N*- and *S,N*-Containing Heterocycles. 24 [1]. Synthesis of New Imidazolyl and Pyrazolyl Derivatives of Thiophene as Inhibitors of Nitric Oxide Synthase  
*J. Heterocyclic. Chem.* 39(5) (2002) 857-861.
- 30 Arion, V.; Jakupc, M.; Galanski, M.; Keppler, B. K.  
Synthesis, structure, spectroscopic and in vitro antitumour studies of a novel gallium(III) complex with 2-acetylpyridine  $^4N$ -dimethylthiosemicarbazone.  
*J. Inorg. Biochem.* 91 (2002) 298-305.
- 29 Galanski, M.; Zimmermann, W.; Berger, M.; Baumgartner, Ch.; Giester, G.; Keppler, B.K.  
Carboxylation of 2-Hydroxyethyl-Substituted Tetrachloro(ethane-1,2-diamine)-platinum(IV) Complexes - A New Synthetic Approach to Anticancer Platinum Compounds  
*Eur. J. Inorg. Chem.* (2002) 417-421.
- 28 Küng, A.; Galanski, M.; Baumgartner, C.; Keppler, B. K.  
Reaction of (*SP*-4-2)-Dichlorobis(2-hydroxyethylamine)platinum(II) with 5'-GMP under Simulated Physiological Conditions, a CZE-ESI-MS Study  
*Inorg. Chim. Acta* 339 (2002) 9-13.

- 27 Hartinger, Ch.; Brehmer, T. H.; Giester, G.; Galanski, M.; Nazarov, A. A.; Keppler, B. K.  
1,1,3,3-Tetramethyl-1,3-disila-2-oxa[3]ferrocenophane: improved synthesis and new  
crystal structure.  
*Inorg. Chim. Acta* 328(1) (2002) 237-240.
- 26 Robillard M. S.; Galanski, M.; Zimmermann, W.; Keppler, B.K.; Reedijk, J.  
(Aminooethanol)dichloroplatinum(II) complexes: Influence of the hydroxyethyl moiety on  
5'-GMP and DNA binding, intramolecular stability, the partition coefficient and anticancer  
activity  
*J. Inorg. Biochem.* 88 (2002) 254-259.
- 25 Zöllner, P.; Zenker, A.; Galanski, M.; G.; Keppler, B.K.; Lindner, W.  
Reaction monitoring of platinum(II) complex / 5'-guanosine monophosphate adduct  
formations under simulated physiological conditions.  
*Adv. Mass Spectrom.* 15 (2001) 383-384.
- 24 Küng, A.; Strickmann, D. B.; Galanski, M.; Keppler, B.K.  
Comparison of the binding behavior of oxaliplatin, Cisplatin and analogues to 5'-GMP in  
the presence of sulfur containing molecules by means of capillary electrophoreses and  
electrospray mass spectrometry  
*J. Inorg. Biochem.* 68 (2001) 691-698.
- 23 Nazarov, A. A.; Hartinger, Ch.; Brehmer, T. H.; Giester, G.; Galanski, M.; Keppler, B. K.  
New C2-chiral 1,1'-bis(oxazoline-2-YL)-ferrocenes - synthesis and crystal structure.  
*Phosphorus, Sulfur Silicon Relat. Elem.* 168-169 (2001) 465-468.
- 22 Hartinger, Ch.; Nazarov, A. A.; Brehmer, T. H.; Giester, G.; Galanski, M.; Keppler, B. K.  
Synthesis and new crystal structure of 1,1,3,3-tetramethyl-1,3-disila-2-oxa[3]  
ferrocenophane.  
*Phosphorus, Sulfur Silicon Relat. Elem.* 168-169 (2001) 613-616.
- 21 Zöllner, P.; Zenker, A.; Galanski, M.; G.; Keppler, B.K.; Lindner, W.  
Reaction Monitoring of Platinum(II) Complex / 5'-Guanosine Monophosphate Adduct  
Formations by Ion Exchange LC-(ESI)MS  
*J. Mass. Spectrom.* 36(7) (2001) 742-753.
- 20 Galanski, M.; Zimmermann, W.; Baumgartner, Ch.; Keppler, B.K.  
The Intramolecular Ligand Exchange Reaction of (*SP*-4-2)-dichlorobis(2-hydroxy-  
ethylamine)platinum(II) and (*OC*-6-22)-bis(2-hydroxyethylamine)tetrachloroplatinum(IV),  
a <sup>1</sup>H and <sup>15</sup>N,<sup>1</sup>H-HMQC NMR Study  
*Eur. J. Inorg. Chem.* (2001) 1145-1149.
- 19 Hann, S.; Zenker, A.; Galanski, M.; Bereuter, Th.L.; Stigeder, G.; Keppler, B.K.  
HPIC-UV-ICP-SFMS study of the interaction of cisplatin with guanosine monophosphate  
*Fresenius' J. Anal. Chem.* 370(5) (2001) 581-586.
- 18 Pieper, Th., Sommer, M., Galanski, M., Keppler, B.K., Giester, G.  
(*OC*-6-21)-[RuCl<sub>3</sub>ind<sub>3</sub>] and (*OC*-6-12)-[RuCl<sub>2</sub>ind<sub>4</sub>]: Two new ruthenium complexes  
derived from the tumor-inhibiting Ru(III) compound HInd (*OC*-6-11)-[RuCl<sub>4</sub>ind<sub>2</sub>]  
*Z. Anorg. Allg. Chem.* 627(2) (2001) 261-265
- 17 Küng, A.; Zenker, A.; Galanski, M.; Keppler, B.K.  
Capillary electrophoretic study of carboplatin and analogues with nucleoside  
monophosphates, di- and trinucleotides.  
*J. Inorg. Biochem.* 83(2-3) (2001) 181-186.
- 16 Galanski, M., Berger, M., Keppler, B.K.  
Synthesis of (*N,N'*-bis(2-hydroxyethyl)ethane-1,2-diamine)malonatoplatinum(II) and X-ray  
Crystal structure of the *cis-R,S*-isomer  
*Metal Based Drugs* 7(6) (2000) 349-355.
- 15 Zenker A.; Galanski M.; Bereuter T.L.; Keppler B.K.; Lindner W.  
Time dependent interactions of platinum(II) complexes with 5'-GMP under simulated  
physiological conditions studied by capillary electrophoresis  
*J. Biol. Inorg. Chem.* 5 (2000) 498-504.
- 14 Zenker, A.; Galanski, M.; Bereuter, Th.L.; Keppler, B.K.; Lindner, W.  
Kinetics of binding properties of guanosine-5'-monophosphate with cisplatin under  
simulated physiological conditions by capillary electrophoresis  
*J. Chromatogr. B* 745 (2000) 211-219.
- 13 Galanski, M.; Keppler, B.K.  
Is Reduction Required for Antitumor Activity of Platinum(IV) Compounds?  
Characterisation of a Platinum(IV)-Nucleotide Adduct [enPt(OCOCH<sub>3</sub>)<sub>3</sub>(5'-GMP)]  
by NMR Spectroscopy and ESI-MS.  
*Inorg. Chim. Acta* 300-302 (2000) 783-789.

- 12 Kukushkin, V.Yu.; Pakhomova, T.B.; Bokach, N.A.; Wagner, G.; Kuznetsov, M.L.; Galanski, M.; Pombeiro, A.J.L.  
Iminoacetylation. 3. Formation of Pt(IV)-Based Metallaligands Due to Facile One-end Addition of vic-Dioximes to Coordinated Organonitriles  
*Inorg. Chem.* 39 (2000) 216-225.
- 11 Galanski, M.; Slaby, S.; Keppler, B.K.  
The mode of action of antitumor platinum compounds linked to amino phosphonic acids with particular activity against bone malignancies and the influence of calcium ions onto the DNA binding behaviour.  
Relevance of tumor models for anticancer drug development. Herausgeber: H.H. Fiebig, A.M. Burger (Eds), (1999) 435-438.
- 10 Zimmermann, W.; Galanski, M.; Keppler, B.K.  
Synthesis and characterization of aminoalcohol platinum complexes and methods for linking these complexes to carrier molecules  
Relevance of tumor models for anticancer drug development. Herausgeber: H.H. Fiebig, A.M. Burger (Eds), (1999) 447-450.
- 9 Slaby, S.; Galanski, M.; Einhäuser, Th.; Keppler, B.K.  
Design of platinum complexes with high affinity for osteosarcoma and bone metastases-structure-activity relationship  
Relevance of tumor models for anticancer drug development. H.H. Fiebig, A.M. Burger (Eds), (1999) 201-205.
- 8 Zimmermann, W.; Galanski, M.; Keppler, B.K.; Giester, G.  
Synthesis and structures of (*SP*-4-2)-Diiodobis(2-hydroxyethylamine)platinum(II), (*SP*-4-2)-Dichlorobis(2-hydroxyethylamine)platinum(II) and (*OC*-6-22)Bis(2-hydroxyethylamine)tetrachloroplatinum(IV) in the crystal  
*Inorg. Chim. Acta*, 292 (1999) 127-130.
- 7 Zenker, A.; Galanski, M.; Bereuter, Th.L.; Keppler, B.K.; Lindner, W.  
Capillary electrophoretic study of cisplatin interaction with nucleoside monophosphates, di- and trinucleotides  
*J. Chromatogr. A*, 852 (1999) 337-346.
- 6 Galanski, M.; Keppler, B.K.  
Carboxylation of dihydroxoplatinum(IV) complexes with acyl chlorides. Crystal structure of the trans-R,R- and trans-S,S-isomer of (OC-6-33)-bis(1-adamantane-carboxylato)(cyclohexane-1,2-diamine)dichloroplatinum(IV)  
*Inorg. Chim. Acta* 265 (1997) 271-274.
- 5 Einhäuser, Th.J.; Galanski, M.; Vogel E.; Keppler, B.K.  
The Influence of Calcium Ions onto the DNA Binding Behaviour of a New Platinum(II) Compound Linked to an Amino Phosphonic Acid.  
*Inorg. Chim. Acta* 257 (1997) 265-268.
- 4 Einhäuser, Th.J.; Galanski, M.; Keppler, B.K.  
Determination of Platinum in Protein-bound CDDP and DBP by Inductively Coupled Plasma Optical Emission Spectrometry and Electrothermal Atomic Absorption Spectrometry.  
*J. Anal. Atomic Spectr.* 11 (1996) 747-750.
- 3 Galanski, M.; Keppler, B.K.  
Carboxylation of Dihydroxoplatinum(IV) Complexes via a New Synthetic Pathway.  
*Inorg. Chem.* 35 (1996) 1709-1711.
- 2 Galanski, M.; Keppler, B.K.; Nuber, B.  
First isolation of an enol of a carboxylic acid by complexation to an (ethane-1,2-diamine)platinum(II) fragment  
*Angewandte Chemie*, 107(10) (1995) 1220-1221.  
*Angew. Chem. Int. Ed. Eng.*, 34(10) (1995) 1103-1104.
- 1 Galanski, M.; Keppler, B.K.  
Synthesis and Characterization of New Ethylenediamine Platinum(IV) Complexes Containing Lipophilic Carboxylate Ligands.  
*Metal-Based Drugs* 2(1) (1995) 57-63.