

521. Theiner, S.; Grabarics, M.; Galvez, L.; Varbanov, H. P.; Sommerfeld, N. S.; Galanski, M.; Keppler, B. K.; Koellensperger, G., The impact of whole human blood on the kinetic inertness of platinum(IV) prodrugs - an HPLC-ICP-MS study. *Dalton Trans.* 2018, Ahead of Print.
520. Riedl, C. A.; Hejl, M.; Klose, M. H. M.; Roller, A.; Jakupec, M. A.; Kandioller, W.; Keppler, B. K., N- and S-donor leaving groups in triazole-based ruthena(II)cycles: potent anticancer activity, selective activation, and mode of action studies. *Dalton Trans.* 2018, 47, 4625-4638.
519. Pelivan, K.; Frensemeier, L. M.; Karst, U.; Koellensperger, G.; Heffeter, P.; Keppler, B. K.; Kowol, C. R., Comparison of metabolic pathways of different α -N-heterocyclic thiosemicarbazones. *Anal. Bioanal. Chem.* 2018, 410, 2343-2361.
518. Pashkunova-Martic, I.; Losantos, B. C.; Kandler, N.; Keppler, B., Studies of KP46 and KP1019 and the Hydrolysis Product of KP1019 in Lipiodol Emulsions: Preparation and Initial Characterizations as Potential Theragnostic Agents. *Curr. Drug Delivery* 2018, 15, 134-142.
517. Meier-Menches, S. M.; Gerner, C.; Berger, W.; Hartinger, C. G.; Keppler, B. K., Structure-activity relationships for ruthenium and osmium anticancer agents - towards clinical development. *Chem Soc Rev* 2018, 47, 909-928.
516. Krachler, R.; Krachler, R.; Guelce, F.; Keppler, B. K.; Wallner, G., Uranium concentrations in sediment pore waters of Lake Neusiedl, Austria. *Sci. Total Environ.* 2018, 633, 981-988.
515. Klose, M. H. M.; Theiner, S.; Kornauth, C.; Meier-Menches, S. M.; Heffeter, P.; Berger, W.; Koellensperger, G.; Keppler, B. K., Bioimaging of isosteric osmium and ruthenium anticancer agents by LA-ICP-MS. *Metallomics* 2018, 10, 388-396.
514. Kiakos, K.; Englinger, B.; Yanow, S. K.; Wernitznig, D.; Jakupec, M. A.; Berger, W.; Keppler, B. K.; Hartley, J. A.; Lee, M.; Patil, P. C., Design, synthesis, nuclear localization, and biological activity of a fluorescent duocarmycin analog, HxTfA. *Bioorg. Med. Chem. Lett.* 2018, 28, 1342-1347.
513. Jakusch, T.; Kozma, K.; Enyedy, É. A.; May, N. V.; Roller, A.; Kowol, C. R.; Keppler, B. K.; Kiss, T., Complexes of pyridoxal thiosemicarbazones formed with vanadium(IV/V) and copper(II): Solution equilibrium and structure. *Inorganica Chimica Acta* 2018, 472, 243-253.
512. Groza, D.; Gehrig, S.; Kudela, P.; Holcman, M.; Pirker, C.; Dinhof, C.; Schueffl, H. H.; Sramko, M.; Hoebart, J.; Alioglu, F.; Grusch, M.; Ogris, M.; Lubitz, W.; Keppler, B. K.; Pashkunova-Martic, I.; Kowol, C. R.; Sibilia, M.; Berger, W.; Heffeter, P., Bacterial ghosts as adjuvant to oxaliplatin chemotherapy in colorectal carcinomatosis. *OncolImmunology* 2018, Ahead of Print.
511. Frensemeier, L. M.; Mayr, J.; Koellensperger, G.; Keppler, B. K.; Kowol, C. R.; Karst, U., Structure elucidation and quantification of the reduction products of anticancer Pt(IV) prodrugs by electrochemistry/mass spectrometry (EC-MS). *Analyst (Cambridge, U. K.)* 2018, Ahead of Print.
510. Domotor, O.; Pelivan, K.; Borics, A.; Keppler, B. K.; Kowol, C. R.; Enyedy, E. A., Comparative studies on the human serum albumin binding of the clinically approved EGFR inhibitors gefitinib, erlotinib, afatinib, osimertinib and the investigational inhibitor KP2187. *J. Pharm. Biomed. Anal.* 2018, 154, 321-331.
509. Dömötör, O.; May, N. V.; Pelivan, K.; Kiss, T.; Keppler, B. K.; Kowol, C. R.; Enyedy, É. A., A comparative study of α -N-pyridyl thiosemicarbazones: Spectroscopic properties, solution stability and copper(II) complexation. *Inorganica Chimica Acta* 2018, 472, 264-275.

508. Bonsignore, R.; Russo, F.; Terenzi, A.; Spinello, A.; Lauria, A.; Gennaro, G.; Almerico, A. M.; Keppler, B. K.; Barone, G., The interaction of Schiff base complexes of nickel(II) and zinc(II) with duplex and G-quadruplex DNA. *J. Inorg. Biochem.* 2018, 178, 106-114.
507. Babak, M. V.; Pfaffeneder-Kmen, M.; Meier-Menches, S. M.; Legina, M. S.; Theiner, S.; Licona, C.; Orvain, C.; Hejl, M.; Hanif, M.; Jakupec, M. A.; Keppler, B. K.; Gaiddon, C.; Hartinger, C. G., Rollover Cyclometalated Bipyridine Platinum Complexes as Potent Anticancer Agents: Impact of the Ancillary Ligands on the Mode of Action. *Inorg. Chem.* 2018, 57, 2851-2864.
506. Varbanov, H. P.; Ortiz, D.; Hofer, D.; Menin, L.; Galanski, M.; Keppler, B. K.; Dyson, P. J., Oxaliplatin reacts with DMSO only in the presence of water. *Dalton Trans.* 2017, 46, 8929-8932.
505. Theiner, S.; Van Malderen, S. J. M.; Van Acker, T.; Legin, A.; Keppler, B. K.; Vanhaecke, F.; Koellensperger, G., Fast High-Resolution Laser Ablation-Inductively Coupled Plasma Mass Spectrometry Imaging of the Distribution of Platinum-Based Anticancer Compounds in Multicellular Tumor Spheroids. *Analytical Chemistry* 2017, 89, 12641-12645.
504. Tamasi, G.; Merlino, A.; Scaletti, F.; Heffeter, P.; Legin, A. A.; Jakupec, M. A.; Berger, W.; Messori, L.; Keppler, B. K.; Cini, R., {Ru(CO)(x)}-Core complexes with benzimidazole ligands: synthesis, X-ray structure and evaluation of anticancer activity in vivo. *Dalton Transactions* 2017, 46, 3025-3040.
503. Streciwilk, W.; Terenzi, A.; Misgeld, R.; Frias, C.; Jones, P. G.; Prokop, A.; Keppler, B. K.; Ott, I., Metal NHC Complexes with Naphthalimide Ligands as DNA-Interacting Antiproliferative Agents. *Chemmedchem* 2017, 12, 214-225.
502. Sommerfeld, N. S.; Strohhofner, D.; Cseh, K.; Theiner, S.; Jakupec, M. A.; Koellensperger, G.; Galanski, M.; Keppler, B. K., Platinum(IV) Complexes Featuring Axial Michael Acceptor Ligands - Synthesis, Characterization, and Cytotoxicity. *European Journal of Inorganic Chemistry* 2017, 4049-4054.
501. Sommerfeld, N. S.; Hejl, M.; Klose, M. H. M.; Schreiber-Brynzak, E.; Bileck, A.; Meier, S. M.; Gerner, C.; Jakupec, M. A.; Galanski, M.; Keppler, B. K., Low-Generation Polyamidoamine Dendrimers as Drug Carriers for Platinum(IV) Complexes. *European Journal of Inorganic Chemistry* 2017, 1713-1720.
500. Sommerfeld, N. S.; Guelzow, J.; Roller, A.; Cseh, K.; Jakupec, M. A.; Grohmann, A.; Galanski, M.; Keppler, B. K., Antiproliferative Copper(II) and Platinum(II) Complexes with Bidentate N,N-Donor Ligands. *Eur. J. Inorg. Chem.* 2017, 2017, 3115-3124.
499. Schoenhacker-Alte, B.; Mohr, T.; Pirker, C.; Kryeziu, K.; Kuhn, P.-S.; Buck, A.; Hofmann, T.; Gerner, C.; Hermann, G.; Koellensperger, G.; Keppler, B. K.; Berger, W.; Heffeter, P., Sensitivity towards the GRP78 inhibitor KP1339/IT-139 is characterized by apoptosis induction via caspase 8 upon disruption of ER homeostasis. *Cancer Letters* 2017, 404, 79-88.
498. Riedl, C. A.; Flocke, L. S.; Hejl, M.; Roller, A.; Klose, M. H. M.; Jakupec, M. A.; Kandioller, W.; Keppler, B. K., Introducing the 4-Phenyl-1,2,3-Triazole Moiety as a Versatile Scaffold for the Development of Cytotoxic Ruthenium(II) and Osmium(II) Arene Cyclometalates. *Inorganic Chemistry* 2017, 56, 528-541.
497. Plessl, C.; Jandrisits, P.; Krachler, R.; Keppler, B. K.; Jirsa, F., Heavy metals in the mallard *Anas platyrhynchos* from eastern Austria. *Science of the Total Environment* 2017, 580, 670-676.

496. Platzer, S.; Leyma, R.; Wolske, S.; Kandioller, W.; Heid, E.; Schroder, C.; Schagerl, M.; Krachler, R.; Jirsa, F.; Keppler, B. K., Thioglycolate-based task-specific ionic liquids: Metal extraction abilities vs acute algal toxicity. *Journal of Hazardous Materials* 2017, 340, 113-119.
495. Platzer, S.; Kar, M.; Leyma, R.; Chib, S.; Roller, A.; Jirsa, F.; Krachler, R.; MacFarlane, D. R.; Kandioller, W.; Keppler, B. K., Task-specific thioglycolate ionic liquids for heavy metal extraction: Synthesis, extraction efficacies and recycling properties. *Journal of Hazardous Materials* 2017, 324, 241-249.
494. Pelivan, K.; Frensemeier, L.; Karst, U.; Koellensperger, G.; Bielec, B.; Hager, S.; Heffeter, P.; Keppler, B. K.; Kowol, C. R., Understanding the metabolism of the anticancer drug Triapine: electrochemical oxidation, microsomal incubation and in vivo analysis using LC-HRMS. *Analyst* 2017, 142, 3165-3176.
493. Orłowska, E.; Roller, A.; Pignitter, M.; Jirsa, F.; Krachler, R.; Kandioller, W.; Keppler, B. K., Synthetic iron complexes as models for natural iron-humic compounds: Synthesis, characterization and algal growth experiments. *Science of the Total Environment* 2017, 577, 94-104.
492. Orłowska, E.; Enyedy, E. A.; Pignitter, D.; Jirsa, F.; Krachler, R.; Kandioller, W.; Keppler, B. K., beta-O-4 type dilignol compounds and their iron complexes for modeling of iron binding to humic acids: synthesis, characterization, electrochemical studies and algal growth experiments. *New Journal of Chemistry* 2017, 41, 11546-11555.
491. Nosova, Y. N.; Zenin, I. V.; Maximova, V. P.; Zhidkova, E. M.; Kirsanov, K. I.; Lesovaya, E. A.; Lobas, A. A.; Gorshkov, M. V.; Kovaleva, O. N.; Milaeva, E. R.; Galanski, M.; Keppler, B. K.; Nazarov, A. A., Influence of the number of axial bexarotene ligands on the cytotoxicity of Pt(IV) analogs of oxaliplatin. *Bioinorg. Chem. Appl.* 2017, 4736321/1-4736321/6.
490. Nosova, Y. N.; Foteeva, L. S.; Zenin, I. V.; Fetisov, T. I.; Kirsanov, K. I.; Yakubovskaya, M. G.; Antonenko, T. A.; Tafeenko, V. A.; Aslanov, L. A.; Lobas, A. A.; Gorshkov, M. V.; Galanski, M.; Keppler, B. K.; Timerbaev, A. R.; Milaeva, E. R.; Nazarov, A. A., Enhancing the Cytotoxic Activity of Anticancer Pt-IV Complexes by Introduction of Lonidamine as an Axial Ligand. *European Journal of Inorganic Chemistry* 2017, 1785-1791.
489. Meier-Menches, S. M.; Gerner, C.; Berger, W.; Hartinger, C. G.; Keppler, B. K., Structure-activity relationships for ruthenium and osmium anticancer agents - towards clinical development. *Chem. Soc. Rev.* 2017, Ahead of Print.
488. Meier, S. M.; Kreutz, D.; Winter, L.; Klose, M. H. M.; Cseh, K.; Weiss, T.; Bileck, A.; Alte, B.; Mader, J. C.; Jana, S.; Chatterjee, A.; Bhattacharyya, A.; Hejl, M.; Jakupec, M. A.; Heffeter, P.; Berger, W.; Hartinger, C. G.; Keppler, B. K.; Wiche, G.; Gerner, C., An Organoruthenium Anticancer Agent Shows Unexpected Target Selectivity For Plectin. *Angewandte Chemie-International Edition* 2017, 56, 8267-8271.
487. Mayr, J.; Heffeter, P.; Groza, D.; Galvez, L.; Koellensperger, G.; Roller, A.; Alte, B.; Haider, M.; Berger, W.; Kowol, C. R.; Keppler, B. K., An albumin-based tumor-targeted oxaliplatin prodrug with distinctly improved anticancer activity in vivo. *Chemical Science* 2017, 8, 2241-2250.
486. Mayr, J.; Hager, S.; Koblmüller, B.; Klose, M. H. M.; Holste, K.; Fischer, B.; Pelivan, K.; Berger, W.; Heffeter, P.; Kowol, C. R.; Keppler, B. K., EGFR-targeting peptide-coupled platinum(IV) complexes. *JBIC, J. Biol. Inorg. Chem.* 2017, 22, 591-603.

485. Lee, R. F. S.; Theiner, S.; Meibom, A.; Koellensperger, G.; Keppler, B. K.; Dyson, P. J., Application of imaging mass spectrometry approaches to facilitate metal-based anticancer drug research. *Metallomics* 2017, 9, 365-381.
484. Kubista, B.; Schoefl, T.; Mayr, L.; van Schoonhoven, S.; Heffeter, P.; Windhager, R.; Keppler, B. K.; Berger, W., Distinct activity of the bone-targeted gallium compound KP46 against osteosarcoma cells - synergism with autophagy inhibition. *J Exp Clin Cancer Res* 2017, 36, 52.
483. Kreutz, D.; Bileck, A.; Plessl, K.; Wolrab, D.; Groessl, M.; Keppler, B. K.; Meier, S. M.; Gerner, C., Response Profiling Using Shotgun Proteomics Enables Global Metallodrug Mechanisms of Action To Be Established. *Chemistry-a European Journal* 2017, 23, 1881-1890.
482. Klose, M. H. M.; Hejl, M.; Heffeter, P.; Jakupec, M. A.; Meier-Menches, S. M.; Berger, W.; Keppler, B. K., Post-digestion stabilization of osmium enables quantification by ICP-MS in cell culture and tissue. *Analyst* 2017, 142, 2327-2332.
481. Jakusch, T.; Kozma, K.; Enyedy, E. A.; May, N. V.; Roller, A.; Kowol, C. R.; Keppler, B. K.; Kiss, T., Complexes of pyridoxal thiosemicarbazones formed with vanadium(IV/V) and copper(II): Solution equilibrium and structure. *Inorg. Chim. Acta* 2017, Ahead of Print.
480. Jakupec, M. A.; Kandioller, W.; Schoenhacker-Alte, B.; Trondl, R.; Berger, W.; Keppler, B. K., Trends and Perspectives of Ruthenium Anticancer Compounds (Non-PDT). In *Ruthenium Complexes, Wiley-VCH Verlag GmbH & Co. KGaA* 2017; pp 271-291.
479. Hofer, D.; Galanski, M.; Keppler, B. K., Synthesis, Characterization, and Time-Dependent NMR Spectroscopy Studies of (SP-4-2)- (trans-1R,2R/1S,2S-N-15(2))-Cyclohexane-1,2-diamine (C-13(2)) oxalato platinum(II). *European Journal of Inorganic Chemistry* 2017, 2017, 2347-2354.
478. Hofer, D.; Varbanov, H. P.; Hejl, M.; Jakupec, M. A.; Roller, A.; Galanski, M.; Keppler, B. K., Impact of the equatorial coordination sphere on the rate of reduction, lipophilicity and cytotoxic activity of platinum(IV) complexes. *J. Inorg. Biochem.* 2017, 174, 119-129.
477. Hanif, M.; Meier, S. M.; Adhireksan, Z.; Henke, H.; Martic, S.; Movassaghi, S.; Labib, M.; Kandioller, W.; Jamieson, S. M. F.; Hejl, M.; Jakupec, M. A.; Kraatz, H.-B.; Davey, C. A.; Keppler, B. K.; Hartinger, C. G., Functionalization of Ruthenium(II)(η^6 -p-cymene)(3-hydroxy-2-pyridone) Complexes with (Thio)Morpholine: Synthesis and Bioanalytical Studies. *ChemPlusChem* 2017, 82, 841-847.
476. Hackl, C. M.; Schoenhacker-Alte, B.; Klose, M. H. M.; Henke, H.; Legina, M. S.; Jakupec, M. A.; Berger, W.; Keppler, B. K.; Bruggemann, O.; Teasdale, I.; Heffeter, P.; Kandioller, W., Synthesis and in vivo anticancer evaluation of poly(organo) phosphazene-based metallodrug conjugates. *Dalton Transactions* 2017, 46, 12114-12124.
475. Goschl, S.; Schreiber-Brynzak, E.; Pichler, V.; Cseh, K.; Heffeter, P.; Jungwirth, U.; Jakupec, M. A.; Berger, W.; Keppler, B. K., Comparative studies of oxaliplatin-based platinum(IV) complexes in different in vitro and in vivo tumor models. *Metallomics* 2017, 9, 309-322.
474. Englinger, B.; Mair, M.; Miklos, W.; Pirker, C.; Mohr, T.; van Schoonhoven, S.; Lotsch, D.; Korner, W.; Ferk, F.; Knasmuller, S.; Heffeter, P.; Keppler, B. K.; Grusch, M.; Berger, W., Loss of CUL4A expression is underlying cisplatin hypersensitivity in colorectal carcinoma cells with acquired trabectedin resistance. *British Journal of Cancer* 2017, 116, 489-500.

473. Domotor, O.; Hackl, C. M.; Bali, K.; Roller, A.; Hejl, M.; Jakupec, M. A.; Keppler, B. K.; Kandioller, W.; Enyedy, E. A., Comparative equilibrium and structural studies of new pentamethylcyclopentadienyl rhodium complexes bearing (O, N) donor bidentate ligands. *Journal of Organometallic Chemistry* 2017, 846, 287-295.
472. Domarco, O.; Lotsch, D.; Schreiber, J.; Dinhof, C.; Van Schoonhoven, S.; Garcia, M. D.; Peinador, C.; Keppler, B. K.; Berger, W.; Terenzi, A., Self-assembled Pt₂L₂ boxes strongly bind G-quadruplex DNA and influence gene expression in cancer cells. *Dalton Transactions* 2017, 46, 329-332.
471. Conibear, A. C.; Hager, S.; Mayr, J.; Klose, M. H. M.; Keppler, B. K.; Kowol, C. R.; Heffeter, P.; Becker, C. F. W., Multifunctional alpha(v)beta(6) Integrin-Specific Peptide-Pt(IV) Conjugates for Cancer Cell Targeting. *Bioconjugate Chemistry* 2017, 28, 2429-2439.
470. Bolotin, D. S.; Demakova, M. Y.; Legin, A. A.; Suslonov, V. V.; Nazarov, A. A.; Jakupec, M. A.; Keppler, B. K.; Kukushkin, V. Y., Amidoxime platinum(II) complexes: pH-dependent highly selective generation and cytotoxic activity. *New Journal of Chemistry* 2017, 41, 6840-6848.
469. Blazevic, A.; Hummer, A. A.; Heffeter, P.; Berger, W.; Filipits, M.; Cibir, G.; Keppler, B. K.; Rompel, A., Electronic State of Sodium trans-[Tetrachloridobis(1H-indazole)ruthenate(III)] (NKP-1339) in Tumor, Liver and Kidney Tissue of a SW480-bearing Mouse. *Sci Rep* 2017, 7, 40966.
468. Artner, C.; Holtkamp, H. U.; Kandioller, W.; Hartinger, C. G.; Meier-Menches, S. M.; Keppler, B. K., DNA or protein? Capillary zone electrophoresis-mass spectrometry rapidly elucidates metallodrug binding selectivity. *Chem. Commun. (Cambridge, U. K.)* 2017, 53, 8002-8005.
467. Wilfinger, N.; Austin, S.; Scheiber-Mojdekar, B.; Berger, W.; Reipert, S.; Praschberger, M.; Paur, J.; Trondl, R.; Keppler, B. K.; Zielinski, C. C.; Nowikovsky, K., Novel p53-dependent anticancer strategy by targeting iron signaling and BNIP3L-induced mitophagy. *Oncotarget* 2016, 7, 1242-1261.
466. Theiner, S.; Schreiber-Brynzak, E.; Jakupec, M. A.; Galanski, M.; Koellensperger, G.; Keppler, B. K., LA-ICP-MS imaging in multicellular tumor spheroids - a novel tool in the preclinical development of metal-based anticancer drugs. *Metallomics* 2016, 8, 398-402.
465. Terenzi, A.; Pirker, C.; Keppler, B. K.; Berger, W., Anticancer metal drugs and immunogenic cell death. *Journal of Inorganic Biochemistry* 2016, 165, 71-79.
464. Terenzi, A.; Lotsch, D.; van Schoonhoven, S.; Roller, A.; Kowol, C. R.; Berger, W.; Keppler, B. K.; Barone, G., Another step toward DNA selective targeting: Ni-II and Cu-II complexes of a Schiff base ligand able to bind gene promoter G-quadruplexes. *Dalton Transactions* 2016, 45, 7758-7767.
463. Spinello, A.; Bonsignore, R.; Barone, G.; Keppler, B. K.; Terenzi, A., Metal Ions and Metal Complexes in Alzheimer's Disease. *Current Pharmaceutical Design* 2016, 22, 3996-4010.
462. Sonet, J.; Bulteau, A.-L.; Chavatte, L.; Garcia-Barrera, T.; Gomez-Ariza, J. L.; Callejon-Leblic, B.; Nischwitz, V.; Theiner, S.; Galvez, L.; Koellensperger, G.; Keppler, B. K.; Roman, M.; Barbante, C.; Neth, K.; Bornhorst, J.; Michalke, B. In *Biomedical and Pharmaceutical Applications 2016* Wiley-VCH Verlag GmbH & Co. KGaA; pp 359-462.
461. Schreiber-Brynzak, E.; Pichler, V.; Heffeter, P.; Hanson, B.; Theiner, S.; Lichtscheidl-Schultz, I.; Kornauth, C.; Bamonti, L.; Dhery, V.; Groza, D.; Berry, D.; Berger, W.; Galanski, M.; Jakupec, M. A.; Keppler, B. K., Behavior of platinum(IV) complexes in models of tumor hypoxia: cytotoxicity, compound distribution and accumulation. *Metallomics* 2016, 8, 422-433.

460. Schmidlehner, M.; Flocke, L. S.; Roller, A.; Hejl, M.; Jakupec, M. A.; Kandioller, W.; Keppler, B. K., Cytotoxicity and preliminary mode of action studies of novel 2-aryl-4-thiopyrone-based organometallics. *Dalton Transactions* 2016, 45, 724-733.
459. Pelivan, K.; Miklos, W.; van Schoonhoven, S.; Koellensperger, G.; Gille, L.; Berger, W.; Heffeter, P.; Kowol, C. R.; Keppler, B. K., Differences in protein binding and excretion of Triapine and its Fe(III) complex. *Journal of Inorganic Biochemistry* 2016, 160, 61-69.
458. Orłowska, E.; Roller, A.; Wiesinger, H.; Pignitter, M.; Jirsa, F.; Krachler, R.; Kandioller, W.; Keppler, B. K., Benzoic hydroxamate-based iron complexes as model compounds for humic substances: synthesis, characterization and algal growth experiments. *Rsc Advances* 2016, 6, 40238-40249.
457. Novak, M. S.; Buchel, G. E.; Keppler, B. K.; Jakupec, M. A., Biological properties of novel ruthenium- and osmium-nitrosyl complexes withazole heterocycles. *Journal of Biological Inorganic Chemistry* 2016, 21, 347-356.
456. Miklos, W.; Heffeter, P.; Pirker, C.; Hager, S.; Kowol, C. R.; van Schoonhoven, S.; Stojanovic, M.; Keppler, B. K.; Berger, W., Loss of phosphodiesterase 4D mediates acquired triapine resistance via Epac-Rap1-Integrin signaling. *Oncotarget* 2016, 7, 84556-84574.
455. Meier, S. M.; Gerner, C.; Keppler, B. K.; Cinellu, M. A.; Casini, A., Mass Spectrometry Uncovers Molecular Reactivities of Coordination and Organometallic Gold(III) Drug Candidates in Competitive Experiments That Correlate with Their Biological Effects. *Inorganic Chemistry* 2016, 55, 4248-4259.
454. Leyma, R.; Platzer, S.; Jirsa, F.; Kandioller, W.; Krachler, R.; Keppler, B. K., Novel thiosalicylate-based ionic liquids for heavy metal extractions. *Journal of Hazardous Materials* 2016, 314, 164-171.
453. Legin, A. A.; Theiner, S.; Schintlmeister, A.; Reipert, S.; Heffeter, P.; Jakupec, M. A.; Mayr, J.; Varbanov, H. P.; Kowol, C. R.; Galanski, M.; Berger, W.; Wagner, M.; Keppler, B. K., Multi-scale imaging of anticancer platinum(IV) compounds in murine tumor and kidney. *Chemical Science* 2016, 7, 3052-3061.
452. Kurzwernhart, A.; Mokesch, S.; Klapproth, E.; Adib-Ravazi, M. S.; Jakupec, M. A.; Hartinger, C. G.; Kandioller, W.; Keppler, B. K., Flavonoid-Based Organometallics with Different Metal Centers - Investigations of the Effects on Reactivity and Cytotoxicity. *European Journal of Inorganic Chemistry* 2016, 240-246.
451. Kubanik, M.; Kandioller, W.; Kim, K.; Anderson, R. F.; Klapproth, E.; Jakupec, M. A.; Roller, A.; Sohnel, T.; Keppler, B. K.; Hartinger, C. G., Towards targeting anticancer drugs: ruthenium(II)-arene complexes with biologically active naphthoquinone-derived ligand systems. *Dalton Transactions* 2016, 45, 13091-13103.
450. Krachler, R.; Krachler, R. F.; Wallner, G.; Steier, P.; El Abiead, Y.; Wiesinger, H.; Jirsa, F.; Keppler, B. K., Sphagnum-dominated bog systems are highly effective yet variable sources of bio-available iron to marine waters. *Science of the Total Environment* 2016, 556, 53-62.
449. Kowol, C. R.; Miklos, W.; Pfaff, S.; Hager, S.; Kallus, S.; Pelivan, K.; Kubanik, M.; Enyedy, E. A.; Berger, W.; Heffeter, P.; Keppler, B. K., Impact of Stepwise NH₂-Methylation of Triapine on the Physicochemical Properties, Anticancer Activity, and Resistance Circumvention. *Journal of Medicinal Chemistry* 2016, 59, 6739-6752.

448. Koellensperger, G.; Galanski, M.; Keppler, B. K.; Hann, S., Turbulent flow chromatography in combination with HPLC-ICP-MS for high-throughput analysis of free, intact metal based drugs in biomedical samples. *Journal of Analytical Atomic Spectrometry* 2016, 31, 1811-1817.
447. Karnthaler-Benbakka, C.; Groza, D.; Koblmüller, B.; Terenzi, A.; Holste, K.; Haider, M.; Baier, D.; Berger, W.; Heffeter, P.; Kowol, C. R.; Keppler, B. K., Targeting a Targeted Drug: An Approach Toward Hypoxia-Activatable Tyrosine Kinase Inhibitor Prodrugs. *Chemmedchem* 2016, 11, 2410-2421.
446. Henke, H.; Kryeziu, K.; Banfic, J.; Theiner, S.; Korner, W.; Bruggemann, O.; Berger, W.; Keppler, B. K.; Heffeter, P.; Teasdale, I., Macromolecular Pt(IV) Prodrugs from Poly(organo)phosphazenes. *Macromolecular Bioscience* 2016, 16, 1239-1249.
445. Hackl, C. M.; Legina, M. S.; Pichler, V.; Schmidlehner, M.; Roller, A.; Domotor, O.; Enyedy, E. A.; Jakupec, M. A.; Kandioller, W.; Keppler, B. K., Thiomaltol-Based Organometallic Complexes with 1-Methylimidazole as Leaving Group: Synthesis, Stability, and Biological Behavior. *Chemistry-a European Journal* 2016, 22, 17269-17281.
444. Goschl, S.; Varbanov, H. P.; Theiner, S.; Jakupec, M. A.; Galanski, M.; Keppler, B. K., The role of the equatorial ligands for the redox behavior, mode of cellular accumulation and cytotoxicity of platinum(IV) prodrugs. *Journal of Inorganic Biochemistry* 2016, 160, 264-274.
443. Garbutcheon-Singh, K. B.; Galanski, M.; Keppler, B. K.; Aldrich-Wright, J. R., Synthesis, characterisation and cytotoxicity of (1,10-phenanthroline) (1R,2R,4R/1S, 2S,4S)-4-methyl-1,2-cyclohexanediamine) platinum(II) (2+) (PHEN-4-MeDACH). *Inorganica Chimica Acta* 2016, 441, 152-156.
442. Flocke, L. S.; Trondl, R.; Jakupec, M. A.; Keppler, B. K., Molecular mode of action of NKP-1339-a clinically investigated ruthenium-based drug - involves ER- and ROS-related effects in colon carcinoma cell lines. *Investigational New Drugs* 2016, 34, 261-268.
441. Fischer, B.; Kryeziu, K.; Kallus, S.; Heffeter, P.; Berger, W.; Kowol, C. R.; Keppler, B. K., Nanoformulations of anticancer thiosemicarbazones to reduce methemoglobin formation and improve anticancer activity. *Rsc Advances* 2016, 6, 55848-55859.
440. Bytzek, A. K.; Koellensperger, G.; Keppler, B. K.; Hartinger, C. G., Biodistribution of the novel anticancer drug sodium trans-Retrachloridobis(1H-indazole)ruthenate(III) KP-1339/IT139 in nude BALB/c mice and implications on its mode of action. *Journal of Inorganic Biochemistry* 2016, 160, 250-255.
439. Bonsignore, R.; Terenzi, A.; Spinello, A.; Martorana, A.; Lauria, A.; Almerico, A. M.; Keppler, B. K.; Barone, G., G-quadruplex vs. duplex-DNA binding of nickel(II) and zinc(II) Schiff base complexes. *Journal of Inorganic Biochemistry* 2016, 161, 115-121.
438. Bonsignore, R.; Notaro, A.; Salvo, A. M. P.; Spinello, A.; Fiasconaro, G.; Terenzi, A.; Giacalone, F.; Keppler, B. K.; Giuliano, M.; Gruttadauria, M.; Barone, G., DNA-Binding and Anticancer Activity of Pyrene-Imidazolium Derivatives. *Chemistryselect* 2016, 1, 6755-6761.
437. Blazevic, A.; Orłowska, E.; Kandioller, W.; Jirsa, F.; Keppler, B. K.; Tafili-Kryeziu, M.; Linert, W.; Krachler, R. F.; Krachler, R.; Rompel, A., Photoreduction of Terrigenous Fe-Humic Substances Leads to Bioavailable Iron in Oceans. *Angewandte Chemie-International Edition* 2016, 55, 6417-6422.

436. Bijelic, A.; Theiner, S.; Keppler, B. K.; Rompel, A., X-ray Structure Analysis of Indazolium trans-Tetrachlorobis(1H-indazole)ruthenate(III) (KP1019) Bound to Human Serum Albumin Reveals Two Ruthenium Binding Sites and Provides Insights into the Drug Binding Mechanism. *Journal of Medicinal Chemistry* 2016, 59, 5894-5903.
435. Bamonti, L.; Theiner, S.; Rohr-Udilova, N.; Keppler, B. K.; Koellensperger, G., Accurate high throughput quantification of selenium in biological samples - the potential of combining isotope dilution ICP-tandem mass spectrometry with flow injection. *Journal of Analytical Atomic Spectrometry* 2016, 31, 2227-2232.
434. Turkcan, A.; Scharinger, B.; Grabmann, G.; Keppler, B. K.; Laufer, G.; Bernhard, D.; Messner, B., Combination of Cadmium and High Cholesterol Levels as a Risk Factor for Heart Fibrosis. *Toxicological Sciences* 2015, 145, 360-371.
433. Theiner, S.; Varbanov, H. P.; Galanski, M.; Egger, A. E.; Berger, W.; Heffeter, P.; Keppler, B. K., Comparative in vitro and in vivo pharmacological investigation of platinum(IV) complexes as novel anticancer drug candidates for oral application. *Journal of Biological Inorganic Chemistry* 2015, 20, 89-99.
432. Theiner, S.; Kornauth, C.; Varbanov, H. P.; Galanski, M.; Van Schoonhoven, S.; Heffeter, P.; Berger, W.; Egger, A. E.; Keppler, B. K., Tumor microenvironment in focus: LA-ICP-MS bioimaging of a preclinical tumor model upon treatment with platinum(IV)-based anticancer agents. *Metallomics* 2015, 7, 1256-1264.
431. Schreiber-Brynzak, E.; Klapproth, E.; Unger, C.; Lichtscheidl-Schultz, I.; Göschl, S.; Schweighofer, S.; Trondl, R.; Dolznig, H.; Jakupec, M. A.; Keppler, B. K., Three-dimensional and co-culture models for preclinical evaluation of metal-based anticancer drugs. *Investigational New Drugs* 2015, 33, 835-847.
430. Schmidlehner, M.; Pichler, V.; Roller, A.; Jakupec, M. A.; Kandioller, W.; Keppler, B. K., Organometallic complexes of (thio)allomaltol-based Mannich-products: Synthesis, stability and preliminary biological investigations. *Journal of Organometallic Chemistry* 2015, 782, 69-76.
429. Platzer, S.; Sap, O.; Leyma, R.; Wallner, G.; Jirsa, F.; Kandioller, W.; Krachler, R.; Keppler, B. K., Extraction of natural radionuclides from aqueous solutions by novel maltolate-based task-specific ionic liquids. *Journal of Radioanalytical and Nuclear Chemistry* 2015, 303, 2483-2488.
428. Pichler, V.; Goschl, S.; Schreiber-Brynzak, E.; Jakupec, M. A.; Galanski, M.; Keppler, B. K., Influence of reducing agents on the cytotoxic activity of platinum(IV) complexes: induction of G(2)/M arrest, apoptosis and oxidative stress in A2780 and cisplatin resistant A2780cis cell lines. *Metallomics* 2015, 7, 1078-1090.
427. Oehninger, L.; Spreckelmeyer, S.; Holenya, P.; Meier, S. M.; Can, S.; Alborzina, H.; Schur, J.; Keppler, B. K.; Wolf, S.; Ott, I., Rhodium(I) N-Heterocyclic Carbene Bioorganometallics as in Vitro Antiproliferative Agents with Distinct Effects on Cellular Signaling. *Journal of Medicinal Chemistry* 2015, 58, 9591-9600.
426. Mokesch, S.; Novak, M. S.; Roller, A.; Jakupec, M. A.; Kandioller, W.; Keppler, B. K., 1,3-Dioxindan-2-carboxamides as Bioactive Ligand Scaffolds for the Development of Novel Organometallic Anticancer Drugs. *Organometallics* 2015, 34, 848-857.

425. Miklos, W.; Pelivan, K.; Kowol, C. R.; Pirker, C.; Dornetshuber-Fleiss, R.; Spitzwieser, M.; Englinger, B.; van Schoonhoven, S.; Cichna-Markl, M.; Koellensperger, G.; Keppler, B. K.; Berger, W.; Heffeter, P., Triapine-mediated ABCB1 induction via PKC induces widespread therapy unresponsiveness but is not underlying acquired triapine resistance. *Cancer Letters* 2015, 361, 112-120.
424. Matczuk, M.; Anecka, K.; Scaletti, F.; Messori, L.; Keppler, B. K.; Timerbaev, A. R.; Jarosz, M., Speciation of metal-based nanomaterials in human serum characterized by capillary electrophoresis coupled to ICP-MS: a case study of gold nanoparticles. *Metallomics* 2015, 7, 1364-1370.
423. Kuhn, P. S.; Pichler, V.; Roller, A.; Hejl, M.; Jakupec, M. A.; Kandioller, W.; Keppler, B. K., Improved reaction conditions for the synthesis of new NKP-1339 derivatives and preliminary investigations on their anticancer potential. *Dalton Transactions* 2015, 44, 659-668.
422. Kubanik, M.; Tu Jason, K. Y.; Söhnel, T.; Hejl, M.; Jakupec Michael, A.; Kandioller, W.; Keppler Bernhard, K.; Hartinger Christian, G., Expanding on the Structural Diversity of Flavone- Derived Ruthenium(II)(η^6 -arene) Anticancer Agents. In *Metallodrugs 2015*; Vol. 1, p 24.
421. Krachler, R.; Krachler, R. F.; Wallner, G.; Hann, S.; Laux, M.; Recalde, M. F. C.; Jirsa, F.; Neubauer, E.; von der Kammer, F.; Hofmann, T.; Keppler, B. K., River-derived humic substances as iron chelators in seawater. *Marine Chemistry* 2015, 174, 85-93.
420. Kowol, C. R.; Nagy, N. V.; Jakusch, T.; Roller, A.; Heffeter, P.; Keppler, B. K.; Enyedy, E. A., Vanadium(IV/V) complexes of Triapine and related thiosemicarbazones: Synthesis, solution equilibrium and bioactivity. *Journal of Inorganic Biochemistry* 2015, 152, 62-73.
419. Kandioller, W.; Kubanik, M.; Bytzek, A. K.; Jakupec, M. A.; Roller, A.; Keppler, B. K.; Hartinger, C. G., The rearrangement of tosylated flavones to 1'-(alkylamino)aurones with primary amines. *Tetrahedron* 2015, 71, 8953-8959.
418. Hoffmeister, B. R.; Hejl, M.; Jakupec, M. A.; Galanski, M.; Keppler, B. K., Bis- and Tris(carboxylato)platinum(IV) Complexes with Mixed Am(m)ine Ligands in the trans Position Exhibiting Exceptionally High Cytotoxicity. *European Journal of Inorganic Chemistry* 2015, 1700-1708.
417. Hoffmeister, B. R.; Hejl, M.; Adib-Razavi, M. S.; Jakupec, M. A.; Galanski, M.; Keppler, B. K., Bis- and Tetrakis(carboxylato)platinum(IV) Complexes with Mixed Axial Ligands - Synthesis, Characterization, and Cytotoxicity. *Chemistry & Biodiversity* 2015, 12, 559-574.
416. Hofer, D.; Varbanov, H. P.; Legin, A.; Jakupec, M. A.; Roller, A.; Galanski, M.; Keppler, B. K., Tetracarboxylatoplatinum(IV) complexes featuring monodentate leaving groups - A rational approach toward exploiting the platinum(IV) prodrug strategy. *Journal of Inorganic Biochemistry* 2015, 153, 259-271.
415. Habala, L.; Bartel, C.; Giester, G.; Jakupec, M. A.; Keppler, B. K.; Rompel, A., Complexes of N-hydroxyethyl-N-benzimidazolymethylethylenediaminediacetic acid with group 12 metals and vanadium-Synthesis, structure and bioactivity of the vanadium complex. *Journal of Inorganic Biochemistry* 2015, 147, 147-152.
414. Enyedy, E. A.; Meszaros, J. P.; Domotor, O.; Hackl, C. M.; Roller, A.; Keppler, B. K.; Kandioller, W., Comparative solution equilibrium studies on pentamethylcyclopentadienyl rhodium complexes of 2,2'-bipyridine and ethylenediamine and their interaction with human serum albumin. *Journal of Inorganic Biochemistry* 2015, 152, 93-103.

413. Enyedy, E. A.; Domotor, O.; Hackl, C. M.; Roller, A.; Novak, M. S.; Jakupec, M. A.; Keppler, B. K.; Kandioller, W., Solution equilibria and antitumor activities of pentamethylcyclopentadienyl rhodium complexes of picolinic acid and deferiprone. *Journal of Coordination Chemistry* 2015, 68, 1583-1601.
412. Enyedy, E. A.; Domotor, O.; Bali, K.; Hetenyi, A.; Tuccinardi, T.; Keppler, B. K., Interaction of the anticancer gallium(III) complexes of 8-hydroxyquinoline and maltol with human serum proteins. *Journal of Biological Inorganic Chemistry* 2015, 20, 77-88.
411. Egger, A. E.; Kornauth, C.; Haslik, W.; Hann, S.; Theiner, S.; Bayer, G.; Hartinger, C. G.; Keppler, B. K.; Pluschnigh, U.; Mader, R. M., Extravasation of Pt-based chemotherapeutics - bioimaging of their distribution in resectates using laser ablation-inductively coupled plasma-mass spectrometry (LA-ICP-MS). *Metallomics* 2015, 7, 508-515.
410. Babak, M. V.; Plazuk, D.; Meier, S. M.; Arabshahi, H. J.; Reynisson, J.; Rychlik, B.; Blauz, A.; Szulc, K.; Hanif, M.; Strobl, S.; Roller, A.; Keppler, B. K.; Hartinger, C. G., Half-Sandwich Ruthenium(II) Biotin Conjugates as Biological Vectors to Cancer Cells. *Chemistry-a European Journal* 2015, 21, 5110-5117.
409. Babak, M. V.; Meier, S. M.; Huber, K. V. M.; Reynisson, J.; Legin, A. A.; Jakupec, M. A.; Roller, A.; Stukalov, A.; Gridling, M.; Bennett, K. L.; Colinge, J.; Berger, W.; Dyson, P. J.; Superti-Furga, G.; Keppler, B. K.; Hartinger, C. G., Target profiling of an antimetastatic RAPTA agent by chemical proteomics: relevance to the mode of action. *Chemical Science* 2015, 6, 2449-2456.
408. Varbanov, H. P.; Goschl, S.; Heffeter, P.; Theiner, S.; Roller, A.; Jensen, F.; Jakupec, M. A.; Berger, W.; Galanski, M.; Keppler, B. K., A Novel Class of Bis- and Tris-Chelate Diam(m)inebis(dicarboxylato)platinum(IV) Complexes as Potential Anticancer Prodrugs. *Journal of Medicinal Chemistry* 2014, 57, 6751-6764.
407. Trondl, R.; Heffeter, P.; Kowol, C. R.; Jakupec, M. A.; Berger, W.; Keppler, B. K., NKP-1339, the first ruthenium-based anticancer drug on the edge to clinical application. *Chemical Science* 2014, 5, 2925-2932.
406. Trondl, R.; Flocke, L. S.; Kowol, C. R.; Heffeter, P.; Jungwirth, U.; Mair, G. E.; Steinborn, R.; Enyedy, E. A.; Jakupec, M. A.; Berger, W.; Keppler, B. K., Triapine and a More Potent Dimethyl Derivative Induce Endoplasmic Reticulum Stress in Cancer Cells. *Molecular Pharmacology* 2014, 85, 451-459.
405. Sija, E.; Hartinger, C. G.; Keppler, B. K.; Kiss, T.; Enyedy, E. A., Solution equilibrium studies of anticancer ruthenium(II)-eta(6)-p-cymene complexes of pyridinecarboxylic acids. *Polyhedron* 2014, 67, 51-58.
404. Schmidlehner, M.; Kuhn, P. S.; Hackl, C. M.; Roller, A.; Kandioller, W.; Keppler, B. K., Microwave-assisted synthesis of N-heterocycle-based organometallics. *Journal of Organometallic Chemistry* 2014, 772, 93-99.
403. Ossipov, K.; Scaffidi-Domianello, Y. Y.; Seregina, I. F.; Galanski, M.; Keppler, B. K.; Timerbaev, A. R.; Bolshov, M. A., Inductively coupled plasma mass spectrometry for metallodrug development: Albumin binding and serum distribution of cytotoxic cis- and trans-isomeric platinum(II) complexes. *Journal of Inorganic Biochemistry* 2014, 137, 40-45.
402. Meier, S. M.; Novak, M. S.; Kandioller, W.; Jakupec, M. A.; Roller, A.; Keppler, B. K.; Hartinger, C. G., Aqueous chemistry and antiproliferative activity of a pyrone-based phosphoramidate Ru(arene) anticancer agent. *Dalton Transactions* 2014, 43, 9851-9855.

401. Meier, S. M.; Babak, M. V.; Keppler, B. K.; Hartinger, C. G., Efficiently Detecting Metallodrug-Protein Adducts: Ion Trap versus Time-of-Flight Mass Analyzers. *Chemmedchem* 2014, 9, 1351-1355.
400. Matczuk, M.; Foteeva, L. S.; Jarosz, M.; Galanski, M.; Keppler, B. K.; Hirokawa, T.; Timerbaev, A. R., Can neutral analytes be concentrated by transient isotachopheresis in micellar electrokinetic chromatography and how much? *Journal of Chromatography A* 2014, 1345, 212-218.
399. Martincic, A.; Milacic, R.; Vidmar, J.; Turel, I.; Keppler, B. K.; Scancar, J., New method for the speciation of ruthenium-based chemotherapeutics in human serum by conjoint liquid chromatography on affinity and anion-exchange monolithic disks. *Journal of Chromatography A* 2014, 1371, 168-176.
398. Legin, A. A.; Schintlmeister, A.; Jakupec, M. A.; Galanski, M.; Lichtscheidl, I.; Wagner, M.; Keppler, B. K., NanoSIMS combined with fluorescence microscopy as a tool for subcellular imaging of isotopically labeled platinum-based anticancer drugs. *Chemical Science* 2014, 5, 3135-3143.
397. Legin, A. A.; Jakupec, M. A.; Bokach, N. A.; Tyan, M. R.; Kukushkin, V. Y.; Keppler, B. K., Guanidine platinum(II) complexes: synthesis, in vitro antitumor activity, and DNA interactions*. *Journal of Inorganic Biochemistry* 2014, 133, 33-39.
396. Jungwirth, U.; Gojo, J.; Tuder, T.; Walko, G.; Holcman, M.; Schofl, T.; Nowikovskiy, K.; Wilfinger, N.; Schoonhoven, S.; Kowol, C. R.; Lemmens-Gruber, R.; Heffeter, P.; Keppler, B. K.; Berger, W., Calpain-Mediated Integrin Deregulation as a Novel Mode of Action for the Anticancer Gallium Compound KP46. *Molecular Cancer Therapeutics* 2014, 13, 2436-2449.
395. Jirsa, F.; Pirker, D.; Krachler, R.; Keppler, B. K., Total Mercury in Sediments, Macrophytes, and Fish from a Shallow Steppe Lake in Eastern Austria. *Chemistry & Biodiversity* 2014, 11, 1263-1275.
394. Hudej, R.; Miklavcic, D.; Cemazar, M.; Todorovic, V.; Sersa, G.; Bergamo, A.; Sava, G.; Martincic, A.; Scancar, J.; Keppler, B. K.; Turel, I., Modulation of Activity of Known Cytotoxic Ruthenium(III) Compound (KP418) with Hampered Transmembrane Transport in Electrochemotherapy In Vitro and In Vivo. *Journal of Membrane Biology* 2014, 247, 1239-1251.
393. Heffeter, P.; Riabtseva, A.; Senkiv, Y.; Kowol, C. R.; Korner, W.; Jungwirth, U.; Mitina, N.; Keppler, B. K.; Konstantinova, T.; Yanchuk, I.; Stoika, R.; Zaichenko, A.; Berger, W., Nanoformulation Improves Activity of the (pre)Clinical Anticancer Ruthenium Complex KP1019. *Journal of Biomedical Nanotechnology* 2014, 10, 877-884.
392. Hanif, M.; Nawaz, M. A. H.; Babak, M. V.; Iqbal, J.; Roller, A.; Keppler, B. K.; Hartinger, C. G., Ruthenium(II)(eta(6)-arene) Complexes of Thiourea Derivatives: Synthesis, Characterization and Urease Inhibition. *Molecules* 2014, 19, 8080-8092.
391. Fischer, B.; Heffeter, P.; Kryeziu, K.; Gille, L.; Meier, S. M.; Berger, W.; Kowol, C. R.; Keppler, B. K., Poly(lactic acid) nanoparticles of the lead anticancer ruthenium compound KP1019 and its surfactant-mediated activation. *Dalton Transactions* 2014, 43, 1096-1104.
390. Egger, A. E.; Theiner, S.; Kornauth, C.; Heffeter, P.; Berger, W.; Keppler, B. K.; Hartinger, C. G., Quantitative bioimaging by LA-ICP-MS: a methodological study on the distribution of Pt and Ru in viscera originating from cisplatin- and KP1339-treated mice. *Metallomics* 2014, 6, 1616-1625.
389. Domotor, O.; Aicher, S.; Schmidlehner, M.; Novak, M. S.; Roller, A.; Jakupec, M. A.; Kandioller, W.; Hartinger, C. G.; Keppler, B. K.; Enyedy, E. A., Antitumor pentamethylcyclopentadienyl rhodium complexes of maltol and allomaltol: Synthesis, solution speciation and bioactivity. *Journal of Inorganic Biochemistry* 2014, 134, 57-65.

388. Banfic, J.; Legin, A. A.; Jakupec, M. A.; Galanski, M.; Keppler, B. K., Platinum(IV) Complexes Featuring One or Two Axial Ferrocene Bearing Ligands - Synthesis, Characterization, and Cytotoxicity. *European Journal of Inorganic Chemistry* 2014, 2014, 484-492.
387. Varbanov, H. P.; Jakupec, M. A.; Roller, A.; Jensen, F.; Galanski, M.; Keppler, B. K., Theoretical Investigations and Density Functional Theory Based Quantitative Structure-Activity Relationships Model for Novel Cytotoxic Platinum(IV) Complexes. *Journal of Medicinal Chemistry* 2013, 56, 330-344.
386. Valiahdi, S. M.; Egger, A. E.; Miklos, W.; Jungwirth, U.; Meelich, K.; Nock, P.; Berger, W.; Hartinger, C. G.; Galanski, M.; Jakupec, M. A.; Keppler, B. K., Influence of extracellular pH on the cytotoxicity, cellular accumulation, and DNA interaction of novel pH-sensitive 2-aminoalcoholatoplatinum(II) complexes. *Journal of Biological Inorganic Chemistry* 2013, 18, 249-260.
385. Schwarz, M. B.; Kurzwernhart, A.; Roller, A.; Kandioller, W.; Keppler, B. K.; Hartinger, C. G., Rhodium(Cp*) Compounds with Flavone-derived Ligand Systems: Synthesis and Characterization. *Zeitschrift Fur Anorganische Und Allgemeine Chemie* 2013, 639, 1648-1654.
384. Pichler, V.; Mayr, J.; Heffeter, P.; Domotor, O.; Enyedy, E. A.; Hermann, G.; Groza, D.; Kollensperger, G.; Galanski, M.; Berger, W.; Keppler, B. K.; Kowol, C. R., Maleimide-functionalised platinum(IV) complexes as a synthetic platform for targeted drug delivery. *Chemical Communications* 2013, 49, 2249-2251.
383. Pichler, V.; Goschl, S.; Meier, S. M.; Roller, A.; Jakupec, M. A.; Galanski, M.; Keppler, B. K., Bulky N,N-(Di)alkylethane-1,2-diamineplatinum(II) Compounds as Precursors for Generating Unsymmetrically Substituted Platinum(IV) Complexes. *Inorganic Chemistry* 2013, 52, 8151-8162.
382. Meier, S. M.; Novak, M.; Kandioller, W.; Jakupec, M. A.; Arion, V. B.; Metzler-Nolte, N.; Keppler, B. K.; Hartinger, C. G., Identification of the Structural Determinants for Anticancer Activity of a Ruthenium Arene Peptide Conjugate. *Chemistry-a European Journal* 2013, 19, 9297-9307.
381. Meier, S. M.; Hanif, M.; Adhireksan, Z.; Pichler, V.; Novak, M.; Jirkovsky, E.; Jakupec, M. A.; Arion, V. B.; Davey, C. A.; Keppler, B. K.; Hartinger, C. G., Novel metal(II) arene 2-pyridinecarbothioamides: a rationale to orally active organometallic anticancer agents. *Chemical Science* 2013, 4, 1837-1846.
380. Kurzwernhart, A.; Kandioller, W.; Enyedy, E. A.; Novak, M.; Jakupec, M. A.; Keppler, B. K.; Hartinger, C. G., 3-Hydroxyflavones vs. 3-hydroxyquinolinones: structure-activity relationships and stability studies on Ru-II(arene) anticancer complexes with biologically active ligands. *Dalton Transactions* 2013, 42, 6193-6202.
379. Kandioller, W.; Balsano, E.; Meier, S. M.; Jungwirth, U.; Goschl, S.; Roller, A.; Jakupec, M. A.; Berger, W.; Keppler, B. K.; Hartinger, C. G., Organometallic anticancer complexes of lapachol: metal centre-dependent formation of reactive oxygen species and correlation with cytotoxicity. *Chemical Communications* 2013, 49, 3348-3350.
378. Jirsa, F.; Neubauer, E.; Kittinger, R.; Hofmann, T.; Krachler, R.; von der Kammer, F.; Keppler, B. K., Natural organic matter and iron export from the Tanner Moor, Austria. *Limnologica* 2013, 43, 239-244.
377. Ivanovic, I.; Gligorijevic, N.; Arandelovic, S.; Radulovic, S.; Roller, A.; Keppler, B. K.; Tesic, Z. L.; Grguric-Sipka, S., New ruthenium(II)-arene complexes bearing hydrazides and the corresponding (thio)semicarbazones of 3-and 4-acetylpyridine: Synthesis, characterization, crystal structure determination and antiproliferative activity. *Polyhedron* 2013, 61, 112-118.

376. Hummer, A. A.; Heffeter, P.; Berger, W.; Filipits, M.; Batchelor, D.; Buchel, G. E.; Jakupec, M. A.; Keppler, B. K.; Rompel, A., X-ray Absorption Near Edge Structure Spectroscopy to Resolve the in Vivo Chemistry of the Redox-Active Indazolium trans-Tetrachlorobis(1H-indazole)ruthenate(III) (KP1019). *Journal of Medicinal Chemistry* 2013, 56, 1182-1196.
375. Heffeter, P.; Atil, B.; Kryeziu, K.; Groza, D.; Koellensperger, G.; Korner, W.; Jungwirth, U.; Mohr, T.; Keppler, B. K.; Berger, W., The ruthenium compound KP1339 potentiates the anticancer activity of sorafenib in vitro and in vivo. *European Journal of Cancer* 2013, 49, 3366-3375.
374. Hanif, M.; Meier, S. M.; Nazarov, A. A.; Risse, J.; Legin, A.; Casini, A.; Jakupec, M. A.; Keppler, B. K.; Hartinger, C. G., Influence of the Tr-coordinated arene on the anticancer activity of ruthenium(II) carbohydrate organometallic complexes. *Frontiers in Chemistry* 2013, 1.
373. Grabmann, G.; Keppler, B. K.; Hartinger, C. G., A systematic capillary electrophoresis study on the effect of the buffer composition on the reactivity of the anticancer drug cisplatin to the DNA model 2'-deoxyguanosine 5'-monophosphate (dGMP). *Analytical and Bioanalytical Chemistry* 2013, 405, 6417-6424.
372. Filak, L. K.; Goschl, S.; Heffeter, P.; Samper, K. G.; Egger, A. E.; Jakupec, M. A.; Keppler, B. K.; Berger, W.; Arion, V. B., Metal-Arene Complexes with Indolo 3,2-c-quinolines: Effects of Ruthenium vs Osmium and Modifications of the Lactam Unit on Intermolecular Interactions, Anticancer Activity, Cell Cycle, and Cellular Accumulation. *Organometallics* 2013, 32, 903-914.
371. Enyedy, E. A.; Sija, E.; Jakusch, T.; Hartinger, C. G.; Kandioller, W.; Keppler, B. K.; Kiss, T., Solution equilibria of anticancer ruthenium(II)-(eta(6)-p-cymene)-hydroxy(thio)pyr(id) one complexes: Impact of sulfur vs. oxygen donor systems on the speciation and bioactivity. *Journal of Inorganic Biochemistry* 2013, 127, 161-168.
370. Domotor, O.; Hartinger, C. G.; Bytzek, A. K.; Kiss, T.; Keppler, B. K.; Enyedy, E. A., Characterization of the binding sites of the anticancer ruthenium(III) complexes KP1019 and KP1339 on human serum albumin via competition studies. *Journal of Biological Inorganic Chemistry* 2013, 18, 9-17.
369. Banfic, J.; Adib-Razavi, M. S.; Galanski, M.; Keppler, B. K., Platinum(IV) Complexes Featuring Axial (1,4-C-13(2))Succinato Ligands - Synthesis, Characterization, and Preliminary Investigations in Cancer Cell Lysates. *Zeitschrift Fur Anorganische Und Allgemeine Chemie* 2013, 639, 1613-1620.
368. Babak, M. V.; Meier, S. M.; Legin, A. A.; Razavi, M. S. A.; Roller, A.; Jakupec, M. A.; Keppler, B. K.; Hartinger, C. G., Am(m)ines Make the Difference: Organoruthenium Am(m)ine Complexes and Their Chemistry in Anticancer Drug Development. *Chemistry-a European Journal* 2013, 19, 4308-4318.
367. Varbanov, H. P.; Valiahdi, S. M.; Kowol, C. R.; Jakupec, M. A.; Galanski, M.; Keppler, B. K., Novel tetracarboxylatoplatinum(IV) complexes as carboplatin prodrugs. *Dalton Transactions* 2012, 41, 14404-14415.
366. Stojanovic, A.; Keppler, B. K., Ionic Liquids as Extracting Agents for Heavy Metals. *Separation Science and Technology* 2012, 47, 189-203.
365. Scaffidi-Domianello, Y. Y.; Legin, A. A.; Jakupec, M. A.; Roller, A.; Kukushkin, V. Y.; Galanski, M.; Keppler, B. K., Novel Oximate-Bridged Platinum(II) Di- and Trimer(s): Synthetic, Structural, and in Vitro Anticancer Activity Studies. *Inorganic Chemistry* 2012, 51, 7153-7163.

364. Pichler, V.; Heffeter, P.; Valiandi, S. M.; Kowol, C. R.; Egger, A.; Berger, W.; Jakupec, M. A.; Galanski, M.; Keppler, B. K., *Unsymmetric Mono- and Dinuclear Platinum(IV) Complexes Featuring an Ethylene Glycol Moiety: Synthesis, Characterization, and Biological Activity*. *Journal of Medicinal Chemistry* 2012, 55, 11052-11061.
363. Muhlgassner, G.; Bartel, C.; Schmid, W. F.; Jakupec, M. A.; Arion, V. B.; Keppler, B. K., *Biological activity of ruthenium and osmium arene complexes with modified paullones in human cancer cells*. *Journal of Inorganic Biochemistry* 2012, 116, 180-187.
362. Milunovic, M. N. M.; Enyedy, E. A.; Nagy, N. V.; Kiss, T.; Trondl, R.; Jakupec, M. A.; Keppler, B. K.; Krachler, R.; Novitchi, G.; Arion, V. B., *L- and D-Proline Thiosemicarbazone Conjugates: Coordination Behavior in Solution and the Effect of Copper(II) Coordination on Their Antiproliferative Activity*. *Inorganic Chemistry* 2012, 51, 9309-9321.
361. Meier, S. M.; Tsybin, Y. O.; Dyson, P. J.; Keppler, B. K.; Hartinger, C. G., *Fragmentation methods on the balance: unambiguous top-down mass spectrometric characterization of oxaliplatin-ubiquitin binding sites*. *Analytical and Bioanalytical Chemistry* 2012, 402, 2655-2662.
360. Meier, S. M.; Hanif, M.; Kandioller, W.; Keppler, B. K.; Hartinger, C. G., *Biomolecule binding vs. anticancer activity: Reactions of Ru(arene) (thio)pyr-(id)one compounds with amino acids and proteins*. *Journal of Inorganic Biochemistry* 2012, 108, 91-95.
359. Kurzwernhart, A.; Kandioller, W.; Bartel, C.; Bachler, S.; Trondl, R.; Muhlgassner, G.; Jakupec, M. A.; Arion, V. B.; Marko, D.; Keppler, B. K.; Hartinger, C. G., *Targeting the DNA-topoisomerase complex in a double-strike approach with a topoisomerase inhibiting moiety and covalent DNA binder*. *Chemical Communications* 2012, 48, 4839-4841.
358. Kurzwernhart, A.; Kandioller, W.; Bachler, S.; Bartel, C.; Martic, S.; Buczkowska, M.; Muhlgassner, G.; Jakupec, M. A.; Kraatz, H. B.; Bednarski, P. J.; Arion, V. B.; Marko, D.; Keppler, B. K.; Hartinger, C. G., *Structure-Activity Relationships of Targeted Ru-II(eta(6)-p-Cymene) Anticancer Complexes with Flavonol-Derived Ligands*. *Journal of Medicinal Chemistry* 2012, 55, 10512-10522.
357. Krachler, R.; von der Kammer, F.; Jirsa, F.; Suphandag, A.; Krachler, R. F.; Plessl, C.; Vogt, M.; Keppler, B. K.; Hofmann, T., *Nanoscale lignin particles as sources of dissolved iron to the ocean*. *Global Biogeochemical Cycles* 2012, 26.
356. Kowol, C. R.; Heffeter, P.; Miklos, W.; Gille, L.; Trondl, R.; Cappellacci, L.; Berger, W.; Keppler, B. K., *Mechanisms underlying reductant-induced reactive oxygen species formation by anticancer copper(II) compounds*. *Journal of Biological Inorganic Chemistry* 2012, 17, 409-423.
355. Jungwirth, U.; Xanthos, D. N.; Gojo, J.; Bytzek, A. K.; Korner, W.; Heffeter, P.; Abramkin, S. A.; Jakupec, M. A.; Hartinger, C. G.; Windberger, U.; Galanski, M.; Keppler, B. K.; Berger, W., *Anticancer Activity of Methyl-Substituted Oxaliplatin Analogs*. *Molecular Pharmacology* 2012, 81, 719-728.
354. Hummer, A. A.; Bartel, C.; Arion, V. B.; Jakupec, M. A.; Meyer-Klaucke, W.; Geraki, T.; Quinn, P. D.; Mijovilovich, A.; Keppler, B. K.; Rompel, A., *X-ray Absorption Spectroscopy of an Investigational Anticancer Gallium(III) Drug: Interaction with Serum Proteins, Elemental Distribution Pattern, and Coordination of the Compound in Tissue*. *Journal of Medicinal Chemistry* 2012, 55, 5601-5613.
353. Hudej, R.; Kljun, J.; Kandioller, W.; Repnik, U.; Turk, B.; Hartinger, C. G.; Keppler, B. K.; Miklavcic, D.; Turel, I., *Synthesis and Biological Evaluation of the Thionated Antibacterial Agent Nalidixic Acid and Its Organoruthenium(II) Complex*. *Organometallics* 2012, 31, 5867-5874.

352. Hoffmeister, B. R.; Adib-Razavi, M. S.; Jakupec, M. A.; Galanski, M.; Keppler, B. K., Diamminetetraakis(carboxylato)platinum(IV) Complexes - Synthesis, Characterization, and Cytotoxicity. *Chemistry & Biodiversity* 2012, 9, 1840-1848.
351. Henke, H.; Kandioller, W.; Hanif, M.; Keppler, B. K.; Hartinger, C. G., Organometallic Ruthenium and Osmium Compounds of Pyridin-2-and-4-ones as Potential Anticancer Agents. *Chemistry & Biodiversity* 2012, 9, 1718-1727.
350. Heffeter, P.; Pirker, C.; Kowol, C. R.; Herrman, G.; Dornetshuber, R.; Miklos, W.; Jungwirth, U.; Koellensperger, G.; Keppler, B. K.; Berger, W., Impact of terminal dimethylation on the resistance profile of alpha-N-heterocyclic thiosemicarbazones. *Biochemical Pharmacology* 2012, 83, 1623-1633.
349. Hanif, M.; Nazarov, A. A.; Legin, A.; Groessl, M.; Arion, V. B.; Jakupec, M. A.; Tsybin, Y. O.; Dyson, P. J.; Keppler, B. K.; Hartinger, C. G., Maleimide-functionalised organoruthenium anticancer agents and their binding to thiol-containing biomolecules. *Chemical Communications* 2012, 48, 1475-1477.
348. Grabmann, G.; Meier, S. M.; Scaffidi-Domianello, Y. Y.; Galanski, M.; Keppler, B. K.; Hartinger, C. G., Capillary zone electrophoresis and capillary zone electrophoresis-electrospray ionization mass spectrometry studies on the behavior of anticancer cis- and trans- dihalidobis(2-propanone oxime)platinum(II) complexes in aqueous solutions. *Journal of Chromatography A* 2012, 1267, 156-161.
347. Ginzinger, W.; Muhlgassner, G.; Arion, V. B.; Jakupec, M. A.; Roller, A.; Galanski, M.; Reithofer, M.; Berger, W.; Keppler, B. K., A SAR Study of Novel Antiproliferative Ruthenium and Osmium Complexes with Quinoxalinone Ligands in Human Cancer Cell Lines. *Journal of Medicinal Chemistry* 2012, 55, 3398-3413.
346. Ginzinger, W.; Egger, A.; Muhlgassner, G.; Arion, V. B.; Jakupec, M. A.; Galanski, M.; Berger, W.; Keppler, B. K., Water-Soluble Cationic Derivatives of Indirubin, the Active Anticancer Component from Indigo naturalis. *Chemistry & Biodiversity* 2012, 9, 2175-2185.
345. Gavrish, S. P.; Lampeka, Y. D.; Lightfoot, P.; Arion, V. B.; Keppler, B. K.; Wozniak, K., Solid State Structural Variations in Copper(II) Complexes of Open-Chain and Macrocyclic Malonamide-Derived Ligands. *Crystal Growth & Design* 2012, 12, 4388-4396.
344. Galanski, M.; Keppler, B. K., Tumor-Targeting Strategies with Anticancer Platinum Complexes. *Drug Delivery in Oncology: From Basic Research to Cancer Therapy, Vols 1-3* 2012, 1605-1629.
343. Enyedy, E. A.; Zsigo, E.; Nagy, N. V.; Kowol, C. R.; Roller, A.; Keppler, B. K.; Kiss, T., Complex-Formation Ability of Salicylaldehyde Thiosemicarbazone towards ZnII, CuII, FeII, FeIII and GaIII Ions. *European Journal of Inorganic Chemistry* 2012, 4036-4047.
342. Enyedy, E. A.; Domotor, O.; Varga, E.; Kiss, L.; Trondl, R.; Hartinger, C. G.; Keppler, B. K., Comparative solution equilibrium studies of anticancer gallium(III) complexes of 8-hydroxyquinoline and hydroxy(thio)pyrone ligands. *Journal of Inorganic Biochemistry* 2012, 117, 189-197.
341. Buss, I.; Kalayda, G. V.; Lindauer, A.; Reithofer, M. R.; Galanski, M.; Keppler, B. K.; Jaehde, U., Effect of reactivity on cellular accumulation and cytotoxicity of oxaliplatin analogues. *Journal of Biological Inorganic Chemistry* 2012, 17, 699-708.

340. Buchel, G. E.; Stepanenko, I. N.; Hejl, M.; Jakupec, M. A.; Keppler, B. K.; Heffeter, P.; Berger, W.; Arion, V. B., Osmium(IV) complexes with 1H- and 2H-indazoles: Tautomer identity versus spectroscopic properties and antiproliferative activity. *Journal of Inorganic Biochemistry* 2012, 113, 47-54.
339. Brandt, O.; Mildner, M.; Egger, A. E.; Groessl, M.; Rix, U.; Posch, M.; Keppler, B. K.; Strupp, C.; Mueller, B.; Stingl, G., Nanoscale silver possesses broad-spectrum antimicrobial activities and exhibits fewer toxicological side effects than silver sulfadiazine. *Nanomedicine-Nanotechnology Biology and Medicine* 2012, 8, 478-488.
338. Bartel, C.; Bytzek, A. K.; Scaffidi-Domianello, Y. Y.; Grabmann, G.; Jakupec, M. A.; Hartinger, C. G.; Galanski, M.; Keppler, B. K., Cellular accumulation and DNA interaction studies of cytotoxic trans-platinum anticancer compounds. *Journal of Biological Inorganic Chemistry* 2012, 17, 465-474.
337. Arion, V. B.; Dobrov, A.; Goschl, S.; Jakupec, M. A.; Keppler, B. K.; Rapta, P., Ruthenium- and osmium-arene-based paullones bearing a TEMPO free-radical unit as potential anticancer drugs. *Chemical Communications* 2012, 48, 8559-8561.
336. Abramkin, S.; Valiahdi, S. M.; Jakupec, M. A.; Galanski, M.; Metzler-Nolte, N.; Keppler, B. K., Solid-phase synthesis of oxaliplatin-TAT peptide bioconjugates. *Dalton Transactions* 2012, 41, 3001-3005.
335. Zhang, Y.; Kogelnig, D.; Morgenbesser, C.; Stojanovic, A.; Jirsa, F.; Lichtscheidl-Schultz, I.; Krachler, R.; Li, Y. F.; Keppler, B. K., Preparation and characterization of immobilized A336 MTBA in PVA-alginate gel beads as novel solid-phase extractants for an efficient recovery of Hg (II) from aqueous solutions. *Journal of Hazardous Materials* 2011, 196, 201-209.
334. Varbanov, H.; Valiahdi, S. M.; Legin, A. A.; Jakupec, M. A.; Roller, A.; Galanski, M.; Keppler, B. K., Synthesis and characterization of novel bis(carboxylato)dichloridobis(ethylamine)platinum(IV) complexes with higher cytotoxicity than cisplatin. *European Journal of Medicinal Chemistry* 2011, 46, 5456-5464.
333. Ungersboeck, J.; Philippe, C.; Mien, L. K.; Haeusler, D.; Shanab, K.; Lanzenberger, R.; Spreitzer, H.; Keppler, B. K.; Dudczak, R.; Kletter, K.; Mitterhauser, M.; Wadsak, W., Microfluidic preparation of F-18 FE@SUPPY and F-18 FE@SUPPY-2 - comparison with conventional radiosyntheses. *Nuclear Medicine and Biology* 2011, 38, 427-434.
332. Stojanovic, A.; Morgenbesser, C.; Kogelnig, D.; Krachler, R.; Keppler, B. K., Quaternary Ammonium and Phosphonium Ionic Liquids in Chemical and Environmental Engineering. *Ionic Liquids: Theory, Properties, New Approaches* 2011, 657-680.
331. Stepanenko, I. N.; Novak, M. S.; Muhlgassner, G.; Roller, A.; Hejl, M.; Arion, V. B.; Jakupec, M. A.; Keppler, B. K., Organometallic 3-(1H-Benzimidazol-2-yl)-1H-pyrazolo-3,4-b pyridines as Potential Anticancer Agents. *Inorganic Chemistry* 2011, 50, 11715-11728.
330. Stepanenko, I. N.; Casini, A.; Edefe, F.; Novak, M. S.; Arion, V. B.; Dyson, P. J.; Jakupec, M. A.; Keppler, B. K., Conjugation of Organoruthenium(II) 3-(1H-Benzimidazol-2-yl)pyrazolo 3,4-b pyridines and Indolo 3,2-d benzazepines to Recombinant Human Serum Albumin: a Strategy To Enhance Cytotoxicity in Cancer Cells. *Inorganic Chemistry* 2011, 50, 12669-12679.
329. Scaffidi-Domianello, Y. Y.; Legin, A. A.; Jakupec, M. A.; Arion, V. B.; Kukushkin, V. Y.; Galanski, M.; Keppler, B. K., Synthesis, Characterization, and Cytotoxic Activity of Novel Potentially pH-Sensitive Nonclassical Platinum(II) Complexes Featuring 1,3-Dihydroxyacetone Oxime Ligands. *Inorganic Chemistry* 2011, 50, 10673-10681.

328. Reithofer, M. R.; Bytzek, A. K.; Valiahdi, S. M.; Kowol, C. R.; Groessler, M.; Hartinger, C. G.; Jakupec, M. A.; Galanski, M.; Keppler, B. K., Tuning of lipophilicity and cytotoxic potency by structural variation of anticancer platinum(IV) complexes. *Journal of Inorganic Biochemistry* 2011, 105, 46-51.
327. Pichler, V.; Valiahdi, S. M.; Jakupec, M. A.; Arion, V. B.; Galanski, M.; Keppler, B. K., Mono-carboxylated diaminedichloridoplatinum(IV) complexes - selective synthesis, characterization, and cytotoxicity. *Dalton Transactions* 2011, 40, 8187-8192.
326. Pashkunova-Martic, I.; Kremser, C.; Galanski, M.; Arion, V.; Debbage, P.; Jaschke, W.; Keppler, B., Lectin-Gd-loaded chitosan hydrogel nanoparticles: a new biospecific contrast agent for MRI. *Mol Imaging Biol* 2011, 13, 16-24.
325. Pashkunova-Martic, I.; Galanski, M.; Schluga, P.; Arion, V.; Keppler, B.; Kremser, C.; Jaschke, W.; Debbage, P., Lectin conjugates as biospecific contrast agents for MRI. Coupling of Lycopersicon esculentum agglutinin to linear water-soluble DTPA-loaded oligomers. *Mol Imaging Biol* 2011, 13, 432-442.
324. Kundu, A.; Peterlik, H.; Krssak, M.; Bytzek, A. K.; Pashkunova-Martic, I.; Arion, V. B.; Helbich, T. H.; Keppler, B. K., Strategies for the covalent conjugation of a bifunctional chelating agent to albumin: Synthesis and characterization of potential MRI contrast agents. *Journal of Inorganic Biochemistry* 2011, 105, 250-255.
323. Kogelnig, D.; Regelsberger, A.; Stojanovic, A.; Jirsa, F.; Krachler, R.; Keppler, B. K., A polymer inclusion membrane based on the ionic liquid trihexyl(tetradecyl)phosphonium chloride and PVC for solid-liquid extraction of Zn(II) from hydrochloric acid solution. *Monatshefte Fur Chemie* 2011, 142, 769-772.
322. Kljun, J.; Bytzek, A. K.; Kandioller, W.; Bartel, C.; Jakupec, M. A.; Hartinger, C. G.; Keppler, B. K.; Turel, I., Physicochemical Studies and Anticancer Potency of Ruthenium eta(6)-p-Cymene Complexes Containing Antibacterial Quinolones. *Organometallics* 2011, 30, 2506-2512.
321. Kandioller, W.; Kurzwernhart, A.; Hanif, M.; Meier, S. M.; Henke, H.; Keppler, B. K.; Hartinger, C. G., Pyrone derivatives and metals: From natural products to metal-based drugs. *Journal of Organometallic Chemistry* 2011, 696, 999-1010.
320. Jungwirth, U.; Kowol, C. R.; Keppler, B. K.; Hartinger, C. G.; Berger, W.; Heffeter, P., Anticancer Activity of Metal Complexes: Involvement of Redox Processes. *Antioxidants & Redox Signaling* 2011, 15, 1085-1127.
319. Ivanovic, I.; Grguric-Sipka, S.; Gligorijevic, N.; Radulovic, S.; Roller, A.; Tesic, Z. L.; Keppler, B. K., X-Ray structure and cytotoxic activity of a picolinate ruthenium(II)-arene complex. *Journal of the Serbian Chemical Society* 2011, 76, 53-61.
318. Hanif, M.; Meier, S. M.; Kandioller, W.; Bytzek, A.; Hejl, M.; Hartinger, C. G.; Nazarov, A. A.; Arion, V. B.; Jakupec, M. A.; Dyson, P. J.; Keppler, B. K., From hydrolytically labile to hydrolytically stable Ru-II-arene anticancer complexes with carbohydrate-derived co-ligands. *Journal of Inorganic Biochemistry* 2011, 105, 224-231.
317. Foteeva, L. S.; Trofimov, D. A.; Kuznetsova, O. V.; Kowol, C. R.; Arion, V. B.; Keppler, B. K.; Timerbaev, A. R., A quantitative structure-activity approach for lipophilicity estimation of antitumor complexes of different metals using microemulsion electrokinetic chromatography. *Journal of Pharmaceutical and Biomedical Analysis* 2011, 55, 409-413.

316. Fischer, L.; Falta, T.; Koellensperger, G.; Stojanovic, A.; Kogelnig, D.; Galanski, M.; Krachler, R.; Keppler, B. K.; Hann, S., Ionic liquids for extraction of metals and metal containing compounds from communal and industrial waste water. *Water Research* 2011, 45, 4601-4614.
315. Filak, L. K.; Muhlgassner, G.; Bacher, F.; Roller, A.; Galanski, M.; Jakupec, M. A.; Keppler, B. K.; Arion, V. B., Ruthenium- and Osmium-Arene Complexes of 2-Substituted Indolo 3,2-c quinolines: Synthesis, Structure, Spectroscopic Properties, and Antiproliferative Activity. *Organometallics* 2011, 30, 273-283.
314. Enyedy, E. A.; Primik, M. F.; Kowol, C. R.; Arion, V. B.; Kiss, T.; Keppler, B. K., Interaction of Triapine and related thiosemicarbazones with iron(III)/(II) and gallium(III): a comparative solution equilibrium study. *Dalton Transactions* 2011, 40, 5895-5905.
313. Enyedy, E. A.; Horvath, L.; Hetenyi, A.; Tuccinardi, T.; Hartinger, C. G.; Keppler, B. K.; Kiss, T., Interactions of the carrier ligands of antidiabetic metal complexes with human serum albumin: A combined spectroscopic and separation approach with molecular modeling studies. *Bioorganic & Medicinal Chemistry* 2011, 19, 4202-4210.
312. Bytzek, A. K.; Boeck, K.; Hermann, G.; Hann, S.; Keppler, B. K.; Hartinger, C. G.; Koellensperger, G., LC- and CZE-ICP-MS approaches for the in vivo analysis of the anticancer drug candidate sodium trans- tetrachloridobis(1H-indazole)ruthenate(III) (KP1339) in mouse plasma. *Metallomics* 2011, 3, 1049-1055.
311. Buss, I.; Garmann, D.; Galanski, M.; Weber, G.; Kalayda, G. V.; Keppler, B. K.; Jaehde, U., Enhancing lipophilicity as a strategy to overcome resistance against platinum complexes? *Journal of Inorganic Biochemistry* 2011, 105, 709-717.
310. Buchel, G. E.; Stepanenko, I. N.; Hejl, M.; Jakupec, M. A.; Keppler, B. K.; Arion, V. B., En Route to Osmium Analogues of KP1019: Synthesis, Structure, Spectroscopic Properties and Antiproliferative Activity of trans- (OsCl₄)-Cl-IV(Hazole)(2). *Inorganic Chemistry* 2011, 50, 7690-7697.
309. Bippus, P.; Skocic, M.; Jakupec, M. A.; Keppler, B. K.; Mohr, F., Synthesis, structures and in vitro cytotoxicity of some cationic cis-platinum(II) complexes containing chelating thiocarbamates. *Journal of Inorganic Biochemistry* 2011, 105, 462-466.
308. Bartel, C.; Egger, A. E.; Jakupec, M. A.; Heffeter, P.; Galanski, M.; Berger, W.; Keppler, B. K., Influence of ascorbic acid on the activity of the investigational anticancer drug KP1019. *Journal of Biological Inorganic Chemistry* 2011, 16, 1205-1215.
307. Apfel, U. P.; Kowol, C. R.; Kloss, F.; Gorls, H.; Keppler, B. K.; Weigand, W., Hydroxy and ether functionalized dithiolanes: Models for the active site of the FeFe hydrogenase. *Journal of Organometallic Chemistry* 2011, 696, 1084-1088.
306. Tamasi, G.; Casolaro, M.; Magnani, A.; Sega, A.; Chiasserini, L.; Messori, L.; Gabbiani, C.; Valiahdi, S. M.; Jakupec, M. A.; Keppler, B. K.; Hursthouse, M. B.; Cini, R., New platinum-oxicam complexes as anti-cancer drugs. Synthesis, characterization, release studies from smart hydrogels, evaluation of reactivity with selected proteins and cytotoxic activity in vitro. *Journal of Inorganic Biochemistry* 2010, 104, 799-814.
305. Stollenwerk, M. M.; Pashkunova-Martic, I.; Kremser, C.; Talasz, H.; Thurner, G. C.; Abdelmoez, A. A.; Wallnoefer, E. A.; Helbok, A.; Neuhauser, E.; Klammsteiner, N.; Klimaschewski, L.; Guggenberg, E.; Froehlich, E.; Keppler, B.; Jaschke, W.; Debbage, P., Albumin-based nanoparticles as magnetic resonance contrast agents. I: Concept, first syntheses and characterization. *Histochem. Cell Biol.* 2010, 133, 375-404.

304. Stojanovic, A.; Morgenbesser, C.; Galanski, M.; Kogelnig, D.; Roller, A.; Krachler, R.; Keppler, B. K., Synthesis and crystal structure of N-phenyl-N¹-(pyridin-2-ylmethyl)-S-methyl-thiuronium iodide. *Journal of Molecular Structure* 2010, 965, 50-55.
303. Stojanovic, A.; Kogelnig, D.; Fischer, L.; Hann, S.; Galanski, M.; Groessler, M.; Krachler, R.; Keppler, B. K., Phosphonium and Ammonium Ionic Liquids with Aromatic Anions: Synthesis, Properties, and Platinum Extraction. *Australian Journal of Chemistry* 2010, 63, 511-524.
302. Scaffidi-Domianello, Y. Y.; Meelich, K.; Jakupec, M. A.; Arion, V. B.; Kukushkin, V. Y.; Galanski, M.; Keppler, B. K., Novel Cis- and Trans-Configured Bis(oxime)platinum(II) Complexes: Synthesis, Characterization, and Cytotoxic Activity. *Inorganic Chemistry* 2010, 49, 5669-5678.
301. Primik, M. F.; Muehlgassner, G.; Jakupec, M. A.; Zava, O.; Dyson, P. J.; Arion, V. B.; Keppler, B. K., Highly Cytotoxic Copper(II) Complexes with Modified Paullone Ligands. *Inorganic Chemistry* 2010, 49, 302-311.
300. Primik, M. F.; Goschl, S.; Jakupec, M. A.; Roller, A.; Keppler, B. K.; Arion, V. B., Structure-Activity Relationships of Highly Cytotoxic Copper(II) Complexes with Modified Indolo 3,2-c quinoline Ligands. *Inorganic Chemistry* 2010, 49, 11084-11095.
299. Krachler, R.; Krachler, R. F.; von der Kammer, F.; Suephandag, A.; Jirsa, F.; Ayromlou, S.; Hofmann, T.; Keppler, B. K., Relevance of peat-draining rivers for the riverine input of dissolved iron into the ocean. *Science of the Total Environment* 2010, 408, 2402-2408.
298. Kowol, C. R.; Trondl, R.; Arion, V. B.; Jakupec, M. A.; Lichtscheidl, I.; Keppler, B. K., Fluorescence properties and cellular distribution of the investigational anticancer drug Triapine (3-aminopyridine-2-carboxaldehyde thiosemicarbazone) and its zinc(II) complex. *Dalton Transactions* 2010, 39, 704-706.
297. Kogelnig, D.; Stojanovic, A.; von der Kammer, F.; Terzieff, P.; Galanski, M.; Jirsa, F.; Krachler, R.; Hofmann, T.; Keppler, B. K., Tetrachloroferrate containing ionic liquids: Magnetic- and aggregation behavior. *Inorganic Chemistry Communications* 2010, 13, 1485-1488.
296. Kogelnig, D.; Stojanovic, A.; Jirsa, F.; Korner, W.; Krachler, R.; Keppler, B. K., Transport and separation of iron(III) from nickel(II) with the ionic liquid trihexyl(tetradecyl)phosphonium chloride. *Separation and Purification Technology* 2010, 72, 56-60.
295. Kasser, J. H.; Kandioller, W.; Hartinger, C. G.; Nazarov, A. A.; Arion, V. B.; Dyson, P. J.; Keppler, B. K., Mannich products of kojic acid and N-heterocycles and their Ru(II)-arene complexes: Synthesis, characterization and stability. *Journal of Organometallic Chemistry* 2010, 695, 875-881.
294. Hudej, R.; Turel, I.; Kanduser, M.; Scancar, J.; Kranjc, S.; Sersa, G.; Miklavcic, D.; Jakupec, M. A.; Keppler, B. K.; Cemazar, M., The Influence of Electroporation on Cytotoxicity of Anticancer Ruthenium(III) Complex KP1339 In Vitro and In Vivo. *Anticancer Research* 2010, 30, 2055-2063.
293. Heffeter, P.; Bock, K.; Atil, B.; Hoda, M. A. R.; Korner, W.; Bartel, C.; Jungwirth, U.; Keppler, B. K.; Micksche, M.; Berger, W.; Koellensperger, G., Intracellular protein binding patterns of the anticancer ruthenium drugs KP1019 and KP1339. *Journal of Biological Inorganic Chemistry* 2010, 15, 737-748.
292. Hanif, M.; Schaaf, P.; Kandioller, W.; Hejl, M.; Jakupec, M. A.; Roller, A.; Keppler, B. K.; Hartinger, C. G., Influence of the Arene Ligand and the Leaving Group on the Anticancer Activity of (Thio)maltol Ruthenium(II)-(eta(6)-Arene) Complexes. *Australian Journal of Chemistry* 2010, 63, 1521-1528.

291. Hanif, M.; Nazarov, A. A.; Hartinger, C. G.; Kandioller, W.; Jakupec, M. A.; Arion, V. B.; Dyson, P. J.; Keppler, B. K., Osmium(II)-versus ruthenium(II)-arene carbohydrate-based anticancer compounds: similarities and differences. *Dalton Transactions* 2010, 39, 7345-7352.
290. Hanif, M.; Henke, H.; Meier, S. M.; Martic, S.; Labib, M.; Kandioller, W.; Jakupec, M. A.; Arion, V. B.; Kraatz, H. B.; Keppler, B. K.; Hartinger, C. G., Is the Reactivity of M(II)-Arene Complexes of 3-Hydroxy-2(1H)-pyridones to Biomolecules the Anticancer Activity Determining Parameter? *Inorganic Chemistry* 2010, 49, 7953-7963.
289. Groessel, M.; Tsybin, Y. O.; Hartinger, C. G.; Keppler, B. K.; Dyson, P. J., Ruthenium versus platinum: interactions of anticancer metallodrugs with duplex oligonucleotides characterised by electrospray ionisation mass spectrometry. *Journal of Biological Inorganic Chemistry* 2010, 15, 677-688.
288. Grguric-Sipka, S.; Ivanovic, I.; Rakic, G.; Todorovic, N.; Gligorijevic, N.; Radulovic, S.; Arion, V. B.; Keppler, B. K.; Tesic, Z. L., Ruthenium(II)-arene complexes with functionalized pyridines: Synthesis, characterization and cytotoxic activity. *European Journal of Medicinal Chemistry* 2010, 45, 1051-1058.
287. Filak, L. K.; Muhlgassner, G.; Jakupec, M. A.; Heffeter, P.; Berger, W.; Arion, V. B.; Keppler, B. K., Organometallic indolo 3,2-c quinolines versus indolo 3,2-d benzazepines: synthesis, structural and spectroscopic characterization, and biological efficacy. *Journal of Biological Inorganic Chemistry* 2010, 15, 903-918.
286. Enyedy, E. A.; Nagy, N. V.; Zsigo, E.; Kowol, C. R.; Arion, V. B.; Keppler, B. K.; Kiss, T., Comparative Solution Equilibrium Study of the Interactions of Copper(II), Iron(II) and Zinc(II) with Triapine (3-Aminopyridine-2-carbaldehyde Thiosemicarbazone) and Related Ligands. *European Journal of Inorganic Chemistry* 2010, 1717-1728.
285. Djinic, V. M.; Galanski, M.; Arion, V. B.; Keppler, B. K., Synthesis and structures of novel 1-methylcytosinato-bridged (ethylenediamine)platinum(II) and platinum(III) dinuclear complexes. *Dalton Transactions* 2010, 39, 3633-3643.
284. Bytzek, A. K.; Reithofer, M. R.; Galanski, M.; Groessel, M.; Keppler, B. K.; Hartinger, C. G., The first example of MEEKC-ICP-MS coupling and its application for the analysis of anticancer platinum complexes. *Electrophoresis* 2010, 31, 1144-1150.
283. Apfel, U. P.; Kowol, C. R.; Morera, E.; Gorls, H.; Lucente, G.; Keppler, B. K.; Weigand, W., Synthetic and Electrochemical Studies of 2Fe2S Complexes Containing a 4-Amino-1,2-dithiolane-4-carboxylic Acid Moiety. *European Journal of Inorganic Chemistry* 2010, 5079-5086.
282. Abramkin, S. A.; Jungwirth, U.; Valiahdi, S. M.; Dworak, C.; Habala, L.; Meelich, K.; Berger, W.; Jakupec, M. A.; Hartinger, C. G.; Nazarov, A. A.; Galanski, M.; Keppler, B. K., {(1R,2R,4R)-4-Methyl-1,2-cyclohexanediamine}oxalatoplatinum(II): A Novel Enantiomerically Pure Oxaliplatin Derivative Showing Improved Anticancer Activity in Vivo. *Journal of Medicinal Chemistry* 2010, 53, 7356-7364.
281. Wolfgang, K.; Christian, G. H.; Alexey, A. N.; Johanna, K.; Roland, J.; Michael, A. J.; Vladimir, B. A.; Paul, J. D.; Keppler, B. K., Tuning the anticancer activity of maltol-derived ruthenium complexes by derivatization of the 3-hydroxy-4-pyrone moiety. *Journal of Organometallic Chemistry* 2009, 694, 922-929.
280. Valiahdi, S. M.; Heffeter, P.; Jakupec, M. A.; Marculescu, R.; Berger, W.; Rappersberger, K.; Keppler, B. K., The gallium complex KP46 exerts strong activity against primary explanted melanoma cells and induces apoptosis in melanoma cell lines. *Melanoma Research* 2009, 19, 283-293.

279. Shaheen, M. A.; Hartinger, C. G.; Tahir, M. N.; Shafiq, A. A.; Keppler, B. K., 5-Hydroxy-2-methyl-4H-pyran-4-one. *Acta Crystallographica Section E-Structure Reports Online* 2009, 65, O437-U3143.
278. Schuh, E.; Valiahdi, S. M.; Jakupec, M. A.; Keppler, B. K.; Chiba, P.; Mohr, F., Synthesis and biological studies of some gold(I) complexes containing functionalised alkynes. *Dalton Transactions* 2009, 10841-10845.
277. Renfrew, A. K.; Phillips, A. D.; Egger, A. E.; Hartinger, C. G.; Bosquain, S. S.; Nazarov, A. A.; Keppler, B. K.; Gonsalvi, L.; Peruzzini, M.; Dyson, P. J., Influence of Structural Variation on the Anticancer Activity of RAPTA-Type Complexes: ptn versus pta. *Organometallics* 2009, 28, 1165-1172.
276. Novakova, O.; Nazarov, A. A.; Hartinger, C. G.; Keppler, B. K.; Brabec, V., DNA interactions of dinuclear Ru-II arene antitumor complexes in cell-free media. *Biochemical Pharmacology* 2009, 77, 364-374.
275. Mendoza-Ferri, M. G.; Hartinger, C. G.; Nazarov, A. A.; Eichinger, R. E.; Jakupec, M. A.; Severin, K.; Keppler, B. K., Influence of the Arene Ligand, the Number and Type of Metal Centers, and the Leaving Group on the in Vitro Antitumor Activity of Polynuclear Organometallic Compounds. *Organometallics* 2009, 28, 6260-6265.
274. Mendoza-Ferri, M. G.; Hartinger, C. G.; Mendoza, M. A.; Groessl, M.; Egger, A. E.; Eichinger, R. E.; Mangrum, J. B.; Farrell, N. P.; Maruszak, M.; Bednarski, P. J.; Klein, F.; Jakupec, M. A.; Nazarov, A. A.; Severin, K.; Keppler, B. K., Transferring the Concept of Multinuclearity to Ruthenium Complexes for Improvement of Anticancer Activity. *Journal of Medicinal Chemistry* 2009, 52, 916-925.
273. Lentz, F.; Drescher, A.; Lindauer, A.; Henke, M.; Hilger, R. A.; Hartinger, C. G.; Scheulen, M. E.; Dittrich, C.; Keppler, B. K.; Jaehde, U.; Cent European Soc Anticanc Drug, R., Pharmacokinetics of a novel anticancer ruthenium complex (KP1019, FFC14A) in a phase I dose-escalation study. *Anti-Cancer Drugs* 2009, 20, 97-103.
272. Kowol, C. R.; Trondl, R.; Heffeter, P.; Arion, V. B.; Jakupec, M. A.; Roller, A.; Galanski, M.; Berger, W.; Keppler, B. K., Impact of Metal Coordination on Cytotoxicity of 3-Aminopyridine-2-carboxaldehyde Thiosemicarbazone (Triapine) and Novel Insights into Terminal Dimethylation. *Journal of Medicinal Chemistry* 2009, 52, 5032-5043.
271. Kasser, J.; Nazarov, A. A.; Hartinger, C. G.; Wdziekonski, B.; Dani, C.; Kuznetsov, M. L.; Arion, V. B.; Keppler, B. K., A one step/one pot synthesis of N,N-bis(phosphonomethyl)amino acids and their effects on adipogenic and osteogenic differentiation of human mesenchymal stem cells. *Bioorganic & Medicinal Chemistry* 2009, 17, 3388-3393.
270. Kandioller, W.; Hartinger, C. G.; Nazarov, A. A.; Kuznetsov, M. L.; John, R. O.; Bartel, C.; Jakupec, M. A.; Arion, V. B.; Keppler, B. K., From Pyrone to Thiopyrone Ligands-Rendering Maltol-Derived Ruthenium(II)-Arene Complexes That Are Anticancer Active in Vitro. *Organometallics* 2009, 28, 4249-4251.
269. Kandioller, W.; Hartinger, C. G.; Nazarov, A. A.; Kasser, J.; John, R.; Jakupec, M. A.; Arion, V. B.; Dyson, P. J.; Keppler, B. K., Tuning the anticancer activity of maltol-derived ruthenium complexes by derivatization of the 3-hydroxy-4-pyrone moiety. *J. Organomet. Chem.* 2009, 694, 922-929.
268. Kandioller, W.; Hartinger, C. G.; Nazarov, A. A.; Bartel, C.; Skocic, M.; Jakupec, M. A.; Arion, V. B.; Keppler, B. K., Maltol-Derived Ruthenium-Cymene Complexes with Tumor Inhibiting Properties: The Impact of Ligand-Metal Bond Stability on Anticancer Activity In Vitro. *Chemistry-a European Journal* 2009, 15, 12283-12291.

267. Heffeter, P.; Popovic-Bijelic, A.; Saiko, P.; Dornetshuber, R.; Jungwirth, U.; Voevodskaya, N.; Biglino, D.; Jakupec, M. A.; Elbling, L.; Micksche, M.; Szekeres, T.; Keppler, B. K.; Graslund, A.; Berger, W., Ribonucleotide Reductase as One Important Target of Tris(1,10-phenanthroline)lanthanum(III) Trithiocyanate (KP772). *Current Cancer Drug Targets* 2009, 9, 595-607.
266. Grguric-Sipka, S.; Stepanenko, I. N.; Lazic, J. M.; Bartel, C.; Jakupec, M. A.; Arion, V. B.; Keppler, B. K., Synthesis, X-ray diffraction structure, spectroscopic properties and antiproliferative activity of a novel ruthenium complex with constitutional similarity to cisplatin. *Dalton Transactions* 2009, 3334-3339.
265. Fleischer, A.; Roller, A.; Arion, V. B.; Keppler, B. K.; Mohr, F., Synthesis and structures of palladium(II) and platinum(II) complexes containing heterocyclic thiolate ligands formed by cycloaddition reactions of coordinated azides. *Canadian Journal of Chemistry-Revue Canadienne De Chimie* 2009, 87, 146-150.
264. Egger, A. E.; Rappel, C.; Jakupec, M. A.; Hartinger, C. G.; Heffeter, P.; Keppler, B. K., Development of an experimental protocol for uptake studies of metal compounds in adherent tumor cells. *Journal of Analytical Atomic Spectrometry* 2009, 24, 51-61.
263. Bytzek, A. K.; Enyedy, E. A.; Kiss, T.; Keppler, B. K.; Hartinger, C. G., Biodistribution of anti-diabetic Zn(II) complexes in human serum and in vitro protein-binding studies by means of CZE-ICP-MS. *Electrophoresis* 2009, 30, 4075-4082.
262. Buchel, G. E.; Stepanenko, I. N.; Hejl, M.; Jakupec, M. A.; Arion, V. B.; Keppler, B. K., (OsCl₅)-Cl-IV(Hazole) (-) Complexes: Synthesis, Structure, Spectroscopic Properties, and Anti proliferative Activity. *Inorganic Chemistry* 2009, 48, 10737-10747.
261. Biba, F.; Groessler, M.; Egger, A.; Roller, A.; Hartinger, C. G.; Keppler, B. K., New Insights into the Chemistry of the Antineoplastic Lanthanum Complex Tris(1,10-phenanthroline)tris(thiocyanato-kappa N)lanthanum(III) (KP772) and Its Interaction with Biomolecules. *European Journal of Inorganic Chemistry* 2009, 4282-4287.
260. Biba, F.; Groessler, M.; Egger, A.; Jakupec, M. A.; Keppler, B. K., A Novel Cytotoxic Cerium Complex: Aquatrifluoridobis(1,10-phenanthroline)cerium(III) (KP776). Synthesis, Characterization, Behavior in H₂O, Binding towards Biomolecules, and Antiproliferative Activity. *Chemistry & Biodiversity* 2009, 6, 2153-2165.
259. Apfel, U. P.; Kowol, C. R.; Halpin, Y.; Kloss, F.; Kubel, J.; Gorus, H.; Vos, J. G.; Keppler, B. K.; Morera, E.; Lucente, G.; Weigand, W., Investigation of amino acid containing FeFe hydrogenase models concerning pendant base effects. *Journal of Inorganic Biochemistry* 2009, 103, 1236-1244.
258. Wadsak, W.; Mien, L. K.; Shanab, K.; Weber, K.; Schmidt, B.; Sindelar, K. M.; Ettliger, D. E.; Haeusler, D.; Spreitzer, H.; Keppler, B. K.; Viernstein, H.; Dudczak, R.; Kletter, K.; Mitterhauser, M., Radiosynthesis of the adenosine A₃ receptor ligand 5-(2- F-18 fluoroethyl) 2,4-diethyl-3-(ethylsulfanylcarbonyl)6-phenylpyridine-5-carboxylate (F-18 FE@SUPPY). *Radiochimica Acta* 2008, 96, 119-124.
257. Wadsak, W.; Mien, L. K.; Shanab, K.; Ettliger, D. E.; Haeusler, D.; Sindelar, K.; Lanzenberger, R. R.; Spreitzer, H.; Viernstein, H.; Keppler, B. K.; Dudczak, R.; Kletter, K.; Mitterhauser, M., Preparation and first evaluation of F-18 FE@SUPPY: a new PET tracer for the adenosine A₃ receptor. *Nuclear Medicine and Biology* 2008, 35, 61-66.

256. Valiahdi, S. M.; Reithofer, M. R.; Egger, A.; Jakupec, M. A.; Galanski, M.; Keppler, B. K., Structure-activity relationships and DNA platination of new di- and tetracarboxylatoplatinum(IV) complexes. In *Metal Ions in Biology and Medicine*, Vol 10, Collery, P.; Maynard, I.; Theophanides, T.; Khassanova, L.; Collery, T., Eds. 2008; Vol. 10, pp 75-81.
255. Stojanovic, A.; Lammerhofer, M.; Kogelnig, D.; Schiesel, S.; Sturm, M.; Galanski, M.; Krachler, R.; Keppler, B. K.; Lindner, W., Analysis of quaternary ammonium and phosphonium ionic liquids by reversed-phase high-performance liquid chromatography with charged aerosol detection and unified calibration. *Journal of Chromatography A* 2008, 1209, 179-187.
254. Stepanenko, I. N.; Krokhin, A. A.; John, R. O.; Roller, A.; Arion, V. B.; Jakupec, M. A.; Keppler, B. K., Synthesis, structure, spectroscopic properties, and antiproliferative activity in vitro of novel osmium(III) complexes withazole heterocycles. *Inorganic Chemistry* 2008, 47, 7338-7347.
253. Shmykov, A. Y.; Filippov, V. N.; Foteeva, L. S.; Keppler, B. K.; Timerbaev, A. R., Toward high-throughput monitoring of metallodrug-protein interaction using capillary electrophoresis in chemically modified capillaries. *Analytical Biochemistry* 2008, 379, 216-218.
252. Scolaro, C.; Hartinger, C. G.; Allardyce, C. S.; Keppler, B. K.; Dyson, P. J., Hydrolysis study of the bifunctional antitumor compound RAPTA-C, Ru(eta(6)-p-cymene)Cl-2(pta). *Journal of Inorganic Biochemistry* 2008, 102, 1743-1748.
251. Schuecker, R.; John, R. O.; Jakupec, M. A.; Arion, V. B.; Keppler, B. K., Water-Soluble Mixed-Ligand Ruthenium(II) and Osmium(II) Arene Complexes with High Antiproliferative Activity. *Organometallics* 2008, 27, 6587-6595.
250. Reithofer, M. R.; Valiahdi, S. M.; Galanski, M.; Jakupec, M. A.; Arion, V. B.; Keppler, B. K., Novel Endothall-Containing Platinum(IV) Complexes: Synthesis, Characterization, and Cytotoxic Activity. *Chemistry & Biodiversity* 2008, 5, 2160-2170.
249. Reithofer, M. R.; Schwarzinger, A.; Valiahdi, S. M.; Galanski, M.; Jakupec, M. A.; Keppler, B. K., Novel bis(carboxylato)dichlorido(ethane-1,2-diamine)platinum(IV) complexes with exceptionally high cytotoxicity. *Journal of Inorganic Biochemistry* 2008, 102, 2072-2077.
248. Reithofer, M. R.; Galanski, M.; Arion, V. B.; Keppler, B. K., Unprecedented twofold intramolecular hydroamination in diam(m)ine-dicarboxylatodichloridoplatinum(IV) complexes - ethane-1,2-diamine vs. ammine ligands. *Chemical Communications* 2008, 1091-1093.
247. Reisner, E.; Arion, V. B.; Keppler, B. K.; Pompeiro, A. J. L., Electron-transfer activated metal-based anticancer drugs. *Inorganica Chimica Acta* 2008, 361, 1569-1583.
246. Polec-Pawlak, K.; Abramski, J. K.; Ferenc, J.; Foteeva, L. S.; Timerbaev, A. R.; Keppler, B. K.; Jarosz, M., Application of capillary electrophoresis-inductively coupled plasma mass spectrometry to comparative studying of the reactivity of antitumor ruthenium(III) complexes differing in the nature of counter-ion toward human serum proteins. *Journal of Chromatography A* 2008, 1192, 323-326.
245. Mendoza-Ferri, M. G.; Hartinger, C. G.; Nazarov, A. A.; Kandioller, W.; Severin, K.; Keppler, B. K., Modifying the structure of dinuclear ruthenium complexes with antitumor activity. *Applied Organometallic Chemistry* 2008, 22, 326-332.
244. Mendoza-Ferri, M. G.; Hartinger, C. G.; Eichinger, R. E.; Stolyarova, N.; Severin, K.; Jakupec, M. A.; Nazarov, A. A.; Keppler, B. K., Influence of the spacer length on the in vitro anticancer activity of dinuclear ruthenium-arene compounds. *Organometallics* 2008, 27, 2405-2407.

243. Kowol, C. R.; Reisner, E.; Chiorescu, I.; Arion, V. B.; Galanski, M.; Deubel, D. V.; Keppler, B. K., An Electrochemical Study of Antineoplastic Gallium, Iron and Ruthenium Complexes with Redox Noninnocent alpha-N-Heterocyclic Chalcogenemicarbazones. *Inorganic Chemistry* 2008, 47, 11032-11047.
242. Kogelnig, D.; Stojanovic, A.; Galanski, M.; Groessl, M.; Irska, F.; Krachler, R.; Keppler, B. K., Greener synthesis of new ammonium ionic liquids and their potential as extracting agents. *Tetrahedron Letters* 2008, 49, 2782-2785.
241. Koellensperger, G.; Stefanka, Z.; Meelich, K.; Galanski, M.; Keppler, B. K.; Stingeder, G.; Hann, S., Species specific IDMS for accurate quantification of carboplatin in urine by LC-ESI-TOFMS and LC-ICP-QMS. *Journal of Analytical Atomic Spectrometry* 2008, 23, 29-36.
240. Jaschke, W.; Keppler, B.; Debbage, P., Diagnostic imaging in nanomedicine: particles to pharmaceutical nanomedicine. *Chim. Oggi* 2008, 26, 72-74.
239. Jakupec, M. A.; Galanski, M.; Arion, V. B.; Hartinger, C. G.; Keppler, B. K., Antitumour metal compounds: more than theme and variations. *Dalton Transactions* 2008, 183-194.
238. Jakupec, M. A.; Collery, P.; Keppler, B. K., Synergistic antiproliferative effects of tris(8-quinolinolato)gallium(III) (KP46) in combination with platinum drugs in ovarian and colon carcinoma cells. In *Metal Ions in Biology and Medicine*, Vol 10, Collery, P.; Maynard, I.; Theophanides, T.; Khassanova, L.; Collery, T., Eds. 2008; Vol. 10, pp 110-115.
237. Heffeter, P.; Jungwirth, U.; Jakupec, M.; Hartinger, C.; Galanski, M.; Elbling, L.; Micksche, M.; Keppler, B.; Berger, W., Resistance against novel anticancer metal compounds: Differences and similarities. *Drug Resist. Updates* 2008, 11, 1-16.
236. Hartinger, C. G.; Nazarov, A. A.; Ashraf, S. M.; Dyson, P. J.; Keppler, B. K., Carbohydrate-Metal Complexes and their Potential as Anticancer Agents. *Current Medicinal Chemistry* 2008, 15, 2574-2591.
235. Hartinger, C. G.; Jakupec, M. A.; Zorbas-Seifried, S.; Groessl, M.; Egger, A.; Berger, W.; Zorbas, H.; Dyson, P. J.; Keppler, B. K., KP1019, A New Redox-Active Anticancer Agent - Preclinical Development and Results of a Clinical Phase I Study in Tumor Patients. *Chemistry & Biodiversity* 2008, 5, 2140-2155.
234. Habala, L.; Dworak, C.; Nazarov, A. A.; Hartinger, C. G.; Abramkin, S. A.; Arion, V. B.; Lindner, W.; Galanski, M.; Keppler, B. K., Methyl-substituted trans-1,2-cyclohexanediamines as new ligands for oxaliplatin-type complexes. *Tetrahedron* 2008, 64, 137-146.
233. Groessl, M.; Hartinger, C. G.; Polec-Pawlak, K.; Jarosz, M.; Keppler, B. K., Capillary electrophoresis hyphenated to inductively coupled plasma-mass spectrometry: A novel approach for the analysis of anticancer metallodrugs in human serum and plasma. *Electrophoresis* 2008, 29, 2224-2232.
232. Groessl, M.; Hartinger, C. G.; Polec-Pawlak, K.; Jarosz, M.; Dyson, P. J.; Keppler, B. K., Elucidation of the interactions of an anticancer ruthenium complex in clinical trials with biomolecules utilizing capillary electrophoresis hyphenated to inductively coupled plasma-mass spectrometry. *Chemistry & Biodiversity* 2008, 5, 1609-1614.
231. Groessl, M.; Hartinger, C. G.; Dyson, P. J.; Keppler, B. K., CZE-ICP-MS as a tool for studying the hydrolysis of ruthenium anticancer drug candidates and their reactivity towards the DNA model compound dGMP. *Journal of Inorganic Biochemistry* 2008, 102, 1060-1065.

230. Ginzinger, W.; Arion, V. B.; Giester, G.; Galanski, M.; Keppler, B. K., Synthesis and structural peculiarities of gallium complexes with novel paullone derivatives. *Central European Journal of Chemistry* 2008, 6, 340-346.
229. Foteeva, L. S.; Stolyarova, N. V.; Timerbaev, A. R.; Keppler, B. K., Capillary electrophoretic assay for the stability of tris(8-quinolinolato)gallium(III) in tablet formulations. *Journal of Pharmaceutical and Biomedical Analysis* 2008, 48, 218-222.
228. Egger, A. E.; Hartinger, C. G.; Ben Hamidane, H.; Tsybin, Y. O.; Keppler, B. K.; Dyson, P. J., High Resolution Mass Spectrometry for Studying the Interactions of Cisplatin with Oligonucleotides. *Inorganic Chemistry* 2008, 47, 10626-10633.
227. Egger, A.; Cebrian-Losantos, B.; Stepanenko, I. N.; Krokhin, A. A.; Eichinger, R.; Jakupec, M. A.; Arion, V. B.; Keppler, B. K., Hydrolysis and cytotoxic properties of osmium(II)/(III)-DMSO-azole complexes. *Chemistry & Biodiversity* 2008, 5, 1588-1593.
226. Dorcier, A.; Hartinger, C. G.; Scopelliti, R.; Fish, R. H.; Keppler, B. K.; Dyson, P. J., Studies on the reactivity of organometallic Ru-, Rh- and Os-pta complexes with DNA model compounds. *Journal of Inorganic Biochemistry* 2008, 102, 1066-1076.
225. Dolfen, D.; Schottler, K.; Valiahdi, S. M.; Jakupec, M. A.; Keppler, B. K.; Tiekink, E. R. T.; Mohr, F., Synthesis, structures and in vitro cytotoxicity of some platinum(II) complexes containing thiocarbamate esters. *Journal of Inorganic Biochemistry* 2008, 102, 2067-2071.
224. Dobrov, A.; Arion, V. B.; Shova, S.; Roller, A.; Rentschler, E.; Keppler, B. K., Spontaneous resolution of a triple-stranded dinickel(II) helicate generated via intermolecular transamination reaction of S-methylisothiocarbohydrazide in the presence of Ni²⁺. *European Journal of Inorganic Chemistry* 2008, 4140-4145.
223. Chiorescu, I.; Deubel, D. V.; Arion, V. B.; Keppler, B. K., Computational electrochemistry of ruthenium anticancer agents. Unprecedented benchmarking of implicit solvation methods. *Journal of Chemical Theory and Computation* 2008, 4, 499-506.
222. Cebrian-Losantos, B.; Reisner, E.; Kowol, C. R.; Roller, A.; Shova, S.; Arion, V. B.; Keppler, B. K., Synthesis and reactivity of the aquation product of the antitumor complex trans- (RuCl₄)-Cl-III(indazole)₂ (-). *Inorganic Chemistry* 2008, 47, 6513-6523.
221. Casini, A.; Hartinger, C.; Gabbiani, C.; Mini, E.; Dyson, P. J.; Keppler, B. K.; Messori, L., Gold(III) compounds as anticancer agents: Relevance of gold-protein interactions for their mechanism of action. *Journal of Inorganic Biochemistry* 2008, 102, 564-575.
220. Berger, I.; Hanif, M.; Nazarov, A. A.; Hartinger, C. G.; John, R. O.; Kuznetsov, M. L.; Groessler, M.; Schmitt, F.; Zava, O.; Biba, F.; Arion, V. B.; Galanski, M.; Jakupec, M. A.; Juillerat-Jeanneret, L.; Dyson, P. J.; Keppler, B. K., In Vitro Anticancer Activity and Biologically Relevant Metabolization of Organometallic Ruthenium Complexes with Carbohydrate-Based Ligands. *Chemistry-a European Journal* 2008, 14, 9046-9057.
219. Ashraf, S. M.; Kandioller, W.; Mendoza-Ferri, M. G.; Nazarov, A. A.; Hartinger, C. G.; Keppler, B. K., The Hydration of Chloroacetonitriles Catalyzed by Mono- and Dinuclear Ru-II- and Os-II-Arene Complexes. *Chemistry & Biodiversity* 2008, 5, 2060-2066.
218. Ashraf, S. M.; Berger, I.; Nazarov, A. A.; Hartinger, C. G.; Koroteev, M. P.; Nifant'ev, E. E.; Keppler, B. K., Phosphite-derivatized ruthenium-carbohydrate complexes in the catalytic hydration of nitriles. *Chemistry & Biodiversity* 2008, 5, 1640-1644.

217. Zorbas-Seifried, S.; Jakupec, M. A.; Kukushkin, N. V.; Groessl, M.; Hartinger, C. G.; Semenova, O.; Zorbas, H.; Kukushkin, V. Y.; Keppler, B. K., Reversion of structure-activity relationships of antitumor platinum complexes by acetoxime but not hydroxylamine ligands. *Molecular Pharmacology* 2007, 71, 357-365.
216. Wadsak, W.; Mien, L. K.; Ettliger, D. E.; Eidherr, H.; Haeusler, D.; Sindelar, K. M.; Keppler, B. K.; Dudczak, R.; Kletter, K.; Mitterhauser, M., F-18 fluoroethylations: different strategies for the rapid translation of C-11-methylated radiotracers. *Nuclear Medicine and Biology* 2007, 34, 1019-1028.
215. Timerbaev, A. R.; Vasylenko, O. O.; Foteeva, L. S.; Rudnev, A. V.; Semenova, O.; Keppler, B. K., Application of micellar and microemulsion electrokinetic chromatography for characterization of gallium(III) complexes of pharmaceutical significance. *Journal of Separation Science* 2007, 30, 399-406.
214. Timerbaev, A. R.; Keppler, B. K., Capillary electrophoresis of metal-based drugs. *Analytical Biochemistry* 2007, 369, 1-7.
213. Timerbaev, A. R.; Foteeva, L. S.; Rudnev, A. V.; Abramski, J. K.; Polec-Pawlak, K.; Hartinger, C. G.; Jarosz, M.; Keppler, B. K., Probing the stability of serum protein-ruthenium (III) drug adducts in the presence of extracellular reductants using CE. *Electrophoresis* 2007, 28, 2235-2240.
212. Stepanenko, I. N.; Cebrian-Losantos, B.; Arion, V. B.; Krokhin, A. A.; Nazarov, A. A.; Keppler, B. K., The complexes $\text{OsCl}_2(\text{azole})(2)(\text{dmsO})(2)$ and $\text{OsCl}_2(\text{azole})(\text{dmsO})(3)$: Synthesis, structure, spectroscopic properties and catalytic hydration of chloronitriles. *European Journal of Inorganic Chemistry* 2007, 400-411.
211. Scolaro, C.; Chaplin, A. B.; Hartinger, C. G.; Bergamo, A.; Cocchietto, M.; Keppler, B. K.; Sava, G.; Dyson, P. J., Tuning the hydrophobicity of ruthenium(II)-arene (RAPTA) drugs to modify uptake, biomolecular interactions and efficacy. *Dalton Transactions* 2007, 5065-5072.
210. Schmid, W. F.; Zorbas-Seifried, S.; John, R. O.; Arion, V. B.; Jakupec, M. A.; Roller, A.; Galanski, M.; Chiorescu, I.; Zorbas, H.; Keppler, B. K., The first ruthenium-based paullones: Syntheses, X-ray diffraction structures, and spectroscopic and antiproliferative properties in vitro. *Inorganic Chemistry* 2007, 46, 3645-3656.
209. Schmid, W. F.; John, R. O.; Muhlgassner, G.; Heffeter, P.; Jakupec, M. A.; Galanski, M.; Berger, W.; Arion, V. B.; Keppler, B. K., Metal-based paullones as putative CDK inhibitors for antitumor chemotherapy. *Journal of Medicinal Chemistry* 2007, 50, 6343-6355.
208. Schmid, W. F.; John, R. O.; Arion, V. B.; Jakupec, M. A.; Keppler, B. K., Highly antiproliferative ruthenium(II) and osmium(II) arene complexes with paullone-derived ligands. *Organometallics* 2007, 26, 6643-6652.
207. Scaffidi-Domianello, Y. Y.; Nazarov, A. A.; Haukka, M.; Galanski, M.; Keppler, B. K.; Schneider, J.; Du, P. W.; Eisenberg, R.; Kukushkin, V. Y., First example of the solid-state thermal cyclometalation of ligated benzophenone imine giving novel luminescent platinum(II) species. *Inorganic Chemistry* 2007, 46, 4469-4482.
206. Reithofer, M. R.; Valiahdi, S. M.; Jakupec, M. A.; Arion, V. B.; Egger, A.; Galanski, M.; Keppler, B. K., Novel di- and tetracarboxylatoplatinum(IV) complexes. Synthesis, characterization, cytotoxic activity, and DNA platination. *Journal of Medicinal Chemistry* 2007, 50, 6692-6699.

205. Kowol, C. R.; Elchinger, R.; Jakupec, M. A.; Galanski, M.; Arlon, V. B.; Keppler, B. K., Effect of metal ion complexation and chalcogen donor identity on the antiproliferative activity of 2-acetylpyridine N,N-dimethyl(chalcogen)semicarbazones. *Journal of Inorganic Biochemistry* 2007, 101, 1946-1957.
204. Kowol, C. R.; Eichinger, R.; Jakupec, M. A.; Galanski, M.; Arion, V. B.; Keppler, B. K., Effect of metal ion complexation and chalcogen donor identity on the antiproliferative activity of 2-acetylpyridine N,N-dimethyl(chalcogen)semicarbazones. *J. Inorg. Biochem.* 2007, 101, 1946-1957.
203. Kowol, C. R.; Berger, R.; Eichinger, R.; Roller, A.; Jakupec, M. A.; Schmidt, P. P.; Arion, V. B.; Keppler, B. K., Gallium(III) and Iron(III) complexes of alpha-N-heterocyclic thiosemicarbazones: Synthesis, characterization, cytotoxicity, and interaction with ribonucleotide reductase. *Journal of Medicinal Chemistry* 2007, 50, 1254-1265.
202. Heffeter, P.; Jakupec, M. A.; Korner, W.; Chiba, P.; Pirker, C.; Dornetshuber, R.; Elbling, L.; Sutterluty, H.; Micksche, M.; Keppler, B. K.; Berger, W., Multidrug-resistant cancer cells are preferential targets of the new antineoplastic lanthanum compound KP772 (FFC24). *Biochemical Pharmacology* 2007, 73, 1873-1886.
201. Hartinger, C. G.; Keppler, B. K., CE in anticancer metallodrug research - an update. *Electrophoresis* 2007, 28, 3436-3446.
200. Hartinger, C. G.; Ang, W. H.; Casini, A.; Messori, L.; Keppler, B. K.; Dyson, P. J., Mass spectrometric analysis of ubiquitin-platinum interactions of leading anticancer drugs: MALDI versus ESI. *Journal of Analytical Atomic Spectrometry* 2007, 22, 960-967.
199. Groessel, M.; Reisner, E.; Hartinger, C. G.; Eichinger, R.; Semenova, O.; Timerbaev, A. R.; Jakupec, M. A.; Arion, V. B.; Keppler, B. K., Structure-activity relationships for NAMI-A-type complexes (HL) trans-RuCl₄L(S-dmsoruthenate(III) (L = imidazole, indazole, 1,2,4-triazole, 4-amino-1,2,4-triazole, and 1-methyl-1,2,4-triazole): Aquation, redox properties, protein binding, and antiproliferative activity. *Journal of Medicinal Chemistry* 2007, 50, 2185-2193.
198. Grguric-Sipka, S.; Kowol, C. R.; Valiahdi, S. M.; Eichinger, R.; Jakupec, M. A.; Roller, A.; Shova, S.; Arion, V. B.; Keppler, B. K., Ruthenium(II) complexes of thiosemicarbazones: The first Walter-soluble complex with pH-Dependent antiproliferative activity. *European Journal of Inorganic Chemistry* 2007, 2870-2878.
197. Gelmboldt, V. O.; Ganin, E. V.; Fonari, M. S.; Simonov, Y. A.; Koroeva, L. V.; Ennan, A. A.; Basok, S. S.; Shova, S.; Kahlig, H.; Arion, V. B.; Keppler, B. K., Two new "onium" fluorosilicates, the products of interaction of fluorosilicic acid with 12-membered macrocycles: structures and spectroscopic properties. *Dalton Transactions* 2007, 2915-2924.
196. Galanski, M.; Keppler, B. K., Searching for the Magic Bullet: Anticancer Platinum Drugs Which Can Be Accumulated or Activated in the Tumor Tissue. *Anti-Cancer Agents in Medicinal Chemistry* 2007, 7, 55-73.
195. Cebrian-Losantos, B.; Krokhin, A. A.; Stepanenko, I. N.; Eichinger, R.; Jakupec, M. A.; Arion, V. B.; Keppler, B. K., Osmium NAMI-A Analogs: Synthesis, Structural and Spectroscopic Characterization, and Antiproliferative Properties. *Inorg. Chem.* 2007, 46, 5023-5033.
194. Cebrian-Losantos, B.; Krokhin, A. A.; Stepanenko, I. N.; Eichinger, R.; Jakupec, M. A.; Arion, V. B.; Keppler, B. K., Osmium NAMI-A analogues: Synthesis, structural and spectroscopic characterization, and antiproliferative properties. *Inorganic Chemistry* 2007, 46, 5023-5033.

193. Budzisz, E.; Malecka, M.; Keppler, B. K.; Arion, V. B.; Andrijewski, G.; Krajewska, U.; Rozalski, M., Synthesis, structure, protolytic properties, alkylating and cytotoxic activity of novel platinum(II) and palladium(II) complexes with pyrazole-derived ligands. *European Journal of Inorganic Chemistry* 2007, 3728-3735.
192. Berger, I.; Nazarov, A. A.; Hartinger, C. G.; Groessl, M.; Valiahdi, S. M.; Jakupec, M. A.; Keppler, B. K., A glucose derivative as natural alternative to the cyclohexane-1,2-diamine ligand in the anticancer drug oxaliplatin? *Chemmedchem* 2007, 2, 505-514.
191. Aleksenko, S. S.; Hartinger, C. G.; Semenova, O.; Meelich, K.; Timerbaev, A. R.; Keppler, B. K., Characterization of interactions between human serum albumin and tumor-inhibiting amino alcohol platinum(II) complexes using capillary electrophoresis. *Journal of Chromatography A* 2007, 1155, 218-221.
190. Zorbias-Seifried, S.; Hartinger, C. G.; Meelich, K.; Galanski, M.; Keppler, B. K.; Zorbias, H., DNA interactions of pH-sensitive, antitumor bis(aminoalcohol) dichloroplatinum(II) complexes. *Biochemistry* 2006, 45, 14817-14825.
189. Wadsak, W.; Wirl-Sagadin, B.; Mitterhauser, M.; Mien, L. K.; Ettliger, D. E.; Keppler, B. K.; Dudczak, R.; Kletter, K., NCA nucleophilic radiofluorination on substituted benzaldehydes for the preparation of ¹⁸F fluorinated aromatic amino acids. *Applied Radiation and Isotopes* 2006, 64, 355-359.
188. Valiahdi, S. M.; Jakupec, M. A.; Marculescu, R.; Keppler, B. K., Tris(8-quinolinolato)gallium(III) exerts strong antiproliferative effects in melanoma cells. In *Metal Ions in Biology and Medicine*, Vol 9, Alpoim, M. C.; Morais, P. V., Eds. 2006; Vol. 9, pp 282-+.
187. Timerbaev, A. R.; Hartinger, C. G.; Keppler, B. K., Metallo drug research and analysis using capillary electrophoresis. *Trac-Trends in Analytical Chemistry* 2006, 25, 868-875.
186. Timerbaev, A. R.; Hartinger, C. G.; Aleksenko, S. S.; Keppler, B. K., Interactions of antitumor metallodrugs with serum proteins: Advances in characterization using modern analytical methodology. *Chemical Reviews* 2006, 106, 2224-2248.
185. Schluga, P.; Hartinger, C. G.; Egger, A.; Reisner, E.; Galanski, M.; Jakupec, M. A.; Keppler, B. K., Redox behavior of tumor-inhibiting ruthenium(III) complexes and effects of physiological reductants on their binding to GMP. *Dalton Transactions* 2006, 1796-1802.
184. Scaffidi-Domianello, Y. Y.; Haukka, M.; Kelly, P. F.; Galanski, M.; Keppler, B. K.; Kukushkin, V. Y., Crystal structure of trans-dichloro(dimethylsulfoxide)(diphenylsulfimide)-platinum(II)toluene hemisolvate, PtCl₂(C₂H₆SO)(C₁₂H₁₀SNH) center dot 1/2C(7)H(8). *Zeitschrift Fur Kristallographie-New Crystal Structures* 2006, 221, 226-228.
183. Rudnev, A. V.; Foteeva, L. S.; Kowol, C.; Berger, R.; Jakupec, M. A.; Arion, V. B.; Timerbaev, A. R.; Keppler, B. K., Preclinical characterization of anticancer gallium(III) complexes: Solubility, stability, lipophilicity and binding to serum proteins. *Journal of Inorganic Biochemistry* 2006, 100, 1819-1826.
182. Rothenburger, C.; Galanski, M.; Arion, V. B.; Gorus, H.; Weigand, W.; Keppler, B. K., Synthesis and characterization of (1R,2R)-trans-diaminocyclohexaneplatinum(II) coordinated to sulfur and selenium amino acids. *European Journal of Inorganic Chemistry* 2006, 3746-3752.
181. Reithofer, M.; Galanski, M.; Roller, A.; Keppler, B. K., An entry to novel platinum complexes: Carboxylation of dihydroxoplatinum(IV) complexes with succinic anhydride and subsequent derivatization. *European Journal of Inorganic Chemistry* 2006, 2612-2617.

180. Polec-Pawlak, K.; Abramski, J. K.; Semenova, O.; Hartinger, C. G.; Timerbaev, A. R.; Keppler, B. K.; Jarosz, M., Platinum group metallodrug-protein binding studies by capillary electrophoresis - inductively coupled plasma-mass spectrometry: A further insight into the reactivity of a novel antitumor ruthenium(III) complex toward human serum proteins. *Electrophoresis* 2006, 27, 1128-1135.
179. Meelich, K.; Galanski, W.; Arion, V. B.; Jakupec, M. A.; Schluga, P.; Hartinger, C. G.; von Graf, K. N.; Keppler, B. K., Activation of anticancer platinum complexes by tumoral acidity. In *Metal Ions in Biology and Medicine*, Vol 9, Alpoim, M. C.; Morais, P. V., Eds.2006; Vol. 9, pp 52-+.
178. Meelich, K.; Galanski, M.; Arion, V. B.; Keppler, B. K., Bis(2-amino alcohol-kappa N)dicarboxylatoplatinum(II) complexes - Elegant synthesis via ring-opening of bis(2-amino alcoholato-kappa N-2,O)platinum(II) species with dicarboxylic acids. *European Journal of Inorganic Chemistry* 2006, 2476-2483.
177. John, R. O.; Arion, V. B.; Jakupec, M. A.; Keppler, B. K., Ruthenium(II)-arene complex with heterocyclic ligands as prospective antitumor agent. In *Metal Ions in Biology and Medicine*, Vol 9, Alpoim, M. C.; Morais, P. V., Eds.2006; Vol. 9, pp 40-+.
176. Huang, Z.; Timerbaev, A. R.; Keppler, B. K.; Hirokawa, T., Determination of cisplatin and its hydrolytic metabolite in human serum by capillary electrophoresis techniques. *Journal of Chromatography A* 2006, 1106, 75-79.
175. Heffeter, P.; Jakupec, M. A.; Korner, W.; Wild, S.; von Keyserlingk, N. G.; Elbling, L.; Zorbas, H.; Korynevskaya, A.; Knasmüller, S.; Sutterluty, H.; Micksche, M.; Keppler, B. K.; Berger, W., Anticancer activity of the lanthanum compound tris(1,10-phenanthroline)lanthanum(III) trithiocyanate (KP772; FFC24). *Biochemical Pharmacology* 2006, 71, 426-440.
174. Heffeter, P.; Jakupec, M. A.; Dornetshuber, R.; Elbling, L.; Sutterluty, H.; Micksche, M.; Keppler, B. K.; Berger, W., Anticancer activity of the lanthanum drug KP772 (FFC24): impact of the cellular P53 status. In *Metal Ions in Biology and Medicine*, Vol 9, Alpoim, M. C.; Morais, P. V., Eds.2006; Vol. 9, pp 260-+.
173. Hartinger, C. G.; Zorbas-Seifried, S.; Jakupec, M. A.; Kynast, B.; Zorbas, H.; Keppler, B. K., From bench to bedside - preclinical and early clinical development of the anticancer agent indazolium trans-tetrachlorobis(1H-indazole)ruthenate(III) (KP1019 or FFC14A). *Journal of Inorganic Biochemistry* 2006, 100, 891-904.
172. Hartinger, C. G.; Ferri-Mendoza, M. G.; Nazarov, A. A.; Keppler, B. K., Electrospray ionization mass spectrometric study on the coordination behavior of dacarbazine towards transition metal ions. *Polyhedron* 2006, 25, 1971-1978.
171. Groessel, M.; Hartinger, C. G.; Egger, A.; Keppler, B. K., The binding of ruthenium(III) anticancer complexes to serum proteins: An ESI-MS Study. In *Metal Ions in Biology and Medicine*, Vol 9, Alpoim, M. C.; Morais, P. V., Eds.2006; Vol. 9, pp 111-+.
170. Galanski, M.; Keppler, B. K., Tumorhemmende Metallverbindungen: Entwicklung, Bedeutung und Perspektiven. *Pharmazie in unserer Zeit* 2006, 35, 118-123.
169. Eichinger, R.; Kowol, C. R.; Arion, V. B.; Jakupec, M. A.; Keppler, B. K., Divergent effects of complexation with gallium(III) or iron(III) on the antitumor potency of 2-acetylpyridine-4 N-dimethylthiosemi-carbazone. In *Metal Ions in Biology and Medicine*, Vol 9, Alpoim, M. C.; Morais, P. V., Eds.2006; Vol. 9, pp 30-+.

168. Egger, A.; Schluga, P.; Hartinger, C. G.; Arion, V. B.; Keppler, B. K., Impact of biological reductants on GMP binding of trans- (RuCl₄)-Cl-III(Hind)(2) (-) and preparation of a model nucleobase adduct. In *Metal Ions in Biology and Medicine*, Vol 9, Alpoim, M. C.; Morais, P. V., Eds.2006; Vol. 9, pp 24-+.
167. Dobrov, A.; Arion, V. B.; Kandler, N.; Ginzinger, W.; Jakupec, M. A.; Rufinska, A.; von Keyserlingk, N. G.; Galanski, M.; Kowol, C.; Keppler, B. K., The first metal-based paullone derivative with high anti proliferative activity in vitro. *Inorganic Chemistry* 2006, 45, 1945-1950.
166. Collery, P.; Jakupec, M. A.; Kynast, B.; Keppler, B. K., Preclinical and early clinical development of the antitumor gallium complex KP46 (FFC11). In *Metal Ions in Biology and Medicine*, Vol 9, Alpoim, M. C.; Morais, P. V., Eds.2006; Vol. 9, pp 521-+.
165. Berger, I.; Nazarov, A.; Hartinger, C.; Valiahdi, S. M.; Jakupec, M. A.; Galanski, M.; Keppler, B. K., Synthesis and in vitro antitumor activity of 2,3-diaminoglucose-based platinum(II) coordination compounds. In *Metal Ions in Biology and Medicine*, Vol 9, Alpoim, M. C.; Morais, P. V., Eds.2006; Vol. 9, pp 9-+.
164. Zorbas, H.; Keppler, B. K., Cisplatin damage: Are DNA repair proteins saviors or traitors to the cell? *Chembiochem* 2005, 6, 1157-+.
163. Timerbaev, A. R.; Rudnev, A. V.; Semenova, O.; Hartinger, C. G.; Keppler, B. K., Comparative binding of antitumor indazolium trans-tetrachlorobis(1H-indazole) ruthenate(III) to serum transport proteins assayed by capillary zone electrophoresis. *Analytical Biochemistry* 2005, 341, 326-333.
162. Sulyok, M.; Hann, S.; Hartinger, C. G.; Keppler, B. K.; Stingeder, G.; Koellensperger, G., Two dimensional separation schemes for investigation of the interaction of an anticancer ruthenium(III) compound with plasma proteins. *Journal of Analytical Atomic Spectrometry* 2005, 20, 856-863.
161. Schluga, P.; Hartinger, C. G.; Galanski, M.; Meelich, K.; Timerbaev, A. R.; Keppler, B. K., Tumour-inhibiting platinum(II) complexes with aminoalcohol ligands: biologically important transformations studied by micellar electrokinetic chromatography, nuclear magnetic resonance spectroscopy and mass spectrometry. *Analyst* 2005, 130, 1383-1389.
160. Rudnev, A. V.; Aleksenko, S. S.; Semenova, O.; Hartinger, C. G.; Timerbaev, A. R.; Keppler, B. K., Determination of binding constants and stoichiometries for platinum anticancer drugs and serum transport proteins by capillary electrophoresis using the Hummel-Dreyer method. *Journal of Separation Science* 2005, 28, 121-127.
159. Reisner, E.; Arion, V. B.; Rufinska, A.; Chiorescu, I.; Schmid, W. F.; Keppler, B. K., Isomeric RuCl₂(dmsO)(2)(indazole) (2) complexes: ruthenium(II)-mediated coupling reaction of acetonitrile with 1H-indazole. *Dalton Transactions* 2005, 2355-2364.
158. Reisner, E.; Arion, V. B.; Eichinger, A.; Kandler, N.; Giester, G.; Pombeiro, A. J. L.; Keppler, B. K., Tuning of redox properties for the design of ruthenium anticancer drugs: Part 2. Syntheses, crystal structures, and electrochemistry of potentially antitumor (RuCl_{6-n})-Cl-III/II(Azole)(n) (z) (n=3, 4, 6) complexes. *Inorganic Chemistry* 2005, 44, 6704-6716.
157. Rappel, C.; Galanski, M.; Yasemi, A.; Habala, L.; Keppler, B. K., Analysis of anticancer platinum(II)-complexes by microemulsion electrokinetic chromatography: Separation of diastereomers and estimation of octanol-water partition coefficients. *Electrophoresis* 2005, 26, 878-884.

156. Paschkunova-Martic, I.; Kremser, C.; Mistlberger, K.; Shcherbakova, N.; Dietrich, H.; Talasz, H.; Zou, Y.; Hugl, B.; Galanski, M.; Soelder, E.; Pfaller, K.; Hoeliner, I.; Buchberger, W.; Keppler, B.; Debbage, P., Design, synthesis, physical and chemical characterization, and biological interactions of lectin-targeted latex nanoparticles bearing Gd-DTPA chelates: an exploration of magnetic resonance molecular imaging (MRMI). *Histochem. Cell Biol.* 2005, 123, 283-301.
155. Nazarov, A. A.; Koroteev, M. P.; Hartinger, C. G.; Keppler, B. K.; Nifant'ev, E. E., On the coordination properties of new bicycphosphite-carbohydrates. *Monatshefte Fur Chemie* 2005, 136, 137-146.
154. Nazarov, A. A.; Koroteev, M. P.; Hartinger, C. G.; Keppler, B. K.; Nifant'ev, E. E., Bis- and tris-bicycphosphites of D-glucofuranoside. Unexpected catalysis of P(III/V)-oxidation by triethylamine. *Tetrahedron* 2005, 61, 10943-10950.
153. Keppler, B. K.; Habala, L.; Nazarov, A.; Jakupec, M.; Yasemi, A.; Slaby, S.; Von Keyserlingk, N. G., Rational development of oxaliplatin analogues – synthesis and preliminary structure-activity relationships
152. Kapitzka, S.; Pongratz, M.; Jakupec, M. A.; Heffeter, P.; Berger, W.; Lackinger, L.; Keppler, B. K.; Marian, B., Heterocyclic complexes of ruthenium(III) induce apoptosis in colorectal carcinoma cells. *Journal of Cancer Research and Clinical Oncology* 2005, 131, 101-110.
151. Kapitzka, S.; Jakupec, M. A.; Uhl, M.; Keppler, B. K.; Marian, B., The heterocyclic ruthenium(III) complex KP1019 (FFC14A) causes DNA damage and oxidative stress in colorectal tumor cells. *Cancer Letters* 2005, 226, 115-121.
150. Jakupec, M. A.; Unfried, P.; Keppler, B. K., Pharmacological properties of cerium compounds. In *Reviews of Physiology Biochemistry and Pharmacology*, Amara, S. G.; Bamberg, E.; Jahn, R.; Lederer, W. J.; Miyajima, A.; Murer, H.; Offermanns, S.; Schultz, G.; Schweiger, M., Eds. 2005; Vol. 153, pp 101-111.
149. Jakupec, M. A.; Reisner, E.; Eichinger, A.; Pongratz, M.; Arion, V. B.; Galanski, M.; Hartinger, C. G.; Keppler, B. K., Redox-active antineoplastic ruthenium complexes with indazole: Correlation of in vitro potency and reduction potential. *Journal of Medicinal Chemistry* 2005, 48, 2831-2837.
148. Jakupec, M. A.; Arion, V. B.; Kapitzka, S.; Reisner, E.; Eichinger, A.; Pongratz, M.; Marian, B.; Graf von Keyserlingk, N.; Keppler, B. K., KP1019 (FFC14A) from bench to bedside: preclinical and early clinical development- an overview. *Int. J. Clin. Pharmacol. Ther.* 2005, 43, 595-596.
147. Heffeter, P.; Pongratz, M.; Steiner, E.; Chiba, P.; Jakupec, M. A.; Elbling, L.; Marian, B.; Korner, W.; Sevela, F.; Micksche, M.; Keppler, B. K.; Berger, W., Intrinsic and acquired forms of resistance against the anticancer ruthenium compound KP1019 indazolium trans-tetrachlorobis(1H-indazole)ruthenate(III) (FFC14A). *Journal of Pharmacology and Experimental Therapeutics* 2005, 312, 281-289.
146. Hartinger, C. G.; Nazarov, A. A.; Galanski, M.; Reithofer, M.; Keppler, B. K., Glucose ferrocenyl-oxazolines: Coordination behavior toward Pd(eta(3)-allyl)Cl (2) studied by ESI-MS. *Journal of Organometallic Chemistry* 2005, 690, 3301-3308.
145. Hartinger, C. G.; Nazarov, A. A.; Arion, V. B.; Giester, G.; Kuznetsov, M. L.; Galanski, M.; Keppler, B. K., 1,1'-bis(oxazolin-2-yl)ferrocenes: An investigation of their complexation behavior toward Pd(eta(3)-allyl)Cl (2). *European Journal of Inorganic Chemistry* 2005, 1589-1600.

144. Hartinger, C. G.; Hann, S.; Koellensperger, G.; Sulyok, M.; Groessl, M.; Timerbaev, A. R.; Rudnev, A. V.; Stingeder, G.; Keppler, B. K., Interactions of a novel ruthenium-based anticancer drug (KP1019 or FFC14a) with serum proteins - significance for the patient. *Int. J. Clin. Pharmacol. Ther.* 2005, 43, 583-585.
143. Habala, L.; Galanski, M.; Yasemi, A.; Nazarov, A. A.; von Keyserlingk, N. G.; Keppler, B. K., Synthesis and structure-activity relationships of mono- and dialkyl-substituted oxaliplatin derivatives. *European Journal of Medicinal Chemistry* 2005, 40, 1149-1155.
142. Galanski, M.; Yasemi, A.; Jakupec, M. A.; Von Keyserlingk, N. G.; Keppler, B. K., Synthesis, cytotoxicity, and structure-activity relationships of new oxaliplatin derivatives. *Monatshefte Fur Chemie* 2005, 136, 693-700.
141. Galanski, M.; Slaby, S.; Jakupec, M. A.; Keppler, B. K., Synthesis and in vitro antitumor potency of (cyclohexane-1,2-diamine)platinum(II) complexes with aminotris(methylenephosphonic acid) as bone-seeking ligand. *Bioinorganic Chemistry and Applications* 2005, 3, 179-190.
140. Galanski, M.; Jakupec, M. A.; Keppler, B. K., Update of the preclinical situation of anticancer platinum complexes: Novel design strategies and innovative analytical approaches. *Current Medicinal Chemistry* 2005, 12, 2075-2094.
139. Egger, A.; Arion, V. B.; Reisner, E.; Cebrian-Losantos, B.; Shova, S.; Trettenhahn, G.; Keppler, B. K., Reactions of potent antitumor complex trans- (RuCl₄-Cl-III(indazole)(2) (-) with a DNA-relevant nucleobase and thioethers: Insight into biological action. *Inorganic Chemistry* 2005, 44, 122-132.
138. Warnke, U.; Rappel, C.; Meier, H.; Kloft, C.; Galanski, M.; Hartinger, C. G.; Keppler, B. K.; Jaehde, U., Analysis of platinum adducts with DNA nucleotides and nucleosides by capillary electrophoresis coupled to ESI-MS: Indications of guanosine 5'-monophosphate O-6-N7 chelation. *Chembiochem* 2004, 5, 1543-1549.
137. Timerbaev, A. R.; Aleksenko, K. S.; Polec-Pawlak, K.; Ruzik, R.; Semenova, O.; Hartinger, C. G.; Oszwaldowski, S.; Galanski, M.; Jarosz, M.; Keppler, B. K., Platinum metallodrug-protein binding studies by capillary electrophoresis-inductively coupled plasma-mass spectrometry: Characterization of interactions between Pt(II) complexes and human serum albumin. *Electrophoresis* 2004, 25, 1988-1995.
136. Reisner, E.; Arion, V. B.; Fatima, M.; da Silva, C. G.; Lichtenecker, R.; Eichinger, A.; Keppler, B. K.; Kukushkin, V. Y.; Pombeiro, A. J. L., Tuning of redox potentials for the design of ruthenium anticancer drugs - An electrochemical study of trans-RuCl₄L(DMSO) (-) and trans-RuCl₄(2) (-) complexes, where L = imidazole, 1,2,4-triazole, indazole. *Inorganic Chemistry* 2004, 43, 7083-7093.
135. Reisner, E.; Arion, V.; Keppler, B.; Pombeiro, A. J. L.; Kukushkin, N. V., First Insights into Structure-Activity Relationships of anticancer [RuCl₄(azole)₂]- complexes. *Journal of the Russian Chemical Society (Zhurnal Ross. Khim.; Mendeleev Chemistry Journal)* 2004, 48, 137-139.
134. Pongratz, M.; Schluga, P.; Jakupec, M. A.; Arion, V. B.; Hartinger, C. G.; Allmaier, G.; Keppler, B. K., Transferrin binding and transferrin-mediated cellular uptake of the ruthenium coordination compound KP1019, studied by means of AAS, ESI-MS and CD spectroscopy. *Journal of Analytical Atomic Spectrometry* 2004, 19, 46-51.
133. Piccioli, F.; Sabatini, S.; Messori, L.; Orioli, P.; Hartinger, C. G.; Keppler, B. K., A comparative study of adduct formation between the anticancer ruthenium(III) compound HInd trans-RuCl₄(Ind)(2) and serum proteins. *Journal of Inorganic Biochemistry* 2004, 98, 1135-1142.

132. Jakupec, M. A.; Keppler, B. K., Gallium and other main group metal compounds as antitumor agents. In *Metal Ions in Biological Systems, Vol 42: Metal Complexes in Tumor Diagnosis and as Anticancer Agents*, Sigel, A.; Sigel, H., Eds. 2004; Vol. 42, pp 425-462.
131. Jakupec, M. A.; Keppler, B. K., Gallium in cancer treatment. *Current Topics in Medicinal Chemistry* 2004, 4, 1575-1583.
130. Jakupec, M. A.; Galanski, M.; Keppler, B. K., The effect of cytoprotective agents in platinum anticancer therapy. *Metal Ions in Biological Systems, Vol 42: Metal Complexes in Tumor Diagnosis and as Anticancer Agents* 2004, 42, 179-208.
129. Galanski, M.; Yasemi, A.; Slaby, S.; Jakupec, M. A.; Arion, V. B.; Rausch, M.; Nazarov, A. A.; Keppler, B. K., Synthesis, crystal structure and cytotoxicity of new oxaliplatin analogues indicating that improvement of anticancer activity is still possible. *European Journal of Medicinal Chemistry* 2004, 39, 707-714.
128. Galanski, M.; Baumgartner, C.; Meelich, K.; Arion, V. B.; Fremuth, M.; Jakupec, M. A.; Schluga, P.; Hartinger, C. G.; Von Keyserlingk, N. G.; Keppler, B. K., Synthesis, crystal structure and pH dependent cytotoxicity of (SP-4-2)-bis(2-aminoethanolato-kappa N-2, O)platinum(II) - a representative of novel pH sensitive anticancer platinum complexes. *Inorganica Chimica Acta* 2004, 357, 3237-3244.
127. Budzisz, E.; Keppler, B. K.; Giester, G.; Wozniczka, M.; Kufelnicki, A.; Nawrot, B., Synthesis, crystal structure and biological characterization of a novel palladium(II) complex with a coumarin-derived ligand. *European Journal of Inorganic Chemistry* 2004, 4412-4419.
126. Wadsak, W.; Mitterhauser, M.; Mien, L.-k.; Toegel, S.; Keppler, B.; Dudczak, R.; Kletter, K., Radiosynthesis of 3-(2'-[18F]fluoro)-flumazenil ([18F]FFMZ). *J. Labelled Compd. Radiopharm.* 2003, 46, 1229-1240.
125. Makarycheva-Mikhailova, A. V.; Kukushkin, V. Y.; Nazarov, A. A.; Garnovskii, D. A.; Pombeiro, A. J. L.; Haukka, M.; Keppler, B. K.; Galanski, M., Amidines derived from Pt(IV)-mediated nitrile-amino alcohol coupling and their Zn(II)-catalyzed conversion into oxazolines. *Inorganic Chemistry* 2003, 42, 2805-2813.
124. Jakupec, M. A.; Galanski, M.; Keppler, B. K., Tumour-inhibiting platinum complexes-state of the art and future perspectives. *Reviews of Physiology, Biochemistry and Pharmacology, Vol 146* 2003, 146, 1-53.
123. Hartinger, C. G.; Timerbaev, A. R.; Keppler, B. K., Capillary electrophoresis in anti-cancer metallodrug research: Advances and future challenges. *Electrophoresis* 2003, 24, 2023-2037.
122. Hartinger, C. G.; Schluga, P.; Galanski, M.; Baumgartner, C.; Timerbaev, A. R.; Keppler, B. K., Tumor-inhibiting platinum(II) complexes with aminoalcohol ligands: Comparison of the mode of action by capillary electrophoresis and electrospray ionization-mass spectrometry. *Electrophoresis* 2003, 24, 2038-2044.
121. Hartinger, C. G.; Nazarov, A. A.; Chevchenko, V.; Arion, V. B.; Galanski, M.; Keppler, B. K., Synthesis, crystal structures, and electrospray ionisation mass spectrometry investigations of ether- and thioether-substituted ferrocenes. *Dalton Transactions* 2003, 3098-3102.
120. Galanski, M.; Slaby, S.; Jakupec, M. A.; Keppler, B. K., Synthesis, characterization, and in vitro antitumor activity of osteotropic diam(m)ineplatinum(II) complexes bearing a N,N-bis(phosphonomethyl)glycine ligand. *Journal of Medicinal Chemistry* 2003, 46, 4946-4951.

119. Galanski, M.; Baumgartner, C.; Arion, V.; Keppler, B. K., Bis(2-aminobutanol)dichloroplatinum(II) complexes and their singly and doubly ring-closed butanolato species - Novel prodrugs for platinum-based antitumour chemotherapy? *European Journal of Inorganic Chemistry* 2003, 2619-2625.
118. Galanski, M.; Arion, V. B.; Jakupec, M. A.; Keppler, B. K., Recent developments in the field of tumor-inhibiting metal complexes. *Current Pharmaceutical Design* 2003, 9, 2078-2089.
117. Arion, V. B.; Reisner, E.; Fremuth, M.; Jakupec, M. A.; Keppler, B. K.; Kukushkin, V. Y.; Pombeiro, A. J. L., Synthesis, X-ray diffraction structures, spectroscopic properties, and in vitro antitumor activity of isomeric (1H-1,2+triazole)Ru(III) complexes. *Inorganic Chemistry* 2003, 42, 6024-6031.
116. Arion, V. B.; Nazarov, A. A.; Hartinger, C. G.; Giester, G.; Keppler, B. K., Crystal structure of 1-bromo-1'- (2S)-N-(1-hydroxy-3-methylbutane-2-yl) -ferroceneamide. *Applied Organometallic Chemistry* 2003, 17, 723-724.
115. Timerbaev, A. R.; Kung, A.; Keppler, B. K., Capillary electrophoresis of platinum-group elements analytical, speciation and biochemical studies. *Journal of Chromatography A* 2002, 945, 25-44.
114. Strickmann, D. B.; Kung, A.; Keppler, B. K., Application of capillary electrophoresis-mass spectrometry for the investigation of the binding behavior of oxaliplatin to 5'-GMP in the presence of the sulfur-containing amino acid L-methionine. *Electrophoresis* 2002, 23, 74-80.
113. Robillard, M. S.; Galanski, M.; Zimmermann, W.; Keppler, B. K.; Reedijk, J., (Aminoethanol)dichloroplatinum(II) complexes: influence of the hydroxyethyl moiety on 5'-GMP and DNA binding, intramolecular stability, the partition coefficient and anticancer activity. *Journal of Inorganic Biochemistry* 2002, 88, 254-259.
112. Nazarov, A. A.; Hartinger, C. G.; Arion, V. B.; Giester, G.; Keppler, B. K., Synthesis of ferrocenylglucose phosphonite and bisphosphinite: Pd(II) and Pt(II) complexes, Pd-catalyzed allylic alkylation. *Tetrahedron* 2002, 58, 8489-8492.
111. Makarycheva-Mikhailova, A. V.; Haukka, M.; Bokach, N. A.; Garnovskii, D. A.; Galanski, M.; Keppler, B. K.; Pombeiro, A. J. L.; Kukushkin, V. Y., Platinum(IV)-mediated coupling of dione monoximes and nitriles: a novel reactivity pattern of the classic oxime-based chelating ligands. *New Journal of Chemistry* 2002, 26, 1085-1091.
110. Kung, A.; Galanski, M.; Baumgartner, C.; Keppler, B. K., Reaction of (SP-4-2)-dichlorobis(2-hydroxyethylamine)platinum(II) with 5'-GMP under simulated physiological conditions, a CZE-ESI-MS study. *Inorganica Chimica Acta* 2002, 339, 9-13.
109. Hartinger, C. G.; Nazarov, A. A.; Arion, V. B.; Giester, G.; Jakupec, M.; Galanski, M.; Keppler, B. K., Novel glucose-ferrocenyl derivatives: synthesis and properties. *New Journal of Chemistry* 2002, 26, 671-673.
108. Hartinger, C.; Brehmer, T. H.; Giester, G.; Galanski, M.; Nazarov, A. A.; Luther, S. M.; Keppler, B. K., 1,1,3,3-tetramethyl-1,3-disila-2-oxa 3 ferrocenophane: improved synthesis and new crystal structure. *Inorganica Chimica Acta* 2002, 328, 237-240.

107. Galanski, M.; Zimmermann, W.; Berger, M.; Baumgartner, C.; Giester, G.; Keppler, B. K., Carboxylation of 2-hydroxyethyl-substituted tetrachloro(ethane-1,2-diamine)-platinum(IV) complexes - A new synthetic approach to anticancer platinum compounds. *European Journal of Inorganic Chemistry* 2002, 417-421.
106. Arion, V. B.; Jakupec, M. A.; Galanski, M.; Unfried, P.; Keppler, B. K., Synthesis, structure, spectroscopic and in vitro antitumour studies of a novel gallium(III) complex with 2-acetylpyridine N-4-dimethylthiosemicarbazone. *Journal of Inorganic Biochemistry* 2002, 91, 298-305.
105. Zollner, P.; Zenker, A.; Galanski, M.; Keppler, B. K.; Lindner, W., Reaction monitoring of platinum(II) complex-5'-guanosine monophosphate adduct formation by ion exchange liquid chromatography/electrospray ionization mass spectrometry. *Journal of Mass Spectrometry* 2001, 36, 742-753.
104. Pieper, T.; Sommer, M.; Galanski, M.; Keppler, B. K.; Giester, G., RuCl(3)ind(3) and RuCl(2)ind(4) : Two new ruthenium complexes derived from the tumor-inhibiting Ru(III) compound HInd (OC-6-11)- RuCl(4)ind(2) (ind = indazole). *Zeitschrift Fur Anorganische Und Allgemeine Chemie* 2001, 627, 261-265.
103. Pieper, T.; Keppler, B. K., Quinolone antibacterial agents linked to osteotropic bisphosphonate moieties. *Phosphorus Sulfur and Silicon and the Related Elements* 2001, 170, 5-14.
102. Nazarov, A. A.; Hartinger, C.; Brehmer, T. H.; Giester, G.; Galanski, M.; Keppler, B. K., New C-2-chiral 1,1'-bis(oxazoline-2-yl)-ferrocenes - Synthesis and crystal structure. *Phosphorus Sulfur and Silicon and the Related Elements* 2001, 168, 465-468.
101. Malina, J.; Novakova, O.; Keppler, B. K.; Alessio, E.; Brabec, V., Biophysical analysis of natural, double-helical DNA modified by anticancer heterocyclic complexes of ruthenium(III) in cell-free media. *Journal of Biological Inorganic Chemistry* 2001, 6, 435-445.
100. Kung, A.; Zenker, A.; Galanski, M.; Keppler, B. K., Capillary electrophoretic study of carboplatin and analogues with nucleoside monophosphates, di- and trinucleotides. *Journal of Inorganic Biochemistry* 2001, 83, 181-186.
99. Kung, A.; Strickmann, D. B.; Galanski, M.; Keppler, B. K., Comparison of the binding behavior of oxaliplatin, cisplatin and analogues to 5'-GMP in the presence of sulfur-containing molecules by means of capillary electrophoresis and electrospray mass spectrometry. *Journal of Inorganic Biochemistry* 2001, 86, 691-698.
98. Kung, A.; Pieper, T.; Wissiack, R.; Rosenberg, E.; Keppler, B. K., Hydrolysis of the tumor-inhibiting ruthenium(III) complexes HIm trans- RuCl4(im)(2) and HInd trans RuCl4(ind)(2) investigated by means of HPCE and HPLC-MS. *Journal of Biological Inorganic Chemistry* 2001, 6, 292-299.
97. Kung, A.; Pieper, T.; Keppler, B. K., Investigations into the interaction between tumor-inhibiting ruthenium(III) complexes and nucleotides by capillary electrophoresis. *Journal of Chromatography B-Analytical Technologies in the Biomedical and Life Sciences* 2001, 759, 81-89.
96. Hartinger, C.; Nazarov, A. A.; Brehmer, T. H.; Giester, G.; Galanski, M.; Keppler, B. K., Synthesis and New Crystal Structure of 1,1,3,3-Tetramethyl-1,3-Disila-2-Oxa 3 Ferrocenophane. *Phosphorus Sulfur and Silicon and the Related Elements* 2001, 169, 289-292.
95. Hann, S.; Zenker, A.; Galanski, M.; Bereuter, T. L.; Stingeder, G.; Keppler, B. K., HPIC-UV-ICP-SFMS study of the interaction of cisplatin with guanosine monophosphate. *Fresenius Journal of Analytical Chemistry* 2001, 370, 581-586.

94. Galanski, M.; Zimmermann, W.; Baumgartner, C.; Keppler, B. K., The intramolecular ligand-exchange reaction of (SP-4-2)-dichlorobis-(2-hydroxyethylamine)platinum(II) and (OC-6-22)-tetrachlorobis-(2-hydroxyethylamine)platinum(IV), a H-1 and N-15,H-1-HMQC NMR study. *European Journal of Inorganic Chemistry* 2001, 1145-1149.
93. Zenker, A.; Galanski, M.; Bereuter, T. L.; Keppler, B. K.; Lindner, W., Time-dependent interactions of platinum(II) complexes with 5'-GMP under simulated physiological conditions studied by capillary electrophoresis. *Journal of Biological Inorganic Chemistry* 2000, 5, 498-504.
92. Zenker, A.; Galanski, M.; Bereuter, T. L.; Keppler, B. K.; Lindner, W., Kinetics of binding properties of 5'-GMP with cisplatin under simulated physiological conditions by capillary electrophoresis. *Journal of Chromatography B* 2000, 745, 211-219.
91. Trynda-Lemiesz, L.; Karaczyn, A.; Keppler, B. K.; Kozlowski, H., Studies on the interactions between human serum albumin and trans-indazolium (bisindazole) tetrachlororuthenate(III). *Journal of Inorganic Biochemistry* 2000, 78, 341-346.
89. Galanski, M.; Keppler, B. K., Is reduction required for antitumour activity of platinum(IV) compounds? Characterisation of a platinum(IV)-nucleotide adduct $\text{enPt}(\text{OCOCH}_3)(3)(5'\text{-GMP})$ by NMR spectroscopy and ESI-MS. *Inorganica Chimica Acta* 2000, 300, 783-789.
88. Collery, P.; Lechenault, F.; Cazabat, A.; Juvin, E.; Khassanova, L.; Evangelou, A.; Keppler, B., Inhibitory effects of gallium chloride and tris(8-quinolinolato)gallium(III) on A549 human malignant cell line. *Anticancer Res.* 2000, 20, 955-958.
87. Zimmermann, W.; Galanski, M.; Keppler, B. K.; Giester, G., Synthesis and structures of (SP-4-2)-diiodobis(2-hydroxyethylamine)platinum(II), (SP-4-2)-dichlorobis(2-hydroxyethylamine)platinum(II) and (OC-6-22)-bis(2-hydroxyethylamine)tetrachloroplatinum(IV) in the crystal. *Inorganica Chimica Acta* 1999, 292, 127-130.
86. Zenker, A.; Galanski, M.; Bereuter, T. L.; Keppler, B. K.; Lindner, W., Capillary electrophoretic study of cisplatin interaction with nucleoside monophosphates, di- and trinucleotides. *Journal of Chromatography A* 1999, 852, 337-346.
85. Trynda-Lemiesz, L.; Kozlowski, H.; Keppler, B. K., Effect of cis-, trans-diamminedichloroplatinum(II) and DBP on human serum albumin. *Journal of Inorganic Biochemistry* 1999, 77, 141-146.
84. Trynda-Lemiesz, L.; Keppler, B. K.; Kozlowski, H., Studies on the interactions between human serum albumin and imidazolium trans-tetrachlorobis (imidazol) ruthenate(III). *Journal of Inorganic Biochemistry* 1999, 73, 123-128.
83. Szpunar, J.; Makarov, A.; Pieper, T.; Keppler, B. K.; Lobinski, R., Investigation of metallodrug-protein interactions by size-exclusion chromatography coupled with inductively coupled plasma mass spectrometry (ICP-MS). *Analytica Chimica Acta* 1999, 387, 135-144.
82. Peti, W.; Pieper, T.; Sommer, M.; Keppler, B. K.; Giester, G., Synthesis of tumor-inhibiting complex salts containing the anion trans-tetrachlorobis(indazole)ruthenate(III) and crystal structure of the tetraphenylphosphonium salt. *European Journal of Inorganic Chemistry* 1999, 1551-1555.
81. Bloemink, M. J.; Diederens, J. J. H.; Dorenbos, J. P.; Heetebrij, R. J.; Keppler, B. K.; Reedijk, J., Calcium ions do accelerate the DNA binding of new antitumor-active platinum aminophosphonate complexes. *European Journal of Inorganic Chemistry* 1999, 1655-1657.

80. Pieper, T.; Keppler, B. K., Tumor-inhibiting ruthenium complexes - formulation and analytical characterization. *Analisis* 1998, 26, M84-M87.
79. Kersten, L.; Braunlich, H.; Keppler, B. K.; Gliesing, C.; Wendelin, M.; Westphal, J., Comparative nephrotoxicity of some antitumour-active platinum and ruthenium complexes in rats. *Journal of Applied Toxicology* 1998, 18, 93-101.
78. Hartmann, M.; Lipponer, K. G.; Keppler, B. K., Imidazole release from the antitumor-active ruthenium complex imidazolium trans-tetrachlorobis(imidazole) ruthenate(III) by biologically occurring nucleophiles. *Inorganica Chimica Acta* 1998, 267, 137-141.
77. Einhauser, T. J.; Pieper, T. G.; Keppler, B. K., Titanium determination in human blood plasma by ICP-OES, longitudinally, and transversally heated Zeeman ETAAS. *Journal of Analytical Atomic Spectrometry* 1998, 13, 1173-1176.
76. Marx, M. B. L.; Pritzkow, H.; Keppler, B. K., Preparation and structure of hexa(4-methoxyphenyl)cyclohexaarsane. *Zeitschrift Fur Anorganische Und Allgemeine Chemie* 1997, 623, 75-78.
75. Hartmann, M.; Robert, A.; Duarte, V.; Keppler, B. K.; Meunier, B., Synthesis of water-soluble ruthenium porphyrins as DNA cleavers and potential cytotoxic agents. *Journal of Biological Inorganic Chemistry* 1997, 2, 427-432.
74. Galanski, M.; Keppler, B. K., Carboxylation of dihydroxoplatinum(IV) complexes with acyl chlorides. Crystal structures of the trans-R,R- and trans-S,S-isomer of (OC-6-33)-bis(1-adamantanecarboxylato)-(cyclohexane-1,2-diamine)dichloro platinum(IV). *Inorganica Chimica Acta* 1997, 265, 271-274.
73. Einhauser, T. J.; Galanski, M.; Vogel, E.; Keppler, B. K., The influence of calcium ions on the DNA binding behaviour of a new platinum(II) compound linked to an amino phosphonic acid. *Inorganica Chimica Acta* 1997, 257, 265-268.
72. Dittes, U.; Vogel, E.; Keppler, B. K., Overview on bismuth(III) and bismuth(V) complexes with activity against *Helicobacter pylori*. *Coordination Chemistry Reviews* 1997, 163, 345-364.
71. Depenbrock, H.; Schmelcher, S.; Peter, R.; Keppler, B. K.; Weirich, G.; Block, T.; Rastetter, J.; Hanauske, A. R., Preclinical activity of trans-indazolium tetrachlorobisindazoleruthenate(III) (NSC 666158; IndCR; KP 1019) against tumour colony-forming units and haematopoietic progenitor cells. *European Journal of Cancer* 1997, 33, 2404-2410.
70. Winckler, W.; Pieper, T.; Keppler, B. K., Preparation of octaethyl-3-amino-pentane-1,1,5,5-tetrakisphosphonate by catalytic hydrogenation of the corresponding 3-nitro-compound. *Phosphorus Sulfur and Silicon and the Related Elements* 1996, 112, 137-141.
69. Smith, C. A.; SutherlandSmith, A. J.; Keppler, B. K.; Kratz, F.; Baker, E. N., Binding of ruthenium(III) anti-tumor drugs to human lactoferrin probed by high resolution X-ray crystallographic structure analyses. *Journal of Biological Inorganic Chemistry* 1996, 1, 424-431.
66. Keppler, B. K.; Vogel, E. A., Overview of tumor-inhibiting non-platinum compounds. 1996; p 253-268.
65. Hartmann, M.; Einhauser, T. J.; Keppler, B. K., Two antitumour ruthenium(III) complexes showing selectivity in their binding towards poly(dG)center dot poly(dC) and poly(dA)center dot poly(dT). *Chemical Communications* 1996, 1741-1742.

64. Galanski, M.; Keppler, B. K., Carboxylation of dihydroxoplatinum(IV) complexes via a new synthetic pathway. *Inorganic Chemistry* 1996, 35, 1709-&.
63. Einhauser, T. J.; Galanski, M.; Keppler, B. K., Determination of platinum in protein-bound COOP and DBP by inductively coupled plasma optical emission spectrometry and electrothermal atomic absorption spectrometry. *Journal of Analytical Atomic Spectrometry* 1996, 11, 747-750.
62. Dittes, U.; Keppler, B. K.; Nuber, B., Synthesis and structure of seven-coordinate bismuth(v) complexes with benzenoid and non-benzenoid arene ligands: Tri(aryl)tropolonatotobismuth(v) complexes. *Angewandte Chemie-International Edition in English* 1996, 35, 67-68.
61. Collery, P.; Domingo, J. L.; Keppler, B. K., Preclinical toxicology and tissue gallium distribution of a novel antitumour gallium compound: Tris(8-quinolinolato)gallium(III). *Anticancer Research* 1996, 16, 687-691.
60. Leperre, A.; Millart, H.; Prevost, A.; Trenque, T.; Kantelip, J. P.; Keppler, B. K., Compared effects of ruthenium red and cis Ru(NH₃)(4)Cl-2 Cl on the isolated ischaemic-reperfused rat heart. *Fundamental & Clinical Pharmacology* 1995, 9, 545-553.
59. Hartmann, M.; Keppler, B. K., *Inorganic Anticancer Agents: Their Chemistry and Antitumor Properties*. *Comments on Inorganic Chemistry* 1995, 16, 339-372.
57. Galanski, M.; Keppler, B. K.; Nuber, B., First Isolation of an Enol of a Carboxylic Acid by Complexation to an (Ethane-1,2-diamine)-platinum(II) Fragment. *Angewandte Chemie-International Edition in English* 1995, 34, 1103-1104.
56. Diemer, R.; Keppler, B. K.; Dittes, U.; Nuber, B.; Seifried, V.; Opferkuch, W., Preparation and Characterization of Biologically Active Bismuth(III) Tropolonato Complexes. *Chemische Berichte* 1995, 128, 335-342.
55. Chatlas, J.; Vaneldik, R.; Keppler, B. K., Spontaneous aquation reactions of a promising tumor inhibitor trans-imidazolium-tetrachlorobis(imidazole)ruthenium(III), trans-HIm[RuCl₄(Im)₂]. *Inorganica Chimica Acta* 1995, 233, 59-63.
54. Keppler, B. K.; Hartmann, M., New Tumor-Inhibiting Metal Complexes. *Chemistry and Antitumor Properties*. *Metal-Based Drugs* 1994, 1, 145-149.
53. Gund, A.; Keppler, B. K., Structure of an Antineoplastic Platinum Complex with a Bipyridyl-Crown Ether. *Angewandte Chemie-International Edition in English* 1994, 33, 186-188.
52. Dhuhghaill, O. M. N.; Hagen, W. R.; Keppler, B. K.; Lipponer, K. G.; Sadler, P. J., Aquation of the anticancer complex trans-[RuCl₄(Him)₂]- (Him = imidazole) *Journal of the Chemical Society- Dalton Transactions* 1994, 3305-3310.
51. Comba, P.; Jakob, H.; Nuber, B.; Keppler, B. K., Solution Structures and Isomer Distributions of Bis(.beta.-diketonato) Complexes of Titanium(IV) and Cobalt(III). *Inorganic Chemistry* 1994, 33, 3396-3400.
50. Bloemink, M. J.; Dorenbos, J. P.; Heetebrij, R. J.; Keppler, B. K.; Reedijk, J.; Zahn, H., New Antitumor Platinum Compounds Linked to Amino Phosphonic Acids Which Lose the Phosphonate and Tertiary Amine Ligand upon Binding to Nucleic Acids. *Inorganic Chemistry* 1994, 33, 1127-1132.
49. Lopez-Garzon, R.; Gutierrezvalero, M. D.; Godinosalido, M. L.; Keppler, B. K.; Nuber, B., Spectroscopic studies of metal-pyrimidine complexes. Crystal structures of 4,6-dimethyl-2-thiopyrimidine complexes with Zn(II) and Cd(II). *Journal of Coordination Chemistry* 1993, 30, 111-123.

48. Seelig, M. H.; Berger, M. R.; Keppler, B. K., Antineoplastic activity of three ruthenium derivatives against chemically induced colorectal carcinoma in rats. *Journal of Cancer Research and Clinical Oncology* 1992, 118, 195-200.
47. Kreuser, E. D.; Keppler, B. K.; Berdel, W. E.; Piest, A.; Thiel, E., Synergistic antitumor interactions between newly synthesized ruthenium complexes and cytokines in human colon carcinoma cell lines. *Seminars in Oncology* 1992, 19, 73-81.
46. Kratz, F.; Nuber, B.; Weiss, J.; Keppler, B. K., Synthesis and characterization of potential antitumor and antiviral gallium(III) complexes of n-heterocycles. *Polyhedron* 1992, 11, 487-498.
45. Kratz, F.; Mulinacci, N.; Messori, L.; Bertini, I.; Keppler, B. K., Kinetic, spectroscopic and LPLC studies of the interactions of antitumor ruthenium (111) complexes with serum proteins. 1992; Vol. 2, p 69-74.
44. Keppler, B. K.; Friesen, C.; Vogel, E.; Heim, M. E., Budotitane - preclinical and clinical development of a new tumor-inhibiting titanium complex. 1992; Vol. 2, p 163-166.
43. Galeano, A.; Berger, M. R.; Keppler, B. K., Activity of two platinum-linked phosphonic acids against autochthonous rat colorectal cancer as well as in two human colon-cancer cell lines. *Cancer Chemotherapy and Pharmacology* 1992, 30, 131-138.
42. Galeano, A.; Berger, M. R.; Keppler, B. K., Antitumor activity of some ruthenium derivatives in human colon cancer cell lines in vitro. *Arzneimittel-Forschung/Drug Research* 1992, 42-1, 821-824.
41. Collery, P.; Millart, H.; Pechery, C.; Kratz, F.; Keppler, B. K., New gallium complexes for a cisplatin combination therapy. 1992; Vol. 2, p 173-175.
40. Zeller, W. J.; Fruhauf, S.; Chen, G.; Keppler, B. K.; Frei, E.; Kaufmann, M., Chemoresistance in rat ovarian tumours. *European Journal of Cancer* 1991, 27, 62-67.
39. Kratz, F.; Nuber, B.; Weiss, J.; Keppler, B. K., Synthesis and Characterization of Potential Antitumor and Antiviral Gallium(III) Complexes of α -(N)-Heterocyclic Thiosemicarbazones. *Synthesis and Reactivity in Inorganic and Metal-Organic Chemistry* 1991, 21, 1601-1615.
38. Keppler, B. K.; Friesen, C.; Moritz, H. G.; Vongerichten, H.; Vogel, E., Tumor-inhibiting bis(β -Diketonato) metal complexes. Budotitane, cis-diethoxybis(1-phenylbutane-1,3-dionato)titanium(IV). *Structure and Bonding* 1991, 78, 97-127.
37. Seelig, M. H.; Berger, M. R.; Keppler, B. K.; Schmahl, D., Efficacy of 2 ruthenium complexes against chemically induced autochthonous colorectal carcinoma in rats. 1990; p 476-478.
36. Klenner, T.; Wingen, F.; Keppler, B. K.; Krempien, B.; Schmahl, D., Anticancer-agent-linked phosphonates with antiosteolytic and antineoplastic properties: a promising perspective in the treatment of bone-related malignancies? *Journal of Cancer Research and Clinical Oncology* 1990, 116, 341-350.
35. Klenner, T.; Wingen, F.; Keppler, B.; Valenzuela-Paz, P.; Amelung, F.; Schmähl, D., Therapeutic efficacy of two different cytostatic-linked phosphonates in combination with razoxane in the transplantable osteosarcoma of the rat. *Clinical & Experimental Metastasis* 1990, 8, 345-359.
34. Klenner, T.; Valenzuelapaz, P.; Keppler, B. K.; Scherf, H. R., Sensitivity of rodent osteosarcoma clones to platinum-containing phosphonic acid complexes in vitro. *Journal of Cancer Research and Clinical Oncology* 1990, 116, 453-458.

33. Klenner, T.; Valenzuelapaz, P.; Keppler, B. K.; Angres, G.; Scherf, H. R.; Wingen, F.; Amelung, F.; Schmahl, D., Cisplatin-linked phosphonates in the treatment of the transplantable osteosarcoma in vitro and in vivo. *Cancer Treatment Reviews* 1990, 17, 253-259.
32. Klenner, T.; Keppler, B. K.; Munch, H.; Valenzuelapaz, P., Treatment of rat osteosarcoma with phosphonic acid linked platinum complexes in vivo and in vitro. 1990; p 369-371.
31. Keppler, B. K.; Klenner, T.; Schmähl, D.; Berger, M. R., Chancen und Stand der Entwicklung neuer antineoplastischer Substanzen I. In *Klinische Pharmakologie und Onkologie*, Dengler, H. J. Schmidt, C. G. : Stuttgart, 1990; pp 193-213.
30. Keppler, B. K.; Berger, M. R.; Heim, M. E., New tumor-inhibiting metal complexes. *Cancer Treatment Reviews* 1990, 17, 261-277.
29. Keppler, B. K., Metal complexes as anticancer agents. The future role of inorganic chemistry in cancer therapy. *New Journal of Chemistry* 1990, 14, 389-403.
28. Heim, M. E.; Bischoff, H.; Keppler, B. K., Clinical Studies with Budotitane — A New Non-Platinum Metal Complex for Cancer Therapy. 1990; p 508-510.
27. Schmähl, D.; Berger, M. R.; Keppler, B. K.; Klenner, T., New Antineoplastic Agents. In *Cancer Therapy: New Trends*, Bannasch, P., Ed. Springer Berlin Heidelberg: Berlin, Heidelberg, 1989; pp 95-110.
26. Petru, E.; Schmahl, D.; Berger, M. R.; Zeller, W. J.; Keppler, B. K., Selected Recent Aspects in Cancer-Chemotherapy *Tumordiagnostik & Therapie* 1989, 10, 181-184.
25. Keppler, B. K.; Henn, M.; Juhl, U. M.; Berger, M. R.; Niebl, R.; Wagner, F. E., New ruthenium complexes for the treatment of cancer. *Prog. Clin. Biochem. Med.* 1989, 10, 41-69.
24. Keppler, B. K.; Heim, M. E.; Flechtner, H.; Wingen, F.; Pool, B. L., Assessment of the preclinical activity of budotitane in three different transplantable tumor systems, its lack of mutagenicity, and first results of clinical phase I studies. *Arzneim.-Forsch.* 1989, 39, 706-9.
23. Heim, M. E.; Flechtner, H.; Keppler, B. K., Clinical Studies with Budotitane — A New Non-Platinum Metal Complex for Cancer Therapy. In *Ruthenium and Other Non-Platinum Metal Complexes in Cancer Chemotherapy*, Baulieu, E.; Forman, D. T.; Ingelman-Sundberg, M.; Jaenicke, L.; Kellen, J. A.; Nagai, Y.; Springer, G. F.; Träger, L.; Will-Shahab, L.; Wittliff, J. L., Eds. Springer Berlin Heidelberg: Berlin, Heidelberg, 1989; pp 217-223.
22. Berger, M. R.; Garzon, F. T.; Keppler, B. K.; Schmahl, D., Efficacy of new ruthenium complexes against chemically induced autochthonous colorectal carcinoma in rats. *Anticancer Research* 1989, 9, 761-765.
21. Keppler, B., Budotitane - A New Metal Complex for Cancer Therapy. *Drug News and Perspectives* 1988
20. Keppler, B. K.; Bischoff, H.; Berger, M. R.; Heim, M. E.; Reznik, G.; Schmähl, D., Preclinical Development and First Clinical Studies of Budotitane. In *Platinum and Other Metal Coordination Compounds in Cancer Chemotherapy: Proceedings of the Fifth International Symposium on Platinum and Other Metal Coordination Compounds in Cancer Chemotherapy* Abano, Padua, ITALY - June 29–July 2, 1987, Nicolini, M., Ed. Springer US: Boston, MA, 1988; pp 684-694.
19. Keppler, B.; Heim, M. E., Antitumor-Active Bis- β -Diketonato Metal Complexes: Budotitane - A New Anticancer Agent *Drugs of the Future* 1988, 13, 637-652.

18. Keppler, B. K.; Wehe, D.; Endres, H.; Rupp, W., Synthesis, antitumor activity, and x-ray structure of bis(imidazolium) (imidazole)pentachlororuthenate(III), $(\text{ImH})_2(\text{RuImCl}_5)$. *Inorganic Chemistry* 1987, 26, 844-846.
17. Keppler, B. K.; Rupp, W.; Juhl, U. M.; Endres, H.; Niebl, R.; Balzer, W., Synthesis, molecular-structure, and tumor-inhibiting properties of imidazolium trans-bis(imidazole)tetrachlororuthenate(III) and its methyl-substituted derivatives. *Inorganic Chemistry* 1987, 26, 4366-4370.
16. Keppler, B. K.; Balzer, W.; Seifried, V., Synthesis and antitumor-activity of triazolium-bis(triazole)-tetrachlororuthenate (III) and bistriazolium-triazolepentachlororuthenate (III) 2 representatives of a new class of inorganic antitumor agents. *Arzneimittel-Forschung/Drug Research* 1987, 37-2, 770-771.
15. Keppler, B. K., *Metallkomplexe in der Krebstherapie. Nachrichten aus Chemie, Technik und Laboratorium* 1987, 35, 1029-1036.
14. Garzon, F. T.; Berger, M. R.; Keppler, B. K.; Schmahl, D., Comparative antitumor activity of ruthenium derivatives with 5'-deoxy-5-fluorouridine in chemically induced colorectal tumors in SD rats. *Cancer Chemotherapy and Pharmacology* 1987, 19, 347-349.
13. Garzon, F. T.; Berger, M. R.; Keppler, B. K.; Schmahl, D., Paradoxical effect of dichlorobis(1-phenylbutane-1,3-dionato)molybdenum (IV), $(\text{Mo}(\text{bzac})_2\text{Cl}_2)$ on the growth of autochthonous chemically induced colorectal tumors in SD rats. *Cancer Letters* 1987, 34, 325-330.
12. Bischoff, H.; Berger, M. R.; Keppler, B. K.; Schmahl, D., Efficacy of Beta-Diketonato Complexes of Titanium, Zirconium, and Hafnium Against Chemically Induced Autochthonous Colonic Tumors in Rats. *Journal of Cancer Research and Clinical Oncology* 1987, 113, 446-450.
11. Keppler, B. K.; Schmähl, D., Preclinical evaluation of dichlorobis(1-phenylbutane-1,3-dionato)titanium (IV) and budotitane. Two representatives of the new class of antitumor-active bis-beta-diketonato metal complexes. *Arzneimittel-Forschung/Drug Research* 1986, 36-2, 1822-1828.
10. Keppler, B. K.; Rupp, W., Antitumor activity of imidazolium-bisimidazole-tetrachlororuthenate (III). A representative of a new class of inorganic antitumor agents. *Journal of Cancer Research and Clinical Oncology* 1986, 111, 166-168.
8. Keppler, B. K.; Diez, A.; Seifried, V., Antitumor activity of phenyl substituted dihalogenobis (1-phenyl-1,3-butanedionato)titanium (IV) compounds. *Arzneimittel-Forschung/Drug Research* 1985, 35-2, 1832-1836.
7. Mattern, J.; Keppler, B.; Volm, M., Preclinical evaluation of diethoxy(1-phenyl-1,3-butanedionato)titanium(IV) in human tumor xenografts. *Arzneim.-Forsch.* 1984, 34, 1289-90.
6. Keller, H. J.; Keppler, B.; Schmahl, D., Antitumor activity of cis-dihalogenobis(1-phenyl-1,3-butanedionato)titanium (IV) compounds. A new class of antineoplastic agents. *J Cancer Res Clin Oncol* 1983, 105, 109-10.
5. Keller, H. J.; Keppler, B.; Schmähl, D., Antitumor activity of cis-dihalogenobis(1-phenyl-1,3-butanedionato) titanium(IV) compounds against Walker 256 carcinosarcoma. A new class of antineoplastic agents. *Arzneimittelforschung* 1982, 32, 806-807.
4. Keller, H. J.; Keppler, B.; Pritzkow, H., Structure of bis(ethylenediamine)diiodoplatinum(IV) di- μ -iodo-bis[diiodoargentate(I)]. *Acta Crystallogr., Sect. B* 1982, B38, 1603-5.

3. Keller, H. J.; Keppler, B.; Ledezma-Sanchez, G.; Steiger, W., Redetermination of the structure of trans-diamminedibromoplatinum(II)-trans-diamminetetrabromoplatinum(IV), trans- $[\{\text{PtBr}_2(\text{NH}_3)_2\}\{\text{PtBr}_4(\text{NH}_3)_2\}]$. *Acta Crystallogr., Sect. B* 1981, B37, 674-5.
 2. Endres, H.; Keller, H. J.; Keppler, B.; Martin, R.; Steiger, W.; Traeger, U., Redetermination of the structure of anhydrous tetrakis(ethylamine)platinum(II)dibromotetrakis(ethylamine)platinum(IV) tetrabromide, $[\text{Pt}(\text{ea})_4][\text{PtBr}_2(\text{ea})_4]\text{Br}_4$: a red analog of Reihlen's green. *Acta Crystallogr., Sect. B* 1980, B36, 760-1.
 1. Clark, R. J. H.; Kurmoo, M.; Keller, H. J.; Keppler, B.; Traeger, U., Electronic and resonance-Raman spectra of the linear-chain mixed-valence platinum complexes $\{[\text{Pt}(\text{en})_2][\text{Pt}(\text{en})_2\text{X}_2]\}_3[\text{CuX}_4]_4$ [X = Cl (1) or Br (2)] and $[\text{Pt}(\text{pn})_2][\text{Pt}(\text{pn})\text{Br}_2][\text{Cu}_3\text{Br}_5]_2(3)$ (en = ethane-1,2-diamine and pn = propane-1,2-diamine). *Journal of the Chemical Society, Dalton Transactions* 1980, 2498-2502.
 9. Keppler, B. K.; Michels, K., Antitumor activity of 1.3-diketonato zirconium (IV) and hafnium (IV) complexes. *Arzneimittel-Forschung/Drug Research* 1985, 35-2, 1837-1839.
 58. Gund, A.; Keppler, B. K.; Nuber, B., 5-coordinate platinum olefin complexes - synthesis, H-1-NMR investigations, and crystal-structure of a platinum eta(2)-ethylene crown-ether complex. *Inorganic Chemistry* 1995, 34, 2788-2790.
 67. Marx, M. B. L.; Nuber, B.; Keppler, B. K., Structure of 4-hydroxyphenylarsonic acid and 4-methoxy-3-nitrophenylarsonic acid. *Phosphorus Sulfur and Silicon and the Related Elements* 1996, 118, 31-38.
 68. Marx, M. B. L.; Pritzkow, H.; Keppler, B. K., Structure of S-9,10-dimethyl-1,3,5,7-tetraarsa-2,4,5,8-tetraoxadamantane and 9,10-diethyl-1,3,5,7-tetraarsa-2,4,6,8-tetraoxadamantane. *Zeitschrift Fur Anorganische Und Allgemeine Chemie* 1996, 622, 1097-1100.
 90. Pieper, T.; Keppler, B. K., Preparation of tetraethyl-4-hydroxyphenylmethylene-1,1-bisphosphonate by hydroxy-de-diazonation of the corresponding diazonium salt of tetraethyl-4-aminophenylmethylene 1,1-bisphosphonate. *Phosphorus Sulfur and Silicon and the Related Elements* 2000, 165, 77-82.
- Annual Meeting of the Working Group for Pharmacology in Oncology and Hematology (APOH) of the Central European Society for Anticancer Drug Research (CESAR) during the Symposium "Novel Approaches for the Discovery and the Development of Anticancer Agents. In *International Journal of Clinical Pharmacology and Therapeutics* 2005; Vol. 43, pp 566-608.